S7175-1

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS

1980

VOLUME I
ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

AUGUST 1982

Robert S. Jackson, M.D., Commissioner and State Registrar

Office of Vital Records and Public Health Statistics

Murray B. Hudson, M.P.H., Director

Ann G. Owens, Assistant State Registrar

James E. Ferguson, Statistics and Research Administrator

John David Rumpel, Biostatistician

Suzanne E. Long, M.P.H., Biostatistician

Debra Faust, Statistician

Linda H. Jacobs, Data Management and Research Analyst

Mary F. Hill, Clerk

Lee K. Young, Supervisor of Registration

Division of Data Systems Management

Mark R. Shealey, Systems Analyst

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1980. Vital statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, and divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities -- population dynamics, health economics, planning, program development and evaluation, research, and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program on population estimating for local areas. The Bureau of Disease Control of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner. Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

TABLE OF CONTENTS

Page

Completeness of Registration.. i

Allocation of Events by Residence and Occurrence...................... ii

Definitions of Terms.. iii

Interpretation of Data.. iv

Vital Statistics Rates and Ratios..................................... vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols used in Tables.. vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, with Rates per 1,000 Population, by Race: South Carolina, 1961-1980 (Residence Data).................................. 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths, with Rates, by Race: South Carolina, 1961-1980 (Residence Data)... 2

Table 3. Mortality From Selected Causes of Death by Race with Rates per 100,000 Population: South Carolina, 1961-1980 (Residence Data)... 3

POPULATION

Summary of Population... 5

Table 4. Population, Live Births, Deaths and Natural Increase: South Carolina, 1961-1980 (Residence Data)................ 6

Figure 1. Population Growth Due to Natural Increase: South Carolina 1961-1980 (Residence Data)................................ 6

Figure 2. Population Distribution of South Carolina, 1980........... 7

Figure 3. Median Age of 1980 Population, South Carolina............. 8

Table 5. Census of Population by Race: South Carolina and Each County, 1980.. 9

Page

BIRTHS

Summary of Births 10

Figure 4. Live Birth Rate Distribution of South Carolina, 1980 ... 10

Figure 5. Live Birth Rates by Race: South Carolina, 1950-1980 (Residence Data) 11

Table 6. Live Birth Rates by Race: South Carolina, 1950-1980 (Residence Data) 11

Table 7. Live Births by Attendant by Place of Delivery, South Carolina, 1980 (Residence Data) 12

Table 8. Percentage of Births Occurring in Hospitals by Race: South Carolina, 1971-1980 (Residence Data) 12

Table 9. Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1976-1980 (Residence Data) 13

Table 10. Percentage Distribution of Live Births by Age of Mother: South Carolina, 1976-1980 (Residence Data) 13

Table 11. Live Births by Birth Weight by Race with Percentage of Births in Weight Group: South Carolina, 1980 (Residence Data) 14

Table 12. Percent of Births 2,500 Grams or less, by Age of Mother and Race: South Carolina, 1980 (Residence Data)......... 14

Figure 6. Percent of Births 2,500 Grams or less, by Age of Mother and Race: South Carolina, 1980 (Residence Data) 15

Figure 7. Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1980 (Residence Data) 15

Table 13. Fertility Rates by Race: South Carolina, 1950,1960, 1970-1980 16

Table 14. Population of Females Age 15-44 Years by Race: South Carolina, 1950, 1960, 1970-1980 16

Table 15. Sex Ratio of Males per 100 Females: South Carolina, 1976-1980 (Residence Data) 17

Page

Table 16. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population 1980 (Residence Data) 18

Table 17. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980 (Occurrence Data) 22

Table 18. Live Births by Race and Sex: South Carolina and Each County, 1980 (Residence Data) 26

Table 19. Live Births by Race and Sex: South Carolina and Each County, 1980 (Occurrence Data) 27

Table 20. Total Births by Numbers of Prenatal Care Visits: South Carolina and Each County, 1980 (Residence Data) 28

Table 21. Live Births by Attendant: South Carolina and Each County 1980 (Residence Data) 29

Table 21-A Live Births by Attendant by Race; South Carolina and Each County, 1980 (Residence Data) 30

Table 22. Live Births by Attendant: South Carolina and Each County, 1980 (Occurrence Data) 32

Table 22-A Live Births by Attendant by Race: South Carolina and Each County, 1980 (Occurrence Data) 33

Table 23. Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1980 (Residence Data) 35

Table 24. Live Births by Age of Mother: South Carolina and Each County, 1980 (Residence Data) 36

Table 25. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1980 (Residence Data) 37

Table 26. Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1980 (Residence Data) 38

Table 27. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1980 (Residence Data) 39

Page

Table 28. Live Births by Birth Weight and Race: South Carolina and Each County, 1980 (Residence Data) 40

Table 29. Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock: South Carolina and Each County, 1980 (Residence Data) 44

Table 30. Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1980 (Residence Data) 45

Table 31. Live Births with Reported Congenital Malformations: South Carolina, and Each HSA, 1980 (Residence Data) .. 46

DEATHS

Summary of Deaths.. 47

Figure 8 Death Rate Map Distribution of South Carolina 1980 ... 47

Figure 9 Death Rate Graph by Race: South Carolina, 1950-1980 (Residence Data) 48

Table 32. Death Rates by Race: South Carolina, 1950-1980 (Residence Data) 48

Table 33. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1961 and 1980 (Residence Data) 49

Table 34. Leading Causes of Infant Death, by Age at Death: South Carolina, 1980 (Residence Data) 50

Table 35. Maternal Deaths by Cause, Race and Age: South Carolina, 1980 (Residence Data) 51

Table 36. Violent Deaths With Rates by Type: South Carolina, 1976-1980 (Residence Data) 52

Table 37. Types of Accidental Deaths by Sex: South Carolina, 1980 (Residence Data) 52

Table 38. Methods of Suicidal Deaths by Sex: South Carolina 1980 (Residence Data) 53

Table 39. Methods of Homicidal Deaths by Sex: South Carolina 1980 (Residence Data) 53

Page

Table 40. Distribution of Malignant Neoplasms by Site: South Carolina, 1980 (Residence Data) 54

Table 41. Deaths From Major Cardiovascular Diseases: South Carolina, 1980 (Residence Data) 55

Table 42. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1980 (Residence Data) 56

Figure 10. Percentage Distribution - Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1980 (Residence Data) 56

Table 43. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina 1980 (Residence Data) 57

Table 44. Deaths and Death Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980 (Residence Data) 58

Table 45. Deaths and Death Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980 (Occurrence Data).............................. 62

Table 46. Deaths by Race and Sex: South Carolina and Each County, 1980 (Residence Data) 66

Table 47. Deaths by Race and Sex: South Carolina and Each County, 1980 (Occurrence Data) 67

Table 48. Deaths and Death Rate From Selected Causes, by Race and Sex: South Carolina, 1980 (Residence Data) 68

Table 48-A Deaths From Selected Causes, by Race and Sex: Each County, 1980 (Residence Data) 69

Table 49. Deaths From Selected Causes, by Age, Sex, and Race: South Carolina, 1980 (Residence Data) 92

Table 50. Major Causes of Accidental Death: South Carolina and Each County, 1980 (Residence Data) 102

Table 51. Major Causes of Accidental Death: South Carolina and Each County, 1980 (Occurrence Data) 103

Table 52. Deaths From Suicides by Method: South Carolina, 1980 (Occurrence Data) 104

Page

Table 53. Deaths From Homicides by Types: South Carolina, 1980 (Occurrence Data) 105

Table 54. Infant Deaths and Infant Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 106

Table 55. Neonatal Deaths and Neonatal Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 107

Table 56. Postneonatal Deaths and Postneonatal Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 108

Table 57. Fetal Deaths and Fetal Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 109

Table 58. Perinatal Deaths and Perinatal Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 110

Table 59. Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1980 (Residence Data) 111

Table 60. Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1980 (Occurrence Data) 111

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments.................... 112

Figure 11. Percentage of Non-Residents Obtaining Marriage Licenses in South Carolina, 1961-1980 112

Table 61. Marriages by Race of Bride by Race of Groom: South Carolina, 1980 (Occurrence Data) 113

Table 62. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1980 114

Table 63. Marriages by Residential Status, by County of Marriage: South Carolina, 1980 (Occurrence Data) 115

Page

Table 64. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1980............ 116

Table 65. Marriages by Race, By Residential Status, by Age Groups of Grooms: South Carolina, 1980............ 117

Table 66. Marriages by Age of Bride by Age of Groom: South Carolina, 1980.................................... 118

Table 67. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1980.. 119

Table 68. Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1980.......... 120

Table 69. Divorces by Age Groups, by Race: South Carolina, 1980... 121

Table 70. Divorces and Annulments by Duration of Marriage, by Race: South Carolina, 1980......................... 122

MORBIDITY

Table 71. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1980.................... 123

Table 72. Reported Cases of Venereal Disease: South Carolina and Each County, 1980................................ 125

APPENDIX

Sample Certificates.. 126

Comparability Ratios.. 131

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state form being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as an increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for for a specific time period. Frequency counts in this report are based on 1980 events processed in the state office before April 1, 1981. As of November 1, 1981, 7 birth, 3 death and no fetal death records for 1980 were processed during April-December and are not added to the statistical file. These residuals are considered among the 0.1 - 0.3 percent which will accrue during 1981.

Below are the results of an examination of the 1979 residual events which accrued on or after April 1, 1980 and were not added to the 1979 statistical file.

Event	Total		Filed April 1, 1980 Thru Dec. 31, 1980		Filed Jan. 1, 1981 Thru Present	
	Number	Percent	Number	Percent	Number	Percent
Birth	27	0.1	21	0.0	6	0.0
Death	9	0.0	6	0.0	3	0.0
Fetal Death	-	0	-	0	-	0

Based on the above examination, so few registrations of the prior year's events reached this office after the April 1st date that the validity of the tabulations in this report is little affected by this closing date.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1980

	BIRTHS			DEATHS		
	Total	White	Nonwhite	Total	White	Nonwhite
Occurring in S. C.	49,807	29,041	20,766	24,357	16,192	8,165
Residents of S.C.	49,264	28,607	20,657	23,692	15,659	8,033
Of Other Areas	543	434	109	665	533	132
Occurring to S. C. Residents	51,908	30,559	21,349	25,138	16,781	8,357
In S. C.	49,264	28,607	20,657	23,692	15,659	8,033
Out-of-State	2,644	1,952	692	1,446	1,122	324

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is 2,500 grams (5 pounds, 8 ounces) or less, regardless of the period of gestation. On a national level, a low weight birth is one for which the birth weight is less than 2,500 grams. This change went into effect in 1979. South Carolina will adopt this definition effective with 1981 data.

OUT-OF-WEDLOCK: A birth which occurs to woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a)).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to complications of Pregnancy, Childbirth, and the Puerperium (Ninth Revision ICD 630-676).

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. (International Classification of Diseases).

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnotic practice, any system for categorizing causes of death must periodically be revised. Major revision in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision from 1958-1968; the Eighth 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, and Eighth Revision of the International Lists, the cause selected for tabulation has been the "underlying" cause is defined as the "disease or injury which initiated the train of morbid events, leading directly to death" (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol. 28, Number 11 published by the National Center for Health Statistics.

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's races are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1980.

Race of Father	Race of Mother							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	28,895	39	19	9	11	133	-	29,106
Black	88	11,546	7	-	2	26	-	11,669
Indian	37	2	15	-	-	2	-	56
Chinese	2	-	-	13	-	2	-	17
Japanese	6	-	-	1	6	-	-	13
Other	34	-	-	3	-	137	-	174
Not Stated	1,664	9,189	13	-	-	7	-	10,873
Total	30,726	20,776	54	26	19	307		51,908

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and other nonwhite. The not-stated race includes out-of-wedlock births where the father's race is not shown and also actual unknown race

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

$$\text{Cause of Death Rate} = \frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}} \times 100{,}000$$

$$\text{Death Rate (crude)} = \frac{\text{Annual number of deaths}}{\text{Population of area}} \times 1{,}000$$

$$\text{Divorce Rate (crude)} = \frac{\text{Annual number of divorces}}{\text{Population of area}} \times 1{,}000$$

$$\text{Fetal Mortality Rate} = \frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{General Fertility Rate} = \frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}} \times 1{,}000$$

$$\text{Out-of-Wedlock Birth Rate} = \frac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Infant Mortality Rate} = \frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Live Birth Rate (crude)} = \frac{\text{Annual number of live births}}{\text{Population of area}} \times 1{,}000$$

$$\text{Marriage Rate (crude)} = \frac{\text{Annual number of marriages}}{\text{Population of area}} \times 1{,}000$$

$$\text{Maternal Mortality Rate} = \frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}} \times 10{,}000$$

$$\text{Neonatal Mortality Rate} = \frac{\text{Annual number of neonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Postneonatal Mortality Rate} = \frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Perinatal Mortality Rate} = \frac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}} \times 1{,}000$$

$$\text{Low Weight Birth Rate} = \frac{\text{Annual number of live births weighing 2500 grams or less}}{\text{Annual number of live births}} \times 1{,}000$$

Equivalents in Pounds and Ounces of the Gram Weight Intervals

500 grams or less =	1 lb.	1 oz.	or less	
501-1,000 grams =	1 lb.	2 oz.	-2 lbs.	3 oz.
1,001-1,500 grams =	2 lbs.	4 oz.	-3 lbs.	4 oz.
1,501-2,000 grams =	3 lbs.	5 oz.	-4 lbs.	6 oz.
2,001-2,500 grams =	4 lbs.	7 oz.	-5 lbs.	8 oz.
2,501-3,000 grams =	5 lbs.	9 oz.	-6 lbs.	9 oz.
3,001-3,500 grams =	6 lbs.	10 oz.	-7 lbs.	11 oz.
3,501-4,000 grams =	7 lbs.	12 oz.	-8 lbs.	13 oz.
4,001-4,500 grams =	8 lbs.	14 oz.	-9 lbs.	14 oz.
4,501-5,000 grams =	9 lbs.	15 oz.	-11 lbs.	0 oz.
5,001 grams or more =	11 lbs.	1 oz. or more		

Symbols Used In Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1.
Population, Live Births, Deaths, Marriages, and Divorces, With Rates Per 1,000 Population by Race: South Carolina, 1961-1980
(Residence Data)

Year	Race	Population[1]	Resident Births		Resident Deaths		Marriages[2]		Divorces & Annulments[3]	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1961	Total	2,409,300	59,930	24.9	20,151	8.4	39,997	16.6	3,178	1.3
	White	1,577,000	34,771	22.0	11,780	7.5	29,969	19.0	---	---
	Nonwhite	832,400	25,159	30.2	8,371	10.1	10,028	12.0	---	---
1962	Total	2,435,000	58,142	23.9	20,390	8.4	41,240	16.9	2,681	1.1
	White	1,602,400	34,216	21.4	12,143	7.6	31,034	9.4	---	---
	Nonwhite	833,100	23,926	28.7	8,247	9.9	10,206	12.3	---	---
1963	Total	2,461,400	58,231	23.7	21,675	8.8	42,469	17.3	2,462[4]	1.0
	White	1,628,200	34,256	21.0	12,714	7.8	32,114	19.7	2,114	1.3
	Nonwhite	833,900	29,975	28.8	8,961	10.7	10,355	12.4	347	0.4
1964	Total	2,487,600	56,906	22.9	21,309	8.6	44,204	17.8	2,477	1.0
	White	1,653,100	33,184	20.1	12,789	7.7	33,390	20.2	2,165	1.3
	Nonwhite	834,700	23,722	28.4	8,520	10.2	10,814	13.0	312	0.4
1965	Total	2,512,200	52,853	21.0	21,668	8.6	46,336	18.4	3,018	1.2
	White	1,676,900	30,635	18.3	13,101	7.8	35,360	21.1	2,628	1.6
	Nonwhite	835,500	22,218	26.6	8,567	10.3	10,976	13.1	390	0.5
1966	Total	2,536,800	50,653	20.0	22,081	8.7	49,812	19.6	3,124	1.2
	White	1,702,500	30,118	17.7	13,427	7.9	38,021	22.3	2,695	1.6
	Nonwhite	834,800	20,535	24.6	8,654	10.4	11,791	14.1	429	0.5
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584[5]	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	19,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White		29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite		18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38,372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23,639	8.3	50,698	17.8	10,641	3.7
	White	1,962,000	28,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,900	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24,343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11,283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,820	51,908	16.6	25,138	8.1	53,915	17.3	13,595	4.4
	White	2,147,224	30,559	14.2	16,781	7.8	40,955	19.2	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,402	13.1	2,440	2.5

[1] 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics, 1974, page 5.

[2] Figures represent all reported marriages where license was issued in South Carolina.

[3] Figures represent all reported divorces and annulments granted in South Carolina by race of husband. Source of 1961-1962 data is Vital Statistics of the United States; race breakdown is not available. and rates were computed using South Carolina population estimates. (Occurrence Data)

[4] Includes 1 race not stated.

[5] Includes 22 races not stated.

Table 2.

Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year and Under 28 Days[1], and Maternal Deaths, With Rates[2], by Race: South Carolina, 1961-1980

(Residence Data)

Year	Race	Out-of-Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1961	Total	7,787	129.9	5,240	87.4	1,217	20.3	1,949	32.5	1,175	19.6	44	7.3
	White	820	23.6	2,438	70.1	450	12.9	792	22.8	580	16.7	7	2.0
	Nonwhite	6,967	276.9	2,802	111.4	767	30.5	1,157	46.0	595	23.6	37	14.7
1962	Total	7,339	126.2	5,201	89.5	1,078	18.5	1,813	31.2	1,036	17.8	41	7.1
	White	740	21.6	2,457	71.8	381	11.1	796	23.3	590	17.3	8	2.3
	Nonwhite	6,599	275.8	2,744	114.7	697	29.1	1,017	42.5	446	18.6	33	13.8
1963	Total	7,734	132.8	5,565	95.6	1,157	19.9	1,907	32.7	1,110	19.0	49	8.4
	White	864	25.2	2,572	75.1	394	11.5	757	22.1	572	16.7	9	2.6
	Nonwhite	6,870	286.5	2,993	124.8	763	31.8	1,150	48.0	538	22.4	40	16.7
1964	Total	7,504	131.9	5,366	94.3	1,162	20.4	1,775	31.2	1,035	18.2	39	6.9
	White	815	24.6	2,384	71.8	425	12.8	772	23.3	566	17.0	8	2.4
	Nonwhite	6,689	282.0	2,982	125.7	737	31.1	1,003	42.3	469	19.9	31	13.1
1965	Total	7,433	140.6	5,132	97.1	1,039	19.7	1,638	31.0	994	18.8	38	7.2
	White	924	30.2	2,214	72.3	411	13.4	679	22.2	528	17.2	11	3.6
	Nonwhite	6,509	293.0	2,918	131.3	628	28.3	959	43.2	466	20.9	27	12.2
1966	Total	7,417	146.4	4,933	97.4	937	18.5	1,508	29.8	874	17.3	35	6.9
	White	1,061	35.2	2,271	75.4	377	12.5	633	21.0	482	16.0	7	2.3
	Nonwhite	6,356	309.5	2,662	129.6	560	27.3	875	42.6	392	19.2	28	13.6
1967	Total	7,521	150.9	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813[3]	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,191	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809[3]	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732[4]	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653[5]	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715[6]	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685[7]	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	-	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3

---

[1] Data on infant deaths under 28 days (1961-1966) derived from Vital Statistics of the United States.

[2] Rates for out-of-Wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births; rates for maternal deaths are calculated per 10,000 live births.

[3] Includes 2 race not stated

[4] Includes 3 race not stated

[5] Includes 1 race not stated

[6] Includes 5 race not stated

[7] Includes 6 race not stated

Table 3.
Mortality From Selected Causes of Death by Race With Rates1/ Per 100,000 Population
South Carolina, 1971-1980
(Residence Data)

Malignant Neoplasms 140-209 (140-208), 1.0026

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	3,387	128.9	2,440	133.1	947	119.4
1972	3,444	129.2	2,457	131.1	987	124.7
1973	3,688	135.3	2,564	132.8	1,124	141.2
1974	3,819	137.2	2,685	137.1	1,134	137.5
1975	3,840	136.3	2,685	138.3	1,155	131.8
1976	3,979	139.7	2,844	145.0	1,135	128.1
1977	4,272	148.5	3,030	154.1	1,242	136.6
1978	4,278	146.6	3,011	149.5	1,267	140.3
1979	4,563	155.6	3,210	158.7	1,353	148.8
1980	4,890	156.6	3,466	161.4	1,424	146.1

Hypertension 400,401,403 (401,403), 1.2703

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	133	5.1	62	3.4	71	8.9
1972	172	6.5	58	3.1	114	14.4
1973	110	4.0	39	2.0	71	8.9
1974	106	3.8	44	2.2	62	7.5
1975	101	3.6	38	2.0	63	7.2
1976	88	3.1	41	2.1	47	5.3
1977	67	2.3	30	1.5	37	4.1
1978	71	2.4	24	1.2	47	5.2
1979	99	3.4	55	2.7	44	4.8
1980	112	3.6	51	2.4	61	6.3

Malignant Neoplasms of Cervix 180 (180), N.A.*

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	123	4.7	73	4.0	50	6.3
1972	85	3.2	40	2.1	45	5.7
1973	117	4.3	57	3.0	60	7.5
1974	92	3.3	48	2.4	44	5.3
1975	89	3.2	38	2.0	51	5.8
1976	97	3.4	47	2.4	50	5.6
1977	91	3.2	47	2.4	44	4.8
1978	78	2.7	40	2.0	38	4.2
1979	69	2.4	34	1.7	35	3.8
1980	94	3.0	48	2.2	46	4.7

Atherosclerosis 440 (440), 1.0649

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	255	9.7	170	9.3	85	10.7
1972	270	10.1	185	9.9	85	10.7
1973	271	9.9	185	9.6	86	10.8
1974	279	10.0	201	10.3	78	9.5
1975	233	8.3	165	8.5	68	7.8
1976	242	8.5	179	9.1	63	7.1
1977	222	7.7	157	8.0	65	7.1
1978	239	8.2	185	9.2	54	6.0
1979	255	8.7	192	9.5	63	6.9
1980	264	8.5	175	8.2	89	9.1

Cerebrovascular Disease 430-438 (430-438), 1.0049

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	2,880	109.6	1,741	95.0	1,139	143.6
1972	3,010	112.9	1,842	98.3	1,168	147.6
1973	3,073	112.7	1,920	99.5	1,153	144.8
1974	2,906	104.4	1,830	93.4	1,076	130.4
1975	2,725	96.7	1,698	87.4	1,027	117.2
1976	2,739	96.2	1,722	87.8	1,017	114.8
1977	2,697	93.8	1,688	85.8	1,009	111.0
1978	2,541	87.1	1,569	77.9	972	107.6
1979	2,513	85.7	1,549	76.6	964	106.0
1980	2,488	79.7	1,532	71.3	956	98.1

Ischemic Heart Disease 410-414 (410-414), 0.8784

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	7,127	271.3	5,161	281.5	1,966	247.8
1972	7,468	280.2	5,405	288.5	2,063	260.4
1973	7,738	283.9	5,508	285.4	2,230	280.2
1974	7,384	265.2	5,316	271.4	2,068	250.7
1975	7,026	249.3	5,135	264.4	1,891	215.9
1976	7,143	250.8	5,214	265.7	1,929	217.7
1977	7,224	251.2	5,264	267.7	1,960	215.6
1978	7,067	242.3	5,190	257.7	1,877	207.8
1979	5,956	203.1	4,460	220.5	1,496	164.5
1980	6,060	194.1	4,655	216.8	1,405	144.2

Heart Disease
390-398,402,404,410-429
(390-398,402,404-429), 1.0126

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	8,030	305.7	5,605	305.7	2,425	305.7
1972	8,320	312.2	5,873	313.4	2,447	309.3
1973	8,779	322.0	6,107	316.4	2,672	335.7
1974	8,363	300.4	5,874	299.8	2,489	301.7
1975	8,139	288.8	5,757	296.4	2,382	271.9
1976	8,392	294.7	5,956	303.6	2,436	274.9
1977	8,636	300.3	6,069	308.6	2,567	282.4
1978	8,550	293.1	6,013	298.6	2,537	280.9
1979	8,640	297.7	6,081	300.7	2,559	281.4
1980	9,047	289.8	6,421	299.0	2,626	269.4

Influenza and Pneumonia
470-474,480-486
(480-486,487) 0.9264

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	682	26.0	386	21.1	296	37.3
1972	716	26.9	416	22.2	300	37.9
1973	670	24.6	413	21.4	257	32.3
1974	612	22.0	376	19.2	236	28.6
1975	707	25.1	441	22.7	266	30.4
1976	669	23.5	445	22.7	224	25.3
1977	673	23.4	430	21.9	243	26.7
1978	702	24.1	475	23.6	227	25.1
1979	546	18.6	376	18.6	170	18.7
1980	559	17.9	380	17.7	179	18.4

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

Table 3. (cont.)

Diabetes Mellitus 250 (250), 0.9991

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	518	19.7	293	16.0	225	28.4
1972	543	20.4	303	16.2	240	30.3
1973	552	20.2	290	15.0	262	32.9
1974	586	21.1	326	16.6	260	31.5
1975	523	18.6	276	14.2	247	28.2
1976	468	16.4	245	12.5	223	25.2
1977	480	16.7	256	13.0	224	24.6
1978	450	15.4	245	12.2	205	22.7
1979	471	16.1	274	13.5	197	21.7
1980	475	15.2	256	11.9	219	22.5

Accidents, All Types
E800-E949 (E800-E949), 0.9970

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	1,896	72.2	1,173	64.0	723	91.1
1972	1,972	74.0	1,179	62.9	793	100.2
1973	2,029	74.4	1,264	65.5	765	96.1
1974	1,835	65.9	1,181	60.3	654	79.3
1975	1,624	57.6	1,055	54.3	569	65.0
1976	1,593	55.9	983	50.1	610	68.8
1977	1,749	60.8	1,116	56.7	633	69.6
1978	1,658	56.8	1,052	52.2	606	67.1
1979	1,729	59.0	1,076	53.2	653	71.8
1980	1,700	54.5	1,092	50.9	608	62.4

Complications of Pregnancy, Childbirth,
and Puerperium 630-678
(630-676), 1.100 2/

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	28	5.3	8	2.4	20	10.0
1972	19	3.8	5	1.6	14	7.3
1973	18	3.7	4	1.3	14	7.4
1974	10	2.1	4	1.4	6	3.2
1975	5	1.1	1	0.1	4	2.1
1976	13	2.7	2	0.7	11	5.8
1977	10	2.0	1	0.3	9	4.5
1978	8	1.6	5	1.7	3	1.5
1979	6	1.2	-	0	6	2.9
1980	12	2.3	7	2.3	5	2.3

Motor Vehicle Accidents
E810-E823 (E810-E825), 1.0117

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	1,020	38.8	675	36.8	345	43.5
1972	1,075	40.3	657	35.1	418	52.8
1973	996	36.5	650	33.7	346	43.5
1974	861	30.9	568	29.0	293	35.5
1975	814	28.9	535	27.5	279	31.8
1976	816	28.7	526	26.8	290	32.7
1977	952	33.1	676	34.4	276	30.4
1978	919	31.5	613	30.4	306	33.9
1979	915	31.2	599	29.6	316	34.8
1980	863	27.6	592	27.6	271	27.8

Congenital Anomalies 740-759
(740-759), 0.9984

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	181	6.9	134	7.3	47	5.9
1972	225	8.4	154	8.2	71	9.0
1973	221	8.1	159	8.2	62	7.8
1974	220	7.9	138	7.0	82	9.9
1975	207	7.3	128	6.6	79	9.0
1976	204	7.2	132	6.7	72	8.1
1977	207	7.2	122	6.2	85	9.3
1978	185	6.3	112	5.6	73	8.1
1979	229	7.8	143	7.1	86	9.5
1980	196	6.3	118	5.5	78	8.0

Suicide E950-E959
(E950-E959), 1.0032

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	282	10.7	248	13.5	34	4.3
1972	281	10.5	239	12.8	42	5.3
1973	308	11.3	270	14.0	38	4.8
1974	303	10.9	276	14.1	27	3.3
1975	328	11.6	293	15.1	35	4.0
1976	285	10.0	247	12.6	38	4.3
1977	359	12.5	311	15.8	48	5.3
1978	332	11.4	290	14.4	42	4.7
1979	308	10.5	281	13.9	27	3.0
1980	301	9.6	251	11.7	50	5.1

Certain Conditions Originating In The
Perinatal Period 760-778
(760-779), 1.0765

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	616	23.5	333	18.2	283	35.7
1972	595	22.3	312	16.7	283	35.8
1973	585	21.5	292	15.1	293	36.8
1974	544	19.5	279	14.2	265	32.1
1975	471	16.7	222	11.4	249	28.4
1976	479	16.8	201	10.2	278	31.4
1977	469	16.3	207	10.5	262	28.8
1978	441	15.1	188	9.3	253	28.0
1979	422	14.4	167	8.3	255	28.0
1980	446	14.3	175	8.2	271	27.8

Homicide E960-E978
(E960-E978), 1.0057

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1971	463	17.6	168	9.2	295	37.2
1972	430	16.1	130	6.9	300	37.9
1973	459	16.8	184	9.5	275	34.5
1974	515	18.5	198	10.1	317	38.4
1975	444	15.8	189	9.7	255	29.1
1976	352	12.4	142	7.2	210	23.7
1977	380	13.2	174	8.8	206	22.7
1978	359	12.3	165	8.2	194	21.5
1979	387	13.2	168	8.3	219	24.1
1980	392	12.6	162	7.5	230	23.6

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

2/ Rates per 10,000 live births

POPULATION

SUMMARY OF POPULATION

The Census population of South Carolina for 1980 was 3,121,820, an increase of 189,920 (6.1 percent) over the 1979 estimated population of 2,931,900. The 1980 Census was also an increase of 17.0 percent over the 1970 Census population of 2,590,516. Population figures for 1980 used in this report were distributed by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population fro 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	283,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and over	65,736	2.5	97,801	3.1	+48.8

Table 4.

Population, Live Births, Deaths, and Natural Increase South Carolina, 1961-1980 (Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		Number	Rate	Number	Rate	(Births minus Deaths)
1961	2,409,300	59,960	24.9	20,151	8.4	39,779
1962	2,435,000	58,142	23.9	20,390	8.4	37,752
1963	2,461,400	58,231	23.7	21,675	8.8	36,556
1964	2,487,600	56,906	22.9	21,309	8.6	35,597
1965	2,512,200	52,853	21.0	21,668	8.6	31,185
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,822	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29,884
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,343	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	24,254	8.4	25,954
1978	2,918,000	49,558	17.0	24,058	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770

Rate per 1,000 population

Figure 1 .
Population Growth Due to Natural Increase:
South Carolina 1961-1980
(Residence Data)



Figure 2.

POPULATION(*) DISTRIBUTION OF
SOUTH CAROLINA, 1980



100000. - 300000.
50000. - 100000.
25000. - 50000.
0. - 25000.

(*) BASED ON 1980 CENSUS OF POPULATION

Figure 3.

Median Age* of 1980 Population
South Carolina, 1980


Age in Years
29.6 - 32.2
28.2 - 29.6
27.0 - 28.2
24.4 - 27.0

South Carolina Median Age: 28.1 Years

* According to 1980 Census of Population

Table 5.

South Carolina Census Population by Race by County
April 1, 1980

COUNTY	TOTAL	WHITE	NONWHITE
SOUTH CAROLINA	3,121,820	2,147,224	974,596
Abbeville	22,627	15,103	7,524
Aiken	105,625	78,965	26,660
Allendale	10,700	3,951	6,749
Anderson	133,235	109,823	23,412
Bamberg	18,118	7,696	10,422
Barnwell	19,868	11,564	8,304
Beaufort	65,364	42,454	22,910
Berkeley	94,727	68,741	25,986
Calhoun	12,206	5,484	6,722
Charleston	276,974	178,132	98,842
Cherokee	40,983	32,800	8,183
Chester	30,148	18,455	11,693
Chesterfield	38,161	25,641	12,520
Clarendon	27,464	11,650	15,814
Colleton	31,776	17,141	14,635
Darlington	62,717	37,448	25,269
Dillon	31,083	17,570	13,513
Dorchester	58,761	43,010	15,751
Edgefield	17,528	8,753	8,775
Fairfield	20,700	8,580	12,120
Florence	110,163	68,508	41,655
Georgetown	42,461	23,332	19,129
Greenville	287,913	235,210	52,703
Greenwood	57,847	40,904	16,943
Hampton	18,159	8,577	9,582
Horry	101,419	78,185	23,234
Jasper	14,504	6,176	8,328
Kershaw	39,015	26,734	12,281
Lancaster	53,361	40,317	13,044
Laurens	52,214	36,956	15,258
Lee	18,929	7,320	11,609
Lexington	140,353	125,463	14,890
McCormick	7,797	3,044	4,753
Marion	34,179	16,276	17,903
Marlboro	31,634	16,462	15,172
Newberry	31,242	21,272	9,970
Oconee	48,611	43,656	4,955
Orangeburg	82,276	35,775	46,501
Pickens	79,292	72,974	6,318
Richland	269,735	161,130	108,605
Saluda	16,150	10,424	5,726
Spartanburg	201,861	159,872	41,989
Sumter	88,243	48,277	39,966
Union	30,751	21,627	9,124
Williamsburg	38,226	14,374	23,852
York	106,720	81,418	25,302

BIRTHS

Figure 5.
Live Birth Rates by Race: South Carolina, 1950-1980
(Residence Data)



Table 6.

LIVE BIRTHS AND BIRTH RATE BY RACE
1950 - 1980
SOUTH CAROLINA RESIDENTS

YEAR	TOTAL NUMB	TOTAL RATE	WHITE NUMB	WHITE RATE	NONWHITE NUMB	NONWHITE RATE
1950	57082	27.1	30547	25.2	26535	29.6
1951	60527	28.6	32948	25.5	27579	33.5
1952	62564	29.6	34871	27.0	27693	33.6
1953	62323	29.4	35035	27.1	27288	33.1
1954	65141	28.6	36524	26.4	28617	32.0
1955	63530	27.3	35444	25.1	28086	30.7
1956	63811	26.9	35656	24.8	28155	30.1
1957	63375	26.2	35887	24.6	27488	28.8
1958	60681	24.5	34790	23.2	25891	26.4
1959	60179	25.8	34502	24.0	25677	28.6
1960	59702	25.1	34428	22.2	25274	30.4
1961	59930	24.9	34771	22.0	25159	30.2
1962	58142	23.9	34216	21.4	23926	28.7
1963	58231	23.7	34256	21.0	23975	28.8
1964	56906	22.9	33184	20.1	23722	28.4
1965	52853	21.0	30635	18.3	22218	26.6
1966	50653	20.0	30118	17.7	20535	24.6
1967	49822	18.7	29996	16.3	19826	24.2
1968	49158	18.4	30416	16.6	18742	22.5
1969	50401	18.7	31626	17.0	18775	22.3
1970	52283	20.2	32703	18.2	19580	24.6
1971	52984	20.2	32912	18.0	20072	25.3
1972	49951	18.7	30857	16.5	19094	24.1
1973	48922	17.9	29881	15.5	19041	23.9
1974	48432	17.4	29469	15.0	18963	23.0
1975	46665	16.6	28016	14.4	18649	21.3
1976	47651	16.7	28529	14.5	19122	21.6
1977	49848	17.3	29646	15.1	20202	22.2
1978	49558	17.0	29048	14.6	20510	22.7
1979	50586	17.3	29839	14.8	20747	22.8
1980	51908	16.6	30559	14.2	21349	21.9

RATE PER 1000 POPULATION

ATTENDANT AT BIRTH

Tables 21 and 22 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 51,908 resident births, 97.2 percent were attended by a physician. This term "physician" includes osteopaths, residents, interns, and externs. Midwives attended 2.1 percent of the total births, 1.7 percent of the white births, and 2.8 percent of nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site. Deliveries by midwives in hospitals represent deliveries by certified nurse-midwives. Granny midwife deliveries are reflected as midwife deliveries at residences and other delivery sites.

Table 7.
Live Births By Attendant By Place of Delivery,
South Carolina, 1980
(Residence Data)

	Total	Physician	Midwife	Other	Self	Unknown
Hospital or Clinic	51,440	50,306	1,096	35	3	-
Doctor's Office	111	111	-			-
Enroute	105	8	1	62	34	-
Residence	234	11	8	158	57	-
Unknown	18	-	8	2	-	8
TOTAL	51,908	50,436	1,113	257	94	8

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10 year period 1971-1980. Only 94.9 percent of the total births occurred in hospitals in 1971, in contrast to 99.3 percent in 1980. The greatest change has been among nonwhite births for which the frequency of hospital delivery has increased from 87.3 percent in 1971 to 99.1 percent in 1980.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1971-1980
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1971	94.9	99.6	87.3	1976	98.5	99.6	97.0
1972	96.2	99.7	90.5	1977	98.8	99.8	97.8
1973	97.2	99.7	93.1	1978	99.0	99.5	98.3
1974	97.8	99.3	94.8	1979	99.2	99.5	98.7
1975	98.1	99.6	95.9	1980	99.3	99.5	99.1

OUT-OF-WEDLOCK BIRTHS

In 1980, there were 11,191 out-of-wedlock live births to resident mothers in South Carolina, representing 21.6 percent of all live births. This is an increase of 1.9 percent from the percent out-of-wedlock reported in 1979. The out-of-wedlock rate (rate per 1,000 total live births) decreased from 212.5 in 1979 to 215.6 in 1980. Data for 1980 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 29. As in the past, out-of-wedlock births occurred more frequently among young mothers. Females unders age 20 accounted for 49.3 percent of all out-of-wedlock live births in 1980. However, this percentage has decreased 12.3 percent since 1976.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1976-1980
(Residence Data)

Age	1976	1977	1978	1979	1980
All Ages..............	100.0	100.0	100.0	100.0	100.0
Under 15 Years........	3.1	2.6	2.9	2.1	2.4
15-19 Years...........	53.1	51.1	48.8	48.2	46.9
20-24 Years...........	29.4	30.9	32.8	33.6	33.7
25-29 Years...........	9.0	9.9	10.2	10.9	11.4
30 Years and Over.....	5.4	5.4	5.3	5.2	5.6

AGE OF MOTHER

In 1980, there were 287 resident live births to mothers under 15 years of age and only 16 live births to mother 45 years of age and over. Woman aged 15-44 years were responsible for 99.4 percent of all live births. The median age of resident mothers giving birth in 1980 was 23.8 years. The youngest resident mother giving birth in 1980 was 11 years old and the oldest was 48 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1976-1980
(Residence Data)

Age	1976	1977	1978	1979	1980
All Ages.............	100.0	100.0	100.0	100.0	100.0
Under 15 Years.......	0.7	0.6	0.7	0.5	0.6
15-19 Years..........	22.3	21.3	20.3	19.8	19.2
20-24 Years..........	36.2	35.7	35.7	35.3	35.0
25-29 Years..........	27.0	27.5	27.9	28.1	28.7
30-34 Years..........	10.2	11.4	11.7	12.5	13.0
35-39 Years..........	2.9	3.0	3.0	3.2	3.1
40-44 Years..........	0.6	0.5	0.5	0.5	0.5
45 Years and Over....	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of 5 pounds 8 ounces or less (Low Birth Weight) were reported for 8.7 percent of 51,908 resident births in 1980. A greater proportion of the nonwhite children were born at the low birth weights than the white children. The nonwhite low birth weight rate was 124.5 per 1,000 live births; the white rate,60.1.

Table 11.
Live Births by Birth Weight by Race
With Percentage of Births in Weight Group:
South Carolina, 1980
(Residence Data)

Weight Group	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Total................	51,908	100.0	30,559	100.0	21,349	100.0
2,500 grams or less..	4,493	8.7	1,836	6.0	2,657	12.4
Under 1,001 grams..	370	0.7	116	0.4	254	1.2
1,001-1,500 grams..	407	0.8	152	0.5	255	1.2
1,501-2,000 grams..	908	1.7	392	1.3	516	2.4
2,001-2,500 grams..	2,808	5.4	1,176	3.8	1,632	7.6
Over 2,500 grams.....	47,415	91.3	28,723	94.0	18,692	87.6
Unknown Weight.......	-	0	-	0	-	0

The live birth of an infant weighing 1,500 grams or less was a very infrequent event (1.5 percent of all live births). The gram weight group of 2,001-2,500 grams represented only 5.4 percent of all live births, but accounted for 62.5 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 11.9 percent of all births to mothers age 15-19 were low weight. Only 7.0 percent of all live births to mothers age 25-34 were low weight. The percent of births that are low weight, by age of mother and race, is shown in Table 12 and Figure 6.

Table 12.
Percent* of Births 2,500 Grams or Less,
By Age of Mother and Race:
South Carolina, 1980
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	16.7	11.9	8.7	7.0	9.5	0
White	18.9	8.5	6.1	4.9	7.6	0
Nonwhite	16.2	14.9	12.3	10.8	11.8	0

*Low weight birth percentages are based on total live births within each age group.

Figure 6
Percent of Births 2,500 Grams or Less
by Age of Mother and Race
South Carolina, 1980
(Residence Data)



Eighty-two percent of all resident live births in 1980 occurred in the weight interval 2,501-4,000 grams. The first group in this interval (2,501-3,000 grams) contained 18.7 percent of all live births. The second gram weight group (3,001-3,500) contained 36.9 percent and the third (3,501-4,000 grams), 26.4 percent. Only a comparatively small proportion of births (1.6 percent) occurred in the upper weight interval of 4,501 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distributions reveals some variation (see Figure 7). For both, the highest proportion of births occurred at 3,001- 3,500 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 7.
Percentage Distribution of Live Births
by Birth Weight and Race:
South Carolina, 1980
(Residence Data)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 25.0 percent from 92.1 in 1971 to 69.1 in 1980, even though the female population between these ages has increased by 30.0 percent. By race, this 1971 to 1980 pattern shows a 26.9 percent decrease in the white fertility rate and a 23.1 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates by Race: South Carolina, 1950, 1960, 1970-1980

Year	Total	White	Nonwhite
1950*	116.1	99.3	144.1
1960*	120.3	103.1	155.6
1970*	93.7	83.4	117.9
1971**	92.1	82.6	113.7
1972**	84.8	75.7	105.3
1973**	81.1	71.6	102.6
1974**	78.5	69.0	100.0
1975**	73.3	63.4	95.9
1976**	74.5	64.7	96.4
1977**	76.5	66.0	100.1
1978**	74.2	63.2	98.7
1979**	72.1	62.1	94.2
1980*	69.1	60.4	87.4

* Rate per 1,000 census population of females aged 15-44 years
** Rate per 1,000 projected female population aged 15-44 years

Table 14.
Population of Females Age 15-44, by Race: South Carolina, 1950, 1960, 1970-1980

Year	Total	White	Nonwhite
1950	491,675	307,558	184,117
1960	496,192	333,772	162,420
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396

* revised

SEX RATIO

Out of the total 51,908 live births occurring to South Carolina residents in 1980, male births numbered 26,595 and female births numbered 25,313, giving a ratio of 105.1 males per 100 females.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1976-1980
(Residence Data)

Year	Total	White	Nonwhite
1976	104.3	104.6	103.9
1977	103.6	104.3	102.7
1978	105.0	107.3	102.0
1979	105.7	107.2	103.7
1980	105.1	106.0	103.8

MULTIPLE BIRTHS

During 1980, a total of 1,018 live births occurred as a result of multiple births. Of that number, there were 501 sets of twins and 8 sets of triplets. The 1,018 multiple births resulted in a ratio of 1 multiple birth per 51 live births.

CONGENITAL MALFORMATIONS

Congenital malformations were reported on 408 birth records in 1980. This corresponds to a rate of 7.9 per 1,000 live births. the three major malformations reported in 1980 were 1) Other Anomalies of Limbs, 2) Congenital Anomalies of Genital Organs, and 3) Cleft Lip and Cleft Palate. Table 31 shows live births with reported congenital malformations for residents of South Carolina and each Health Systems Agency.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA.......	51,908	16.6	30,559	14.2	21,349	21.9
Abbeville............	318	14.1	185	12.2	133	17.7
Abbeville.........	97	16.5	46	14.1	51	19.7
Honea Path (part).	-	0	-	0	-	0
Balance of County.	221	---	139	---	82	---
Aiken................	1,689	16.0	1,094	13.9	595	22.3
Aiken.............	244	16.3	114	12.4	130	2.2
New Ellenton......	36	13.7	17	10.1	19	20.0
North Augusta.....	210	15.4	159	13.5	51	28.6
Balance of County.	1,199	---	804	---	393	---
Allendale............	226	21.1	44	11.1	182	27.0
Allendale.........	94	21.4	15	10.0	79	27.3
Balance of County.	132	---	29	---	103	---
Anderson.............	1,944	14.6	1,516	13.8	428	18.3
Anderson..........	430	15.4	256	13.4	174	19.6
Belton............	79	14.9	65	14.3	14	18.4
Clemson (part)....	-	0	-	0	-	0
Honea Path (part).	47	11.7	37	10.9	10	15.5
Pendleton.........	49	15.5	25	12.5	24	20.9
Williamston.......	52	12.1	42	12.1	10	12.0
Balance of County.	1,287	---	1,091	---	196	---
Bamberg..............	295	16.3	95	12.3	200	19.2
Bamberg...........	51	13.9	26	11.9	25	16.8
Denmark...........	80	18.0	17	12.3	63	20.6
Balance of County.	164	---	52	---	112	---
Barnwell.............	344	17.3	162	14.0	182	21.9
Barnwell..........	100	17.9	53	15.4	47	22.1
Williston.........	40	12.6	17	9.4	23	16.8
Balance of County.	204	---	92	---	112	---
Beaufort.............	1,320	20.2	781	18.4	539	23.5
Beaufort..........	183	21.2	116	18.0	67	30.6
Port Royal........	80	26.9	52	24.9	28	31.4
Balance of County.	1,057	---	613	---	444	---
Berkeley.............	1,990	21.0	1,371	19.9	619	23.8
Goose Creek.......	393	22.1	325	20.9	68	30.5
Balance of County.	1,597	---	1,046	---	551	---
Calhoun..............	215	17.6	66	12.0	149	22.2
Balance of County.	215	---	66	---	149	---
Charleston...........	4,996	18.0	2,730	15.3	2,266	22.9
Charleston........	1,536	22.1	621	17.0	915	27.8
Isle of Palms.....	33	9.6	33	9.7	-	0
Mt. Pleasant......	299	21.0	258	20.3	41	27.6
N. Charleston.....	667	10.2	400	8.4	267	14.8
Balance of County.	2,461	---	1,418	---	1,043	---
Cherokee.............	634	15.5	414	12.6	220	26.9
Gaffney...........	210	15.6	77	8.5	133	30.0
Balance of County.	424	---	337	---	87	---
Chester..............	595	19.7	293	15.9	302	25.8
Chester...........	164	24.0	57	17.6	107	29.9
Great Falls.......	45	17.3	34	15.4	11	28.4
Balance of County.	386	---	202	---	184	---

Table 16 (cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield.........	639	16.7	357	13.9	282	22.5
Cheraw............	92	16.3	47	14.9	45	18.0
Balance of County.	547	---	310	---	237	---
Clarendon............	509	18.5	159	13.6	350	22.1
Manning...........	76	16.0	22	9.6	54	21.9
Balance of County.	433	---	137	---	296	---
Colleton.............	510	16.0	197	11.5	313	21.4
Walterboro........	108	17.9	41	11.2	67	28.1
Balance of County.	402	---	156	---	246	---
Darlington...........	936	14.9	461	12.3	475	18.8
Darlington........	139	17.4	66	17.2	73	17.6
Hartsville........	125	16.4	62	11.9	63	26.2
Balance of County.	672	---	333	---	339	---
Dillon...............	599	19.3	252	14.3	347	25.7
Dillon............	159	22.6	71	14.8	88	39.2
Balance of County.	440	---	181	---	259	---
Dorchester...........	1,052	17.9	723	16.8	329	20.9
Summerville.......	406	63.0	314	66.2	92	54.1
Balance of County.	646	---	409	---	237	---
Edgefield............	300	17.1	108	12.3	192	21.9
Edgefield.........	33	12.2	9	6.3	24	18.6
Johnston..........	66	25.2	25	20.6	41	29.1
Balance of County.	201	---	74	---	127	---
Fairfield............	340	16.4	102	11.9	238	19.6
Winnsboro.........	65	22.3	22	15.4	43	28.9
Balance of County.	275	---	80	---	195	---
Florence.............	1,990	18.1	1,012	14.8	978	23.5
Florence..........	559	18.6	239	15.2	320	22.4
Lake City.........	129	22.9	39	15.7	90	28.5
Balance of County.	1,302	---	734	---	568	---
Georgetown...........	800	18.8	330	14.1	470	24.6
Andrews(part).....	50	16.5	24	18.2	26	15.2
Georgetown........	202	19.9	78	14.5	124	26.0
Balance of County.	548	---	228	---	320	---
Greenville...........	4,400	15.3	3,304	14.0	1,096	20.8
Fountain Inn(part)	22	6.5	13	5.2	9	9.8
Greenville........	885	15.2	454	12.2	431	20.4
Greer(part).......	45	6.8	35	6.2	10	10.4
Mauldin...........	23	2.8	18	2.4	5	6.4
Simpsonville......	51	5.6	41	5.0	10	12.7
Balance of County.	3,374	---	2,743	---	631	---
Greenwood............	870	15.0	503	12.3	367	21.7
Greenwood.........	379	17.5	165	12.9	214	24.2
Balance of County.	491	---	338	---	153	---
Hampton..............	344	18.9	104	12.1	240	25.0
Hampton...........	39	12.4	18	8.0	21	23.6
Balance of County.	305	---	86	---	219	---
Horry................	1,895	18.7	1,247	15.9	648	27.9
Conway............	169	16.5	94	15.7	75	17.6
Myrtle Beach......	277	14.8	205	13.1	72	23.5
Balance of County.	1,449	---	948	---	501	---

Table 16 (cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper..............	308	21.2	86	13.9	222	26.7
Balance of County.	308	---	86	---	222	---
Kershaw............	614	15.7	364	13.6	250	20.4
Camden...........	118	15.8	59	13.9	59	18.3
Balance of County.	496	---	305	---	191	---
Lancaster...........	832	15.6	529	13.1	303	23.2
Lancaster.........	233	24.0	100	18.0	133	32.1
Balance of County.	599	---	429	---	170	---
Laurens.............	787	15.1	490	13.3	297	19.5
Clinton..........	121	14.1	67	11.4	54	19.9
Fountain Inn(part)	4	4.8	-	0	4	8.1
Laurens..........	155	14.6	78	12.1	77	18.5
Balance of County.	507	---	345	---	162	---
Lee.................	317	16.7	76	10.4	241	20.8
Bishopville.......	61	17.8	9	5.5	52	29.0
Balance of County.	256	---	67	---	189	---
Lexington...........	2,010	14.3	1,709	13.6	301	20.2
Batesburg(part)...	48	13.3	20	9.5	28	18.7
Cayce............	139	11.9	97	9.8	42	23.2
Springdale........	1	0.3	1	0.3	-	0
W. Columbia.......	302	29.0	247	27.2	5	3.8
Balance of County.	1,520	---	1,344	---	176	---
McCormick...........	158	20.3	42	13.8	116	24.4
Balance of County.	158	---	42	---	116	---
Marion..............	641	18.8	220	13.5	421	23.5
Marion...........	142	18.4	47	12.5	95	24.1
Mullins..........	116	17.6	35	11.7	81	22.4
Balance of County.	383	---	138	---	245	---
Marlboro............	591	18.7	239	14.5	352	23.2
Bennettsville.....	215	24.5	64	14.5	151	34.7
McColl...........	53	19.8	44	19.7	9	20.4
Balance of County.	323	---	131	---	192	---
Newberry............	456	14.6	231	10.9	225	22.6
Newberry.........	148	15.0	61	9.2	87	26.7
Balance of County.	308	---	170	---	138	---
Oconee..............	748	15.4	658	15.1	90	18.2
Seneca...........	117	15.7	74	14.4	43	18.7
Walhalla.........	43	10.8	36	10.0	7	18.9
Westminister......	46	14.8	39	14.4	7	17.2
Balance of County.	542	---	509	---	33	---
Orangeburg..........	1,502	18.3	475	13.3	1,027	22.1
Orangeburg.......	266	17.8	77	10.3	189	25.2
Balance of County.	1,236	---	398	---	838	---
Pickens.............	1,044	13.2	938	12.9	106	16.8
Clemson(part).....	78	9.7	52	7.6	26	20.5
Easley...........	112	7.9	95	7.6	17	9.3
Liberty..........	17	5.4	13	4.7	4	10.1
Pickens..........	23	7.2	15	6.1	8	10.9
Balance of County.	814	---	763	---	51	---
Richland............	4,032	14.9	1,948	12.1	2,084	19.2
Columbia.........	1,916	19.1	801	14.1	1,115	25.6
Forest Acres......	-	0	-	0	-	0
Balance of County.	2,116	---	1,147	---	969	---

Table 16 (cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda..................	247	15.3	119	11.4	128	22.4
Batesburg(part)......	9	21.7	4	23.8	5	20.3
Balance of County....	238	---	115	---	123	---
Spartanburg.............	3,128	15.5	2,270	14.2	858	20.4
Greer................	61	15.5	28	12.6	33	19.2
Spartanburg..........	638	14.6	268	10.5	370	20.2
Woodruff.............	59	11.4	40	10.2	19	15.2
Balance of County....	2,370	---	1,934	---	436	---
Sumter..................	1,773	20.1	866	17.9	907	22.7
Sumter...............	547	22.0	234	15.7	313	31.5
Balance of County....	1,226	---	632	---	594	---
Union...................	482	15.7	290	13.4	192	21.0
Union................	157	14.9	73	10.4	84	24.1
Balance of County....	325	---	217	---	108	---
Williamsburg............	768	20.1	220	15.3	548	23.0
Andrews(part)........	3	31.6	-	0	3	66.7
Kingstree............	98	23.6	21	10.4	77	36.2
Balance of County....	667	---	199	---	468	---
York....................	1,720	16.1	1,179	14.5	541	21.4
Clover...............	73	21.2	60	22.0	13	18.0
Fort Mill............	62	14.9	39	12.0	23	24.9
Rock Hill............	597	16.9	297	13.4	300	22.9
York.................	127	19.8	79	19.7	48	19.9
Balance of County....	861	---	704	---	157	---

Rate per 1,000 population 1980 census

Table 17.
Live Births and Birth Rates By Race: South Carolina and Each County and Places of 2,500 or More Population, 1980
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA........	49,807	16.0	29,041	13.5	20,766	21.3
Abbeville............	189	8.4	64	4.2	125	16.6
Abbeville..........	188	32.1	64	19.6	124	47.8
Honea Path(part)...	-	0	-	0	-	0
Balance of County..	1	---	-	---	1	---
Aiken................	638	6.0	356	4.5	282	10.6
Aiken..............	632	42.2	354	38.6	278	47.8
New Ellenton.......	1	0.4	1	0.6	-	0
North Augusta......	-	0	-	0	-	0
Balance of County..	5	---	1	---	4	---
Allendale............	218	20.4	34	8.6	184	27.3
Allendale..........	-	0	-	0	-	0
Balance of County..	218	---	34	---	184	---
Anderson.............	2,405	18.1	1,900	17.3	505	21.6
Anderson...........	2,402	85.9	1,898	99.3	504	56.9
Belton.............	-	0	-	0	-	0
Clemson(part)......	-	0	-	0	-	0
Honea Path(part)...	-	0	-	0	-	0
Pendleton..........	-	0	-	0	-	0
Williamston........	-	0	-	0	-	0
Balance of County..	3	---	2	---	1	---
Bamberg..............	300	16.6	77	10.0	223	21.4
Bamberg............	299	81.4	77	35.2	222	149.4
Denmark............	1	0.2	-	0	1	0.3
Balance of County..	-	---	-	---	-	---
Barnwell.............	175	8.8	51	4.4	124	14.9
Barnwell...........	172	30.9	51	14.8	121	56.9
Williston..........	1	0.3	-	0	1	0.7
Balance of County..	2	---	-	---	2	---
Beaufort.............	1,399	21.4	728	17.1	671	29.3
Beaufort...........	854	98.9	322	49.9	532	243.4
Port Royal.........	-	0	-	0	-	0
Balance of County..	545	---	406	---	139	---
Berkeley.............	14	0.1	7	0.1	7	0.3
Goose Creek........	2	0.0	2	0.1	-	0
Balance of County..	12	---	5	---	7	---
Calhoun..............	-	0	-	0	-	0
Charleston...........	8,442	30.5	5,033	28.3	3,409	34.5
Charleston.........	6,154	88.5	3,188	87.0	2,966	90.2
Isle of Palms......	-	0	-	0	-	0
Mt. Pleasant.......	2	0.1	1	0.1	1	0.7
N. Charleston......	1,765	26.9	1,435	30.1	330	18.3
Balance of County..	521	---	409	---	112	---
Cherokee.............	364	8.9	179	5.5	185	22.6
Gaffney............	1	0.1	-	0	1	0.2
Balance of County..	363	---	179	---	184	---
Chester..............	532	17.6	234	12.7	298	25.5
Chester............	-	0	-	0	-	0
Great Falls........	-	0	-	0	-	0
Balance of County..	532	---	234	---	298	---

Table 17. (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield	398	10.4	175	6.8	223	17.8
Cheraw	296	52.4	145	46.0	151	60.3
Balance of County	102	---	30	---	72	---
Clarendon	363	13.2	72	6.2	291	18.4
Manning	360	75.9	72	31.5	288	117.0
Balance of County	3	---	-	---	3	---
Colleton	262	8.2	46	2.7	216	14.8
Walterboro	243	40.3	36	9.9	207	86.9
Balance of County	19	---	10	---	9	---
Darlington	841	13.4	384	10.3	457	18.1
Darlington	578	72.3	241	62.8	337	81.1
Hartsville	261	34.2	142	27.2	119	49.5
Balance of County	2	---	1	---	1	---
Dillon	383	12.3	145	8.3	238	17.6
Dillon	381	54.1	144	30.0	237	105.5
Balance of County	2	---	1	---	1	---
Dorchester	4	0.1	2	0.0	2	0.1
Summerville	2	0.3	1	0.2	1	0.6
Balance of County	2	---	1	---	1	---
Edgefield	148	8.4	13	1.5	135	15.4
Edgefield	145	53.4	13	9.1	132	102.2
Johnston	-	0	-	0	-	0
Balance of County	3	---	-	---	3	---
Fairfield	52	2.5	7	0.8	45	3.7
Winnsboro	-	0	-	0	-	0
Balance of County	52	---	7	---	45	---
Florence	2,443	22.2	1,328	19.4	1,115	26.8
Florence	2,426	83.2	1,324	84.0	1,102	77.1
Lake City	10	1.8	2	0.8	8	2.5
Balance of County	7	---	2	---	5	---
Georgetown	861	20.3	348	14.9	513	26.8
Andrews(part)	1	0.3	-	0	1	0.6
Georgetown	858	84.6	348	64.7	510	107.0
Balance of County	2	---	-	---	2	---
Greenville	5,388	18.7	4,183	17.8	1,205	22.9
Fountain Inn(part)	-	0	-	0	-	0
Greenville	4,751	81.6	3,660	98.7	1,091	51.5
Greer(part)	381	57.8	347	61.6	34	35.5
Mauldin	-	0	-	0	-	0
Simpsonville	238	26.3	162	19.6	76	96.4
Balance of County	18	---	14	---	4	---
Greenwood	1,722	29.8	995	24.3	727	42.9
Greenwood	1,722	79.7	995	77.8	727	82.3
Balance of County	-	---	-	---	-	---
Hampton	269	14.8	72	8.4	197	20.6
Hampton	-	0	-	0	-	0
Balance of County	269	---	72	---	197	---
Horry	1,874	18.5	1,244	15.9	630	27.1
Conway	474	46.3	321	53.8	153	35.8
Myrtle Beach	1,008	53.7	752	47.9	256	83.4
Balance of County	392	---	171	---	221	---

Table 17 (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	27	1.9	5	0.8	22	2.6
Kershaw	420	10.8	275	10.3	145	11.8
Camden	419	56.2	274	64.5	145	45.1
Balance of County	1	---	1	---	-	---
Lancaster	636	11.9	352	8.7	284	21.8
Lancaster	634	65.3	351	63.2	283	68.2
Balance of County	2	---	1	---	1	---
Laurens	247	4.7	121	3.3	126	8.3
Clinton	-	0	-	0	-	0
Fountain Inn(part)	-	0	-	0	-	0
Laurens	111	10.5	55	8.6	56	13.5
Balance of County	136	---	66	---	70	---
Lee	113	6.0	8	1.1	105	9.0
Bishopville	-	0	-	0	-	0
Balance of County	113	---	8	---	105	---
Lexington	1,502	10.7	1,263	10.1	239	16.1
Batesburg(part)	-	0	-	0	-	0
Cayce	-	0	-	0	-	0
Springdale	-	0	-	0	-	0
West Columbia	1	0.1	1	0.1	-	0
Balance of County	1,501	---	1,262	---	239	---
McCormick	2	0.3	1	0.3	1	0.2
Marion	890	26.0	336	20.6	554	30.9
Marion	613	79.6	220	58.6	393	99.7
Mullins	276	41.8	116	38.7	160	44.3
Balance of County	1	---	-	---	1	---
Marlboro	481	15.2	178	10.8	303	20.0
Bennettsville	479	54.6	178	40.2	301	69.2
McColl	-	0	-	0	-	0
Balance of County	2	---	-	---	2	---
Newberry	409	13.1	189	8.9	220	22.1
Newberry	409	41.5	189	28.6	220	67.6
Balance of County	-	---	-	---	-	---
Oconee	413	8.5	360	8.2	53	10.7
Seneca	-	0	-	0	-	0
Walhalla	-	0	-	0	-	0
Westminister	-	0	-	0	-	0
Balance of County	413	---	360	---	53	---
Orangeburg	1,505	18.3	498	13.9	1,007	21.7
Orangeburg	1,499	100.4	498	66.9	1,001	133.7
Balance of County	6	---	-	---	6	---
Pickens	470	5.9	431	5.9	39	6.2
Clemson(part)	1	0.1	-	0	1	0.8
Easley	467	32.7	430	34.6	37	20.3
Liberty	-	0	-	0	-	0
Pickens	1	0.3	-	0	1	1.4
Balance of County	1	---	1	---	-	---
Richland	5,479	20.3	2,847	17.7	2,632	24.2
Columbia	5,470	54.5	2,841	49.9	2,629	60.5
Forest Acres	1	0.2	1	0.2	-	0
Balance of County	8	---	5	---	3	---

Table 17 (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda...............	6	0.4	1	0.1	5	0.9
Batesburg(part)..	-	0	-	0	-	0
Balance of County.	6	---	1	---	5	---
Spartanburg..........	3,243	16.1	2,365	14.8	878	20.9
Greer(part).......	2	0.5	1	0.5	1	0.6
Spartanburg.......	2,311	52.7	1,519	59.6	792	43.2
Woodruff..........	-	0	-	0	-	0
Balance of County.	930	---	845	---	85	---
Sumter...............	2,084	23.6	996	20.6	1,088	27.2
Sumter............	1,635	65.7	677	45.3	958	96.4
Balance of County.	449	---	319	---	130	---
Union................	341	11.1	170	7.9	171	18.7
Union.............	341	32.4	170	24.1	171	49.2
Balance of County.	-	---	-	---	-	---
Williamsburg.........	454	11.9	65	4.5	389	16.3
Andrews(part).....	-	0	-	0	-	0
Kingstree.........	453	109.2	64	31.7	389	182.6
Balance of County.	1	---	1	---	-	---
York.................	1,401	13.1	903	11.1	498	19.7
Clover............	-	0	-	0	-	0
Fort Mill.........	-	0	-	0	-	0
Rock Hill.........	1,254	35.5	833	37.5	421	32.1
York..............	146	22.8	69	17.2	77	32.0
Balance of County.	1	---	1	---	-	---

Rate per 1,000 population 1980 census

Table 18.

Live Births by Race and Sex: South Carolina and Each County, 1980

(Residence Data)

County of Residence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	51,908	26,595	25,313	30,559	15,723	14,836	21,349	10,872	10,477
Abbeville	318	154	164	185	81	104	133	73	60
Aiken	1,689	869	820	1,094	562	532	595	307	288
Allendale	226	123	103	44	23	21	182	100	82
Anderson	1,944	1,029	915	1,516	812	704	428	217	211
Bamberg	295	149	146	95	58	37	200	91	109
Barnwell	344	169	175	162	79	83	182	90	92
Beaufort	1,320	690	630	781	409	372	539	281	258
Berkeley	1,990	1,034	956	1,371	716	655	619	318	301
Calhoun	215	123	92	66	37	29	149	86	63
Charleston	4,996	2,572	2,424	2,730	1,428	1,302	2,266	1,144	1,122
Cherokee	634	305	329	414	194	220	220	111	109
Chester	595	286	309	293	138	155	302	148	154
Chesterfield	639	330	309	357	193	164	282	137	145
Clarendon	509	244	265	159	93	66	350	151	199
Colleton	510	247	263	197	95	102	313	152	161
Darlington	936	486	450	461	243	218	475	243	232
Dillon	599	321	278	252	142	110	347	179	168
Dorchester	1,052	546	506	723	381	342	329	165	164
Edgefield	300	147	153	108	54	54	192	93	99
Fairfield	340	186	154	102	52	50	238	134	104
Florence	1,990	1,031	959	1,012	543	469	978	488	490
Georgetown	800	387	413	330	160	170	470	227	243
Greenville	4,400	2,218	2,182	3,304	1,710	1,594	1,096	508	588
Greenwood	870	422	448	503	245	258	367	177	190
Hampton	344	174	170	104	53	51	240	121	119
Horry	1,895	991	904	1,247	649	598	648	342	306
Jasper	308	162	146	86	40	46	222	122	100
Kershaw	614	316	298	364	187	177	250	129	121
Lancaster	832	428	404	529	269	260	303	159	144
Laurens	787	405	382	490	246	244	297	159	138
Lee	317	157	160	76	37	39	241	120	121
Lexington	2,010	1,054	956	1,709	897	812	301	157	144
McCormick	158	81	77	42	22	20	116	59	57
Marion	641	306	335	220	95	125	421	211	210
Marlboro	591	279	312	239	107	132	352	172	180
Newberry	456	238	218	231	128	103	225	110	115
Oconee	748	396	352	658	348	310	90	48	42
Orangeburg	1,502	785	717	475	256	219	1,027	529	498
Pickens	1,044	536	508	938	486	452	106	50	56
Richland	4,032	2,063	1,969	1,948	962	986	2,084	1,101	983
Saluda	247	113	134	119	52	67	128	61	67
Spartanburg	3,128	1,582	1,546	2,270	1,237	1,133	858	445	413
Sumter	1,773	927	846	866	448	418	907	479	428
Union	482	245	237	290	148	142	192	97	95
Williamsburg	768	403	365	220	103	117	548	300	248
York	1,720	886	834	1,179	605	574	541	281	260

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	49,807	25,540	24,267	29,041	14,953	14,088	20,766	10,587	10,179
Abbeville	189	94	95	64	29	35	125	65	60
Aiken	638	332	306	356	187	169	282	145	137
Allendale	218	117	101	34	16	18	184	101	83
Anderson	2,405	1,266	1,139	1,900	1,016	884	505	250	255
Bamberg	300	159	141	77	46	31	223	113	110
Barnwell	175	87	88	51	24	27	124	63	61
Beaufort	1,399	744	655	728	384	344	671	360	311
Berkeley	14	7	7	7	4	3	7	3	4
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	8,442	4,328	4,114	5,033	2,618	2,415	3,409	1,710	1,699
Cherokee	364	175	189	179	80	99	185	95	90
Chester	532	261	271	234	116	118	298	145	153
Chesterfield	398	195	203	175	87	88	223	108	115
Clarendon	363	175	188	72	44	28	291	131	160
Colleton	262	138	124	46	27	19	216	111	105
Darlington	841	431	410	384	199	185	457	232	225
Dillon	383	212	171	145	80	65	238	132	106
Dorchester	4	4	-	2	2	-	2	2	-
Edgefield	148	67	81	13	6	7	135	61	74
Fairfield	52	31	21	7	4	3	45	27	18
Florence	2,443	1,263	1,180	1,328	706	622	1,115	557	558
Georgetown	861	427	434	348	171	177	513	256	257
Greenville	5,388	2,727	2,661	4,183	2,147	2,036	1,205	580	625
Greenwood	1,722	859	863	995	493	502	727	366	361
Hampton	269	127	142	72	35	37	197	92	105
Horry	1,874	978	896	1,244	648	596	630	330	300
Jasper	27	15	12	5	3	2	22	12	10
Kershaw	420	199	221	275	129	146	145	70	75
Lancaster	636	317	319	352	169	183	284	148	136
Laurens	247	137	110	121	73	48	126	64	62
Lee	113	64	49	8	6	2	105	58	47
Lexington	1,502	763	739	1,263	641	622	239	122	117
McCormick	2	-	2	1	-	1	1	-	1
Marion	890	439	451	336	161	175	554	278	276
Marlboro	481	243	238	178	87	91	303	156	147
Newberry	409	202	207	189	97	92	220	105	115
Oconee	413	213	200	360	182	178	53	31	22
Orangeburg	1,505	791	714	498	272	226	1,007	519	488
Pickens	470	240	230	431	228	203	39	12	27
Richland	5,479	2,844	2,635	2,847	1,444	1,403	2,632	1,400	1,232
Saluda	6	2	4	1	1	-	5	1	4
Spartanburg	3,243	1,646	1,597	2,365	1,191	1,174	878	455	423
Sumter	2,084	1,089	995	996	526	470	1,088	563	525
Union	341	167	174	170	86	84	171	81	90
Williamsburg	454	248	206	65	31	34	389	217	172
York	1,401	717	684	903	457	446	498	260	238

Table 20.
Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits					
		No Visits	01-05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unknown
SOUTH CAROLINA	51,908	618	5,300	19,299	24,257	2,149	285
Abbeville	318	-	25	152	134	7	-
Aiken	1,689	16	159	672	649	92	101
Allendale	226	1	40	86	78	20	1
Anderson	1,944	13	119	868	915	28	1
Bamberg	295	5	38	104	142	5	1
Barnwell	344	3	35	127	157	9	13
Beaufort	1,320	7	50	290	898	74	1
Berkeley	1,990	9	157	661	1,008	148	7
Calhoun	215	1	12	76	122	4	-
Charleston	4,996	75	510	1,588	2,515	302	6
Cherokee	634	5	74	282	244	27	2
Chester	595	6	110	285	180	13	1
Chesterfield	639	15	65	227	291	41	3
Clarendon	509	8	113	203	171	13	1
Colleton	510	3	98	225	174	10	-
Darlington	936	8	140	437	316	35	-
Dillon	599	8	201	245	131	9	5
Dorchester	1,052	11	99	322	550	63	7
Edgefield	300	9	63	109	103	13	3
Fairfield	340	5	51	113	152	18	1
Florence	1,990	26	166	807	938	50	3
Georgetown	800	2	74	270	394	56	4
Greenville	4,400	55	313	920	2,939	170	3
Greenwood	870	11	111	421	282	45	-
Hampton	344	2	71	128	121	20	2
Horry	1,895	32	114	982	686	73	8
Jasper	308	1	16	70	179	40	2
Kershaw	614	5	31	179	361	34	4
Lancaster	832	6	121	385	282	36	2
Laurens	787	11	119	317	292	48	-
Lee	317	3	38	137	112	27	-
Lexington	2,010	12	81	659	1,166	84	8
McCormick	158	1	25	85	43	4	-
Marion	641	8	98	269	245	21	-
Marlboro	591	11	146	307	114	10	3
Newberry	456	2	53	217	168	16	-
Oconee	748	13	63	322	322	27	1
Orangeburg	1,502	9	110	549	813	18	3
Pickens	1,044	14	61	308	628	33	-
Richland	4,032	47	326	1,340	2,121	164	34
Saluda	247	2	46	112	83	2	2
Spartanburg	3,128	57	355	1,278	1,329	78	31
Sumter	1,773	36	173	661	823	78	2
Union	482	6	79	267	119	6	5
Williamsburg	768	2	107	349	275	21	14
York	1,720	36	247	888	492	57	-

Table 21.
Live Births by Attendant: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	51,908	50,436	1,105	8	265	94
Abbeville	318	315	-	-	2	1
Aiken	1,689	1,677	-	1	10	1
Allendale	226	218	4	-	2	2
Anderson	1,944	1,936	-	-	7	1
Bamberg	295	182	111	-	1	1
Barnwell	344	324	14	-	-	6
Beaufort	1,320	1,303	3	1	12	1
Berkeley	1,990	1,785	171	-	19	15
Calhoun	215	210	3	-	2	-
Charleston	4,996	4,693	263	1	31	8
Cherokee	634	631	-	-	2	1
Chester	595	594	-	-	-	1
Chesterfield	639	577	58	-	3	1
Clarendon	509	505	1	-	2	1
Colleton	510	503	5	0	1	1
Darlington	934	930	-	-	2	2
Dillon	599	596	-	-	2	1
Dorchester	1,052	974	68	-	8	2
Edgefield	300	298	-	-	-	2
Fairfield	340	337	-	1	-	2
Florence	1,992	1,977	4	-	7	4
Georgetown	800	791	4	-	3	2
Greenville	4,400	4,355	18	1	23	3
Greenwood	870	869	-	-	1	-
Hampton	344	340	-	-	1	3
Horry	1,895	1,822	62	-	9	2
Jasper	308	305	-	-	3	-
Kershaw	614	608	2	-	3	1
Lancaster	832	827	-	-	4	1
Laurens	787	780	6	-	1	-
Lee	317	313	2	-	1	1
Lexington	2,010	2,001	1	-	8	-
McCormick	158	156	-	1	-	1
Marion	641	638	2	-	1	-
Marlboro	591	575	13	-	-	3
Newberry	456	455	-	-	1	-
Oconee	748	743	-	-	5	-
Orangeburg	1,502	1,416	64	-	16	6
Pickens	1,044	1,041	-	-	3	-
Richland	4,032	4,005	2	-	15	10
Saluda	247	237	-	1	7	2
Spartanburg	3,128	3,092	-	-	36	-
Sumter	1,773	1,541	223	1	8	-
Union	482	482	-	-	-	-
Williamsburg	768	765	1	-	1	1
York	1,720	1,714	-	-	2	4

Table 21-A.
Live Births by Attendant: South Carolina and Each County, 1980
(Residence Data)

County of Residence	White					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	30,559	29,917	501	5	126	10
Abbeville	185	185	-	-	-	-
Aiken	1,094	1,090	-	-	4	-
Allendale	44	41	3	-	-	-
Anderson	1,516	1,513	-	-	2	1
Bamberg	95	73	22	-	-	-
Barnwell	162	154	8	-	-	-
Beaufort	781	773	2	1	5	-
Berkeley	1,371	1,290	68	-	11	2
Calhoun	66	64	2	-	-	-
Charleston	2,730	2,635	82	1	11	1
Cherokee	414	413	-	-	1	-
Chester	293	292	-	-	-	1
Chesterfield	357	322	32	-	3	-
Clarendon	159	159	-	-	-	-
Colleton	197	196	1	-	-	-
Darlington	460	460	-	-	-	-
Dillon	252	251	-	-	-	1
Dorchester	723	696	24	-	3	-
Edgefield	108	108	-	-	-	-
Fairfield	102	102	-	-	-	-
Florence	1,013	1,007	3	-	3	-
Georgetown	330	327	3	-	-	-
Greenville	3,304	3,267	18	1	17	1
Greenwood	503	503	-	-	-	-
Hampton	104	104	-	-	-	-
Horry	1,247	1,211	34	-	2	-
Jasper	86	86	-	-	-	-
Kershaw	364	361	1	-	2	-
Lancaster	529	528	-	-	1	-
Laurens	490	486	4	-	-	-
Lee	76	76	-	-	-	-
Lexington	1,709	1,701	1	-	7	-
McCormick	42	41	-	1	-	-
Marion	220	219	1	-	-	-
Marlboro	239	231	8	-	-	-
Newberry	231	231	-	-	-	-
Oconee	658	655	-	-	3	-
Orangeburg	475	456	17	-	2	-
Pickens	938	936	-	-	2	-
Richland	1,948	1,932	2	-	12	2
Saluda	119	118	-	1	-	-
Spartanburg	2,270	2,240	-	-	30	-
Sumter	866	697	165	-	4	-
Union	290	290	-	-	-	-
Williamsburg	220	220	-	-	-	-
York	1,179	1,177	-	-	1	1

Table 21-A
Live Births by Attendant by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Nonwhite					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	21,349	20,519	604	3	139	84
Abbeville	133	130	-	-	2	1
Aiken	595	587	-	1	6	1
Allendale	182	177	1	-	2	2
Anderson	428	423	-	-	5	-
Bamberg	200	109	89	-	1	1
Barnwell	182	170	6	-	-	6
Beaufort	539	530	1	-	7	1
Berkeley	619	495	103	-	8	13
Calhoun	149	146	1	-	2	-
Charleston	2,266	2,058	181	-	20	7
Cherokee	220	218	-	-	1	1
Chester	302	302	-	-	-	-
Chesterfield	282	255	26	-	-	1
Clarendon	350	346	1	-	2	1
Colleton	313	307	4	-	1	1
Darlington	474	470	-	-	2	2
Dillon	347	345	-	-	2	-
Dorchester	329	278	44	-	5	2
Edgefield	192	190	-	-	-	2
Fairfield	238	235	-	1	-	2
Florence	979	970	1	-	4	4
Georgetown	470	464	1	-	3	2
Greenville	1,096	1,088	-	-	6	2
Greenwood	367	366	-	-	1	-
Hampton	240	236	-	-	1	3
Horry	648	611	28	-	7	2
Jasper	222	219	-	-	3	-
Kershaw	250	247	1	-	1	1
Lancaster	303	299	-	-	3	1
Laurens	297	294	2	-	1	-
Lee	241	237	2	-	1	1
Lexington	301	300	-	-	1	-
McCormick	116	115	-	-	-	1
Marion	421	419	1	-	1	-
Marlboro	352	344	5	-	-	3
Newberry	225	224	-	-	1	-
Oconee	90	88	-	-	2	-
Orangeburg	1,027	960	47	-	14	6
Pickens	106	105	-	-	1	-
Richland	2,084	2,073	-	-	3	8
Saluda	128	119	-	-	7	2
Spartanburg	858	852	-	-	6	-
Sumter	907	844	58	1	4	-
Union	192	192	-	-	-	-
Williamsburg	548	545	1	-	1	1
York	541	537	-	-	1	3

Table 22.
Live Births by Attendant: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Total					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	49,807	48,339	1,110	7	257	94
Abbeville	189	187	-	-	1	1
Aiken	638	630	-	1	6	1
Allendale	218	215	-	-	2	1
Anderson	2,405	2,396	-	-	8	1
Bamberg	300	79	216	-	3	2
Barnwell	175	169	-	-	-	6
Beaufort	1,399	1,379	3	-	16	1
Berkeley	14	-	1	-	8	5
Calhoun	-	-	-	-	-	-
Charleston	8,442	7,883	488	1	48	22
Cherokee	364	361	-	-	2	1
Chester	532	531	-	-	-	1
Chesterfield	398	310	84	-	3	1
Clarendon	363	359	-	-	3	1
Colleton	262	261	-	-	1	-
Darlington	841	838	-	-	1	2
Dillon	383	381	-	-	1	1
Dorchester	4	-	-	-	3	1
Edgefield	148	145	-	-	1	2
Fairfield	52	49	-	1	-	2
Florence	2,443	2,427	1	-	10	5
Georgetown	861	856	-	-	3	2
Greenville	5,388	5,337	24	1	23	3
Greenwood	1,722	1,718	-	-	4	-
Hampton	269	266	-	-	-	3
Horry	1,874	1,802	62	-	8	2
Jasper	27	27	-	-	-	-
Kershaw	420	418	-	-	2	-
Lancaster	636	631	-	-	4	1
Laurens	247	247	-	-	-	-
Lee	113	111	-	-	1	1
Lexington	1,502	1,493	-	-	9	-
McCormick	2	-	-	1	-	1
Marion	890	888	-	-	2	-
Marlboro	481	478	-	-	-	3
Newberry	409	408	-	-	1	-
Oconee	413	411	-	-	2	-
Orangeburg	1,505	1,484	1	-	16	4
Pickens	470	467	-	-	3	-
Richland	5,479	5,453	-	-	15	11
Saluda	6	-	-	1	3	2
Spartanburg	3,243	3,206	-	-	37	-
Sumter	2,084	1,848	230	1	5	-
Union	341	341	-	-	-	-
Williamsburg	454	454	-	-	-	-
York	1,401	1,395	-	-	2	4

Table 22-A
Live Births by Attendant: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	White					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	29,041	28,398	507	4	122	10
Abbeville	64	64	-	-	-	-
Aiken	356	354	-	-	2	-
Allendale	34	34	-	-	-	-
Anderson	1,900	1,897	-	-	2	1
Bamberg	77	19	58	-	-	-
Barnwell	51	51	-	-	-	-
Beaufort	728	721	2	-	5	-
Berkeley	7	-	-	-	6	1
Calhoun	-	-	-	-	-	-
Charleston	5,033	4,840	172	1	18	2
Cherokee	179	178	-	-	1	-
Chester	234	233	-	-	-	1
Chesterfield	175	125	47	-	3	-
Clarendon	72	72	-	-	-	-
Colleton	46	46	-	-	-	-
Darlington	384	384	-	-	-	-
Dillon	145	144	-	-	-	1
Dorchester	2	-	-	-	2	-
Edgefield	13	13	-	-	-	-
Fairfield	7	7	-	-	-	-
Florence	1,328	1,325	-	-	3	-
Georgetown	348	348	-	-	-	-
Greenville	4,183	4,143	22	1	16	1
Greenwood	995	995	-	-	-	-
Hampton	72	72	-	-	-	-
Horry	1,244	1,205	37	-	2	-
Jasper	5	5	-	-	-	-
Kershaw	275	273	-	-	2	-
Lancaster	352	351	-	-	1	-
Laurens	121	121	-	-	-	-
Lee	8	8	-	-	-	-
Lexington	1,263	1,256	-	-	7	-
McCormick	1	-	-	1	-	-
Marion	336	336	-	-	-	-
Marlboro	178	178	-	-	-	-
Newberry	189	189	-	-	-	-
Oconee	360	359	-	-	1	-
Orangeburg	498	496	-	-	2	-
Pickens	431	429	-	-	2	-
Richland	2,847	2,833	-	-	12	2
Saluda	1	-	-	1	-	-
Spartanburg	2,365	2,334	-	-	31	-
Sumter	996	824	169	-	3	-
Union	170	170	-	-	-	-
Williamsburg	65	65	-	-	-	-
York	903	901	-	-	1	1

Table 22-A
Live Births by Attendant: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Nonwhite					
	Total Births	Physician	Midwife in Hospital	Midwife Out of Hospital	Other Than Physician or Midwife	Self-Attended
SOUTH CAROLINA	20,766	19,941	603	3	135	84
Abbeville	125	123	-	-	1	1
Aiken	282	276	-	1	4	1
Allendale	184	181	-	-	2	1
Anderson	505	499	-	-	6	-
Bamberg	223	60	158	-	3	2
Barnwell	124	118	-	-	-	6
Beaufort	671	658	1	-	11	1
Berkeley	7	-	1	-	2	4
Calhoun	-	-	-	-	-	-
Charleston	3,409	3,043	316	-	30	20
Cherokee	185	183	-	-	1	1
Chester	298	298	-	-	-	-
Chesterfield	223	185	37	-	-	1
Clarendon	291	287	-	-	3	1
Colleton	216	215	-	-	1	-
Darlington	457	454	-	-	1	2
Dillon	238	237	-	-	1	-
Dorchester	2	-	-	-	1	1
Edgefield	135	132	-	-	1	2
Fairfield	45	42	-	1	-	2
Florence	1,115	1,102	1	-	7	5
Georgetown	513	508	-	-	3	2
Greenville	1,205	1,194	2	-	7	2
Greenwood	727	723	-	-	4	-
Hampton	197	194	-	-	-	3
Horry	630	597	25	-	6	2
Jasper	22	22	-	-	-	-
Kershaw	145	145	-	-	-	-
Lancaster	284	280	-	-	3	1
Laurens	126	126	-	-	-	-
Lee	105	103	-	-	1	1
Lexington	239	237	-	-	2	-
McCormick	1	-	-	-	-	1
Marion	554	552	-	-	2	-
Marlboro	303	300	-	-	-	3
Newberry	220	219	-	-	1	-
Oconee	53	52	-	-	1	-
Orangeburg	1,007	988	1	-	14	4
Pickens	39	38	-	-	1	-
Richland	2,632	2,620	-	-	3	9
Saluda	5	-	-	-	3	2
Spartanburg	878	872	-	-	6	-
Sumter	1,088	1,024	61	1	2	-
Union	171	171	-	-	-	-
Williamsburg	389	389	-	-	-	-
York	498	494	-	-	1	3

Table 23.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1980
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	51,908	100.0	30,559	100.0	21,349	100.0
Under 15	287	0.6	53	0.2	234	1.1
15-19	9,941	19.2	4,645	15.2	5,296	24.8
20-24	18,142	35.0	10,753	35.2	7,389	34.6
25-34	21,616	41.6	14,033	45.9	7,583	35.5
35-44	1,902	3.7	1,066	3.5	836	3.9
45+	16	0.0	7	0.0	9	0.0
Not Stated	4	0.0	2	0.0	2	0.0
Live Births by Age of Married Mother						
All Ages	40,717	100.0	28,812	100.0	11,905	100.0
Under 15	24	0.1	20	0.1	4	0.0
15-19	4,689	11.5	3,761	13.1	928	7.8
20-24	14,371	35.3	10,187	35.4	4,184	35.1
25-34	19,890	48.8	13,802	47.9	6,088	51.1
35-44	1,730	4.2	1,035	3.6	695	5.8
45+	13	0.3	7	0.0	6	0.1
Not Stated	-	0	-	0	-	0
Live Births by Age of Unmarried Mother						
All Ages	11,191	100.0	1,747	100.0	9,444	100.0
Under 15	263	2.4	33	1.9	230	2.4
15-19	5,252	46.9	884	50.6	4,368	46.3
20-24	3,771	33.7	566	32.4	3,205	33.9
25-34	1,726	15.4	231	13.2	1,495	15.8
35-44	172	1.5	31	1.8	141	1.5
45+	3	0.0	-	0	3	0.0
Not Stated	4	0.0	2	0.1	2	0.0

Table 24.
Live Births by Age of Mother: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total All Ages	Age of Mother						
		Under 15	15-19	20-24	25-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	51,908	287	9,941	18,142	21,616	1,902	16	4
Abbeville	318	2	61	110	134	11	-	-
Aiken	1,689	8	321	601	696	62	1	-
Allendale	226	3	56	79	81	7	-	-
Anderson	1,944	9	409	693	770	63	-	-
Bamberg	295	4	69	111	105	6	-	-
Barnwell	344	1	82	117	135	9	-	-
Beaufort	1,320	7	224	534	513	42	-	-
Berkeley	1,990	1	325	773	809	81	-	1
Calhoun	215	1	54	68	87	5	-	-
Charleston	4,996	32	894	1,692	2,210	167	1	-
Cherokee	634	9	157	208	243	16	1	-
Chester	595	7	139	229	192	28	-	-
Chesterfield	639	5	122	231	259	21	1	-
Clarendon	509	2	118	162	201	26	-	-
Colleton	510	4	107	190	186	22	1	-
Darlington	936	7	203	318	386	22	-	-
Dillon	599	3	148	231	194	23	-	-
Dorchester	1,052	3	165	342	489	52	1	-
Edgefield	300	-	63	108	121	8	-	-
Fairfield	340	4	67	125	126	18	-	-
Florence	1,990	12	383	653	837	105	-	-
Georgetown	800	4	139	286	332	38	-	1
Greenville	4,400	17	767	1,470	1,987	155	3	1
Greenwood	870	5	170	313	348	33	1	-
Hampton	344	3	72	137	120	12	-	-
Horry	1,895	9	376	727	724	59	-	-
Jasper	308	1	82	112	98	15	-	-
Kershaw	614	2	105	217	262	28	-	-
Lancaster	832	8	193	271	337	23	-	-
Laurens	787	3	179	253	327	25	-	-
Lee	317	1	63	106	132	15	-	-
Lexington	2,010	3	287	694	940	86	-	-
McCormick	158	2	38	55	58	5	-	-
Marion	641	7	128	231	253	22	-	-
Marlboro	591	7	179	199	182	24	-	-
Newberry	456	4	88	167	175	21	1	-
Oconee	748	4	133	270	303	38	-	-
Orangeburg	1,502	9	341	496	589	67	-	-
Pickens	1,044	5	194	349	464	32	-	-
Richland	4,032	13	612	1,321	1,945	141	-	-
Saluda	247	4	44	93	91	15	-	-
Spartanburg	3,128	20	623	1,113	1,273	98	1	-
Sumter	1,773	8	359	682	665	57	2	-
Union	482	4	106	173	187	11	1	-
Williamsburg	768	4	153	247	332	31	-	1
York	1,720	16	343	585	718	57	1	-

Table 25.
Live Births To Mothers Less Than 20 Years Old
South Carolina and Each County, 1980
(Residence Data)

County of Residence	Age of Mother						
	Total ≤19	<15	15	16	17	18	19
SOUTH CAROLINA	10,228	287	668	1,295	2,040	2,657	3,281
Abbeville	63	2	2	11	8	20	20
Aiken	329	8	18	31	70	91	111
Allendale	59	3	8	6	14	14	14
Anderson	418	9	31	55	90	103	130
Bamberg	73	4	4	9	11	22	23
Barnwell	83	1	6	5	20	28	23
Beaufort	231	7	9	14	41	69	91
Berkeley	326	1	16	33	61	105	110
Calhoun	55	1	5	5	15	8	21
Charleston	926	32	69	120	162	235	308
Cherokee	166	9	8	23	38	38	50
Chester	146	7	7	18	33	40	41
Chesterfield	127	5	15	23	19	28	37
Clarendon	120	2	5	14	28	31	40
Colleton	111	4	15	13	26	23	30
Darlington	210	7	11	26	53	56	57
Dillon	151	3	10	15	29	43	51
Dorchester	168	3	11	18	30	49	57
Edgefield	63	-	5	6	13	19	20
Fairfield	71	4	4	10	13	17	23
Florence	395	12	37	45	83	101	117
Georgetown	143	4	4	20	25	32	58
Greenville	784	17	53	113	156	186	259
Greenwood	175	5	10	26	41	43	50
Hampton	75	3	8	5	17	14	28
Horry	385	9	19	41	76	120	120
Jasper	83	1	2	11	25	19	25
Kersahw	107	2	5	11	24	25	40
Lancaster	201	8	13	21	44	46	69
Laurens	182	3	12	25	33	44	65
Lee	64	1	7	7	17	14	18
Lexington	290	3	10	40	51	78	108
McCormick	40	2	-	7	7	7	17
Marion	135	7	13	18	28	29	40
Marlboro	186	7	19	28	28	54	50
Newberry	92	4	3	12	22	24	27
Oconee	137	4	8	14	24	38	49
Orangeburg	350	9	28	64	72	89	88
Pickens	199	5	9	31	43	34	77
Richland	625	13	40	90	122	158	202
Saluda	48	4	4	7	4	12	17
Spartanburg	643	20	43	87	128	182	183
Sumter	367	8	21	53	66	98	121
Union	110	4	4	10	20	38	34
Williamsburg	157	4	12	16	35	43	47
York	359	16	25	38	75	90	115

Table 26.
Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1980
(Residence Data)

Age of Mother and Race	Total	Birth Weight											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not Stated
All Ages..............	51,908	77	293	407	908	2,808	9,725	19,150	13,711	3,980	756	93	-
White...........	30,559	24	92	152	392	1,176	4,414	10,915	9,579	3,146	593	76	-
Nonwhite........	21,349	53	201	255	516	1,632	5,311	8,235	4,132	834	163	17	-
Under 15 Years........	287	1	9	4	8	26	97	93	39	10	-	-	-
White...........	53	1	2	-	2	5	13	15	10	5	-	-	-
Nonwhite........	234	-	7	4	6	21	84	78	29	5	-	-	-
15 - 19 Years.........	9,941	18	76	117	237	735	2,341	3,839	2,111	398	68	1	-
White...........	4,645	5	23	40	97	228	798	1,774	1,334	293	52	1	-
Nonwhite........	5,296	13	53	77	140	507	1,543	2,065	777	105	16	-	-
20 - 24 Years.........	18,142	22	100	138	320	992	3,524	6,797	4,774	1,251	205	19	-
White...........	10,753	6	31	52	138	434	1,634	3,895	3,360	1,019	170	14	-
Nonwhite........	7,389	16	69	86	182	558	1,890	2,902	1,414	232	35	5	-
25 - 34 Years.........	21,616	33	100	133	295	948	3,449	7,738	6,284	2,133	435	68	-
White...........	14,033	11	32	52	131	464	1,822	4,854	4,569	1,701	341	56	-
Nonwhite........	7,583	22	68	81	164	484	1,627	2,884	1,715	432	94	12	-
35 - 44 Years.........	1,902	3	8	14	48	107	309	674	499	187	48	5	-
White...........	1,066	1	4	7	24	45	146	373	303	128	30	5	-
Nonwhite........	836	2	4	7	24	62	163	301	196	59	18	-	-
45 and Over...........	16	-	-	-	-	-	5	7	3	1	-	-	-
White...........	7	-	-	-	-	-	1	4	2	-	-	-	-
Nonwhite........	9	-	-	-	-	-	4	3	1	1	-	-	-
Not Stated...........	4	-	-	1	-	-	-	2	1	-	-	-	-
White...........	2	-	-	1	-	-	-	-	1	-	-	-	-
Nonwhite........	2	-	-	-	-	-	-	2	-	-	-	-	-

Table 27.

Low Weight* Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1980

(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	4,493	8.7	1,836	6.0	2,657	12.4
Abbeville	17	5.3	8	4.3	9	6.8
Aiken	132	7.8	57	5.2	75	12.6
Allendale	21	9.3	3	6.8	18	9.9
Anderson	144	7.4	97	6.4	47	11.0
Bamberg	37	12.5	7	7.4	30	15.0
Barnwell	26	7.6	5	3.1	21	11.5
Beaufort	106	8.0	32	4.1	74	13.7
Berkeley	150	7.5	82	6.0	68	11.0
Calhoun	16	7.4	3	4.5	13	8.7
Charleston	478	9.6	186	6.8	292	12.9
Cherokee	51	8.0	31	7.5	20	9.1
Chester	57	9.6	21	7.2	36	11.9
Chesterfield	58	9.1	15	4.2	43	15.2
Clarendon	67	13.2	14	8.8	53	15.1
Colleton	46	9.0	11	5.6	35	11.2
Darlington	86	9.2	26	5.6	61	12.8
Dillon	70	11.7	18	7.1	52	15.0
Dorchester	86	8.2	41	5.7	45	13.7
Edgefield	29	9.7	8	7.4	21	10.9
Fairfield	37	10.9	6	5.9	31	13.0
Florence	166	8.3	56	5.5	109	11.1
Georgetown	67	8.4	19	5.8	48	10.2
Greenville	371	8.4	208	6.3	163	14.9
Greenwood	75	8.6	26	5.2	49	13.4
Hampton	35	10.2	3	2.9	32	13.3
Horry	145	7.7	65	5.2	80	12.3
Jasper	34	11.0	4	4.7	30	13.5
Kershaw	49	8.0	15	4.1	34	13.6
Lancaster	80	9.6	39	7.4	41	13.5
Laurens	71	9.0	34	6.9	37	12.5
Lee	46	14.5	4	5.3	42	17.4
Lexington	120	6.0	91	5.3	29	9.6
McCormick	11	7.0	3	7.1	8	6.9
Marion	66	10.3	13	5.9	53	12.6
Marlboro	63	10.7	22	9.2	41	11.6
Newberry	47	10.3	20	8.7	27	12.0
Oconee	52	7.0	45	6.8	7	7.8
Orangeburg	131	8.7	23	4.8	108	10.5
Pickens	61	5.8	52	5.5	9	8.5
Richland	395	9.8	100	5.1	295	14.2
Saluda	16	6.5	4	3.4	12	9.4
Spartanburg	263	8.4	160	7.0	103	12.0
Sumter	164	9.2	46	5.3	118	13.0
Union	35	7.3	19	6.6	16	8.3
Williamsburg	64	8.3	12	5.5	52	9.5
York	152	8.8	82	7.0	70	12.9

* Live birth weighing 2500 grams or less

Table 28.
Live Births by Weight and Race South Carolina and Each County, 1980
(Residence Data)

County and Race	Total	Birth Weight											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not Stated
SOUTH CAROLINA.........	51,908	77	293	407	908	2,808	9,725	19,150	13,711	3,980	756	93	-
White.............	30,559	24	92	152	392	1,176	4,414	10,915	9,579	3,146	593	76	-
Nonwhite...........	21,349	53	201	255	516	1,632	5,311	8,235	4,132	834	163	17	-
Abbeville..............	318	-	-	1	4	12	58	132	80	21	10	-	-
White.............	185	-	-	1	2	5	22	76	55	16	8	-	-
Nonwhite...........	133	-	-	-	2	7	36	56	25	5	2	-	-
Aiken..................	1,689	1	6	16	36	73	295	638	454	140	30	-	-
White.............	1,094	1	1	9	16	30	160	399	334	116	28	-	-
Nonwhite...........	595	-	5	7	20	43	135	239	120	24	2	-	-
Allendale..............	226	1	4	2	3	11	38	90	51	22	4	-	-
White.............	44	1	-	-	1	1	6	15	14	5	1	-	-
Nonwhite...........	182	-	4	2	2	10	32	75	37	17	3	-	-
Anderson...............	1,944	3	6	11	26	98	332	706	552	183	24	3	-
White.............	1,516	2	5	6	19	65	221	539	465	168	23	3	-
Nonwhite...........	428	1	1	5	7	33	111	167	87	15	1	-	-
Bamberg................	295	3	4	1	6	23	66	116	59	11	6	-	-
White.............	95	1	-	-	1	5	12	38	29	6	3	-	-
Nonwhite...........	200	2	4	1	5	18	54	78	30	5	3	-	-
Barnwell...............	344	1	-	2	7	16	68	135	90	22	3	-	-
White.............	162	-	-	-	2	3	19	62	56	18	2	-	-
Nonwhite...........	182	1	-	2	5	13	49	73	34	4	1	-	-
Beaufort...............	1,320	1	3	8	19	75	233	483	378	104	16	-	-
White.............	781	-	3	1	5	23	105	283	263	88	10	-	-
Nonwhite...........	539	1	-	7	14	52	128	200	115	16	6	-	-
Berkeley...............	1,990	3	6	14	39	88	315	725	562	197	36	5	-
White.............	1,371	2	3	6	24	47	180	477	432	166	30	4	-
Nonwhite...........	619	1	3	8	15	41	135	248	130	31	6	1	-
Calhoun................	215	-	1	2	3	10	46	80	52	17	4	-	-
White.............	66	-	-	-	1	2	11	22	18	10	2	-	-
Nonwhite...........	149	-	1	2	2	8	35	58	34	7	2	-	-
Charleston.............	4,996	15	30	45	92	296	966	1,805	1,287	387	62	11	-
White.............	2,730	4	4	18	37	123	392	903	880	312	48	9	-
Nonwhite...........	2,266	11	26	27	55	173	574	902	407	75	14	2	-
Cherokee...............	634	1	6	7	10	27	110	251	162	51	9	-	-
White.............	414	1	1	7	6	16	51	160	121	42	9	-	-
Nonwhite...........	220	-	5	-	4	11	59	91	41	9	-	-	-

Table 28. (cont.)

County and Race	Total	Birth Weight											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001 4,500 grams	4,501-5,000 grams	5,001-grams or more	Not Stated
Chester................	595	1	7	4	14	31	101	230	138	59	10	-	-
White..............	293	1	-	3	4	13	38	106	85	38	5	-	-
Nonwhite...........	302	-	7	1	10	18	63	124	53	21	5	-	-
Chesterfield...........	639	-	8	4	8	38	129	221	172	47	12	-	-
White..............	357	-	1	1	2	11	57	129	113	36	7	-	-
Nonwhite...........	282	-	7	3	6	27	72	92	59	11	5	-	-
Clarendon..............	509	2	8	6	8	43	103	176	130	23	10	-	-
White..............	159	1	2	1	2	8	25	48	54	12	6	-	-
Nonwhite...........	350	1	6	5	6	35	78	128	76	11	4	-	-
Colleton...............	510	2	4	5	10	25	106	178	130	41	7	2	-
White..............	197	1	-	1	1	8	23	65	67	25	5	1	-
Nonwhite...........	313	1	4	4	9	17	83	113	63	16	2	1	-
Darlington.............	936	1	5	5	11	65	181	366	237	52	12	1	-
White..............	461	1	2	-	5	18	69	176	143	39	7	1	-
Nonwhite...........	475	-	3	5	6	47	112	190	94	13	5	-	-
Dillon.................	599	-	2	6	13	49	130	230	130	35	3	1	-
White..............	252	-	1	3	5	9	41	91	75	23	3	1	-
Nonwhite...........	347	-	1	3	8	40	89	139	55	12	-	-	-
Dorchester.............	1,052	3	2	9	19	53	175	383	296	86	22	4	-
White..............	723	-	1	2	10	28	97	261	228	74	19	3	-
Nonwhite...........	329	3	1	7	9	25	78	122	68	12	3	1	-
Edgefield..............	300	-	2	2	7	18	67	103	72	20	6	3	-
White..............	108	-	-	-	3	5	16	37	33	7	4	3	-
Nonwhite...........	192	-	2	2	4	13	51	66	39	13	2	-	-
Fairfield..............	340	2	4	8	4	19	76	130	76	15	6	-	-
White..............	102	-	-	-	1	5	19	38	29	9	1	-	-
Nonwhite...........	238	2	4	8	3	14	57	92	47	6	5	-	-
Florence...............	1,990	3	8	19	27	108	399	745	496	147	30	8	-
White..............	1,012	1	2	7	9	37	145	368	307	106	22	8	-
Nonwhite...........	978	2	6	12	18	71	254	377	189	41	8	-	-
Georgetown.............	800	-	7	8	15	37	166	270	221	63	10	3	-
White..............	330	-	1	-	8	10	42	99	123	41	5	1	-
Nonwhite...........	470	-	6	8	7	27	124	171	98	22	5	2	-
Greenville.............	4,400	5	24	33	77	232	777	1,593	1,242	347	66	4	-
White..............	3,304	1	10	18	41	138	488	1,194	1,047	306	58	3	-
Nonwhite...........	1,096	4	14	15	36	94	289	399	195	41	8	1	-

Table 28. (cont.)

County and Race	Total	Birth Weight											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not Stated
Greenwood..............	870	2	7	6	15	45	169	304	240	73	9	-	-
White..............	503	-	2	3	1	20	73	167	177	54	6	-	-
Nonwhite...........	367	2	5	3	14	25	96	137	63	19	3	-	-
Hampton................	344	-	7	4	4	20	70	121	89	22	6	1	-
White..............	104	-	-	-	-	3	14	31	38	13	5	-	-
Nonwhite...........	240	-	7	4	4	17	56	90	51	9	1	1	-
Horry..................	1,895	-	10	10	31	94	359	705	501	138	44	3	-
White..............	1,247	-	4	3	12	46	194	461	367	122	35	3	-
Nonwhite...........	648	-	6	7	19	48	165	244	134	16	9	-	-
Jasper.................	308	-	1	3	5	25	77	109	64	20	4	-	-
White..............	86	-	-	-	-	4	15	31	27	7	2	-	-
Nonwhite...........	222	-	1	3	5	21	62	78	37	13	2	-	-
Kershaw................	614	-	2	6	11	30	112	211	165	64	12	1	-
White..............	364	-	1	1	4	9	55	127	113	43	10	1	-
Nonwhite...........	250	-	1	5	7	21	57	84	52	21	2	-	-
Lancaster..............	832	2	5	8	19	46	163	322	208	49	8	2	-
White..............	529	1	4	5	11	18	84	206	152	38	8	2	-
Nonwhite...........	303	1	1	3	8	28	79	116	56	11	-	-	-
Laurens................	787	-	6	5	20	40	156	245	240	57	15	3	-
White..............	490	-	-	3	12	19	79	150	169	43	13	2	-
Nonwhite...........	297	-	6	2	8	21	77	95	71	14	2	1	-
Lee....................	317	1	6	6	10	23	79	116	56	19	1	-	-
White..............	76	-	2	-	-	2	20	29	16	7	-	-	-
Nonwhite...........	241	1	4	6	10	21	59	87	40	12	1	-	-
Lexington..............	2,010	1	6	10	30	73	302	736	610	200	38	4	-
White..............	1,709	-	6	6	24	55	229	612	549	187	37	4	-
Nonwhite...........	301	1	-	4	6	18	73	124	61	13	1	-	-
McCormick..............	158	-	1	1	4	5	37	67	34	6	2	1	-
White..............	42	-	-	-	1	2	5	20	10	2	2	-	-
Nonwhite...........	116	-	1	1	3	3	32	47	24	4	-	1	-
Marion.................	641	1	4	9	7	45	138	264	133	31	7	2	-
White..............	220	-	-	1	2	10	30	92	64	14	6	1	-
Nonwhite...........	421	1	4	8	5	35	108	172	69	17	1	1	-
Marlboro...............	591	-	1	9	11	42	129	235	129	29	6	-	-
White..............	239	-	1	1	6	14	38	93	65	20	1	-	-
Nonwhite...........	352	-	-	8	5	28	91	142	64	9	5	-	-

Table 28. (cont.)

County and Race	Total	Birth Weight											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not Stated
Newberry...............	456	1	1	5	12	28	96	177	107	23	5	1	-
White...............	231	-	1	1	6	12	36	93	62	16	3	1	-
Nonwhite............	225	1	-	4	6	16	60	84	45	7	2	-	-
Oconee..................	748	-	9	3	10	30	112	262	229	74	16	3	-
White...............	658	-	7	3	9	26	87	229	206	72	16	3	-
Nonwhite............	90	-	2	-	1	4	25	33	23	2	-	-	-
Orangeburg..............	1,502	1	6	10	31	83	342	569	353	90	14	3	-
White...............	475	-	1	1	6	15	67	171	156	48	8	2	-
Nonwhite............	1,027	1	5	9	25	68	275	398	197	42	6	1	-
Pickens.................	1,044	-	3	1	13	44	172	377	310	95	25	4	-
White...............	938	-	2	1	13	36	145	338	286	89	24	4	-
Nonwhite............	106	-	1	-	-	8	27	39	24	6	1	-	-
Richland................	4,032	13	21	27	82	252	798	1,534	975	287	41	2	-
White...............	1,948	4	2	11	21	62	315	712	578	213	28	2	-
Nonwhite	2,084	9	19	16	61	190	483	822	397	74	13	-	-
Saluda..................	247	-	1	-	6	9	49	91	69	18	3	1	-
White...............	119	-	1	-	2	1	16	40	46	11	1	1	-
Nonwhite............	128	-	-	-	4	8	33	51	23	7	2	-	-
Spartanburg.............	3,128	2	13	26	53	169	568	1,160	856	234	42	5	-
White...............	2,270	1	7	12	31	109	350	808	702	207	38	5	-
Nonwhite............	858	1	6	14	22	60	218	352	154	27	4	-	-
Sumter..................	1,773	2	19	12	24	107	327	666	471	119	22	4	-
White...............	866	-	5	4	4	33	95	329	289	89	16	2	-
Nonwhite............	907	2	14	8	20	74	232	337	182	30	6	2	-
Union...................	482	-	4	4	7	20	86	178	133	46	4	-	-
White...............	290	-	2	3	4	10	42	98	95	32	4	-	-
Nonwhite............	192	-	2	1	3	10	44	80	38	14	-	-	-
Williamsburg............	768	1	6	5	13	39	153	309	182	45	12	3	-
White...............	220	-	2	-	2	8	28	92	61	20	6	1	-
Nonwhite............	548	1	4	5	11	31	125	217	121	25	6	2	-
York....................	1,720	2	7	19	32	92	294	606	490	151	22	5	-
White...............	1,179	-	5	9	16	52	158	400	380	136	18	5	-
Nonwhite............	541	2	2	10	16	40	136	206	110	15	4	-	-

Table 29.
Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock
South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	11,191	21.6	1,747	5.7	9,444	44.2
Abbeville	73	23.0	6	3.2	67	50.4
Aiken	315	18.7	76	6.9	239	40.2
Allendale	90	39.8	4	9.1	86	47.3
Anderson	280	14.4	87	5.7	193	45.1
Bamberg	95	32.2	8	8.4	87	43.5
Barnwell	94	27.3	11	6.8	83	45.6
Beaufort	263	19.9	34	4.4	229	42.5
Berkeley	274	13.8	60	4.4	214	34.6
Calhoun	78	36.3	1	1.5	77	51.7
Charleston	1,225	24.5	173	6.3	1,052	46.4
Cherokee	147	23.2	24	5.8	123	55.9
Chester	168	28.2	20	6.8	148	49.0
Chesterfield	139	21.8	17	4.8	122	43.3
Clarendon	172	33.8	10	6.3	162	46.3
Colleton	146	28.6	13	6.6	133	42.5
Darlington	248	26.6	19	4.1	229	48.3
Dillon	219	36.6	19	7.5	200	57.6
Dorchester	135	12.8	36	5.0	99	30.1
Edgefield	75	25.0	4	3.7	71	37.0
Fairfield	108	31.8	7	6.9	101	42.4
Florence	478	24.0	46	4.5	432	44.1
Georgetown	222	27.8	19	5.8	203	43.2
Greenville	723	16.4	216	6.5	507	46.3
Greenwood	186	21.4	24	4.8	162	44.1
Hampton	100	29.1	6	5.8	94	39.2
Horry	361	19.1	65	5.2	296	45.7
Jasper	115	37.3	8	9.3	107	48.2
Kershaw	116	18.9	20	5.5	96	38.4
Lancaster	165	19.8	29	5.5	136	44.9
Laurens	186	23.6	32	6.5	154	51.9
Lee	113	35.6	1	1.3	112	46.5
Lexington	191	9.5	73	4.3	118	39.2
McCormick	54	34.2	1	2.4	53	45.7
Marion	202	31.5	20	9.1	182	43.2
Marlboro	211	35.7	36	15.1	175	49.7
Newberry	115	25.2	6	2.6	109	48.4
Oconee	70	9.4	31	4.7	39	43.3
Orangeburg	501	33.4	25	5.3	476	46.3
Pickens	92	8.8	40	4.3	52	49.1
Richland	889	22.0	104	5.3	785	37.7
Saluda	64	25.9	5	4.2	59	46.1
Spartanburg	621	19.9	163	7.2	458	53.4
Sumter	389	21.9	53	6.1	336	37.0
Union	93	19.3	11	3.8	82	42.7
Williamsburg	225	29.3	12	5.5	213	38.9
York	365	21.2	72	6.1	293	54.2

Table 30.
Out-of-Wedlock Live Births by Age of Mother: South Carolina and each County, 1980
(Residence Data)

County of Residence	Total	Age of Mother						
		Under 15	15-19	20-24	25-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	11,191	263	5,252	3,771	1,726	172	3	4
Abbeville	73	2	27	26	16	2	-	-
Aiken	315	6	143	109	46	10	1	
Allendale	90	3	41	32	12	2	-	-
Anderson	280	9	145	87	38	1	-	-
Bamberg	95	4	48	33	10	-	-	-
Barnwell	94	1	49	25	19	-	-	-
Beaufort	263	7	122	81	48	5	-	-
Berkeley	274	1	138	97	32	5	-	1
Calhoun	78	1	38	25	14	-	-	-
Charleston	1,225	30	531	427	222	15	-	-
Cherokee	147	7	66	56	17	1	-	-
Chester	168	7	80	55	24	2	-	-
Chesterfield	139	5	57	56	19	2	-	-
Clarendon	172	2	82	62	23	3	-	-
Colleton	146	4	69	42	24	7	-	-
Darlington	248	6	117	79	45	1	-	-
Dillon	219	2	95	82	36	4	-	-
Dorchester	135	3	68	39	21	4	-	-
Edgefield	75	-	42	25	8	-	-	-
Fairfield	105	4	45	44	12	3	-	-
Florence	478	11	242	144	70	11	-	-
Georgetown	222	4	91	74	47	5	-	1
Greenville	723	13	353	241	104	10	1	1
Greenwood	186	5	80	68	29	4	-	-
Hampton	100	3	41	37	19	-	-	-
Horry	361	8	186	110	53	4	-	-
Jasper	115	1	56	43	14	1	-	-
Kershaw	116	2	55	34	23	2	-	-
Lancaster	165	6	99	35	22	3	-	-
Laurens	186	3	85	70	25	3	-	-
Lee	113	1	41	45	22	4	-	-
Lexington	191	3	90	68	26	4	-	-
McCormick	54	2	28	18	6	-	-	-
Marion	202	7	90	68	35	2	-	-
Marlboro	211	7	112	62	25	5	-	-
Newberry	115	4	54	38	15	3	1	-
Oconee	70	4	25	25	12	4	-	-
Orangeburg	501	9	244	169	70	9	-	-
Pickens	92	3	45	27	16	1	-	-
Richland	889	13	395	316	159	6	-	-
Saluda	64	3	25	26	10	-	-	-
Spartanburg	621	19	293	213	87	9	-	-
Sumter	389	8	201	131	44	5	-	-
Union	93	2	47	33	11	-	-	-
Williamsburg	225	4	97	78	39	6	-	1
York	365	14	174	116	57	4	-	-

Table 31.
Live Births With Reported Congenital Malformations[1/]
South Carolina and Each HSA, 1980
(Residence Data)

Congenital Anomalies	STATE TOTAL	HSA I	HSA II	HSA III	HSA IV	HSA V
Anencephalus (740)	4	2	-	1	1	-
Spina Bifida (741)	18	5	4	4	5	-
Other of Nervous System (742)	14	3	3	2	5	1
Of Eye (743)	6	1	-	3	2	-
Of Ear, Face, and Neck (744)	14	1	3	3	7	-
Bulbus Cordis and Cardiac Septal Closure (745)	4	1	2	-	1	-
Other of Heart (746)	20	1	6	8	5	-
Circulatory System (747)	6	3	-	1	2	-
Respiratory System (748)	6	-	4	-	2	-
Cleft Palate and Cleft Lip (749)	42	9	14	9	9	1
Other of Upper Alimentary Tract (750)	15	2	4	8	1	-
Other of Digestive System (751)	4	-	1	3	-	-
Of Genital Organs (752)	47	10	14	13	9	1
Of Urinary System (753)	5	2	1	-	2	-
Certain Muscloskeletal Deformities (754)	26	2	3	5	12	4
Other of Limbs (755)	94	9	23	21	38	3
Other Musculoskeletal Anomalies (756)	15	1	3	7	3	1
Of the Integument (757)	23	1	4	16	1	1
Chromosomal Anomalies (758)	9	-	3	2	4	-
Other, Unspecified or Multiple Anomalies (759)	36	4	11	11	6	4
Total	408	57	103	117	115	16
Rate per 1,000 live births	7.9	4.6	7.8	10.1	8.8	9.5

[1/] Classified and coded according to the International Classification of Diseases, (ICD) Ninth Revision

DEATH SUMMARY

In 1980, there were 25,138 deaths to residents of South Carolina. This is an increase of 795 from the number of deaths reported in 1979. The 1980 death rate of 8.1 per 1,000 census population decreased slightly from the 1979 rate of 8.3.



Figure 8.

RESIDENT DEATH RATES, SOUTH CAROLINA
1980

The pattern of mortality for the last thirty-one years is shown by race in Figure 9. The total death rate fluctuated between the lowest rate of 7.8 and the highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 9 shows.

Figure 9.
Total Death Rates by Race: South Carolina, 1950-1980
(Residence Data)



Table 32.

TOTAL DEATHS AND TOTAL DEATH RATE BY RACE
1950 - 1980
SOUTH CAROLINA RESIDENTS

YEAR	TOTAL		WHITE		NONWHITE	
	NUMB	RATE	NUMB	RATE	NUMB	RATE
1950	17874	8.5	9285	7.7	8589	9.6
1951	17706	8.4	9326	7.2	8380	10.7
1952	18543	8.8	9612	7.4	8931	10.8
1953	18176	8.6	9676	7.5	8500	10.3
1954	17838	7.8	9578	6.9	8260	9.2
1955	18166	7.8	9987	7.1	8179	8.9
1956	18397	7.8	10265	7.1	8132	8.7
1957	19125	7.9	10555	7.2	8570	9.0
1958	19655	7.9	11135	7.4	8520	8.7
1959	19773	8.5	11157	7.8	8616	9.6
1960	20589	8.6	11850	7.6	8739	10.5
1961	20151	8.4	11780	7.5	8371	10.1
1962	20390	8.4	12143	7.6	8247	9.9
1963	21675	8.8	12714	7.8	8961	10.7
1964	21309	8.6	12789	7.7	8520	10.2
1965	21668	8.6	13101	7.8	8567	10.3
1966	22081	8.7	13427	7.9	8654	10.4
1967	21762	8.2	13611	7.4	8151	10.0
1968	23411	8.8	14778	8.0	8633	10.4
1969	22820	8.5	14612	7.9	8208	9.8
1970	22762	8.8	14752	8.2	8010	10.1
1971	23140	8.8	15035	8.2	8105	10.2
1972	23920	9.0	15475	8.3	8445	10.7
1973	24871	9.1	16188	8.4	8683	10.9
1974	24169	8.7	15941	8.1	8228	10.0
1975	23343	8.3	15464	8.0	7879	9.0
1976	23639	8.3	15652	8.0	7987	9.0
1977	24254	8.4	16088	8.2	8166	9.0
1978	24055	8.2	15993	7.9	8062	8.9
1979	24343	8.3	16207	8.0	8136	8.9
1980	25138	8.1	16781	7.8	8357	8.6

RATE PER 1000 POPULATION

AGE AT DEATH

A comparison of mortality by age between 1980 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1961 to 1980 is infants under one year of age. In 1961, there were 9.7 percent of all deaths that occurred to infants under one year of age; in 1980, however, this group accounted for only 3.2 percent of all deaths, The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1980 (76.2 percent) than in 1961, when deaths in these age groups represented 61.5 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1961 and 1980, is shown in Table 33. This table shows that the changes in age at death between 1961 and 1980, as noted for total deaths, are paralleled by changes in the race distributions.

Table 33.
Percentage Distribution of Deaths by Race by Age:
South Carolina, 1961 and 1980
(Residence Data)

Age at Death	Total		White		Nonwhite	
	1961	1980	1961	1980	1961	1980
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	9.7	3.2	6.7	2.0	13.8	5.7
01 - 04	1.9	0.6	1.1	0.5	3.0	0.9
05 - 09	0.9	0.4	0.8	0.3	1.2	0.4
10 - 14	0.9	0.3	0.7	0.3	1.1	0.4
15 - 19	1.1	1.2	1.0	1.3	1.3	1.1
20 - 24	1.3	1.8	1.2	1.5	1.6	2.3
25 - 34	3.3	3.3	2.4	2.8	4.5	4.4
35 - 44	6.9	4.2	5.2	3.2	9.3	6.2
45 - 54	12.4	8.8	10.6	7.9	14.8	10.6
55 - 64	17.5	18.4	15.6	17.6	20.2	20.0
65 - 74	21.8	25.7	23.7	26.0	19.2	25.3
75 and Over	22.1	32.1	30.9	36.7	9.8	22.7
Unknown	0.2	0	0.1	0	0.3	0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 809 in 1980 and occurred at a rate of 15.6 per 1,000 live births. The infant mortality rate decreased 8.2 percent from the previous year's rate of 17.0. As seen in Table 34, over one-third of all infant deaths occurred within the first 24 hours of life and 57 percent occurred within the first week after birth. Over one-half (59.2 percent) of the total infant deaths were nonwhite. There were 479 nonwhite and 330 white infant deaths. The white infant mortality rate decreased from the previous year's rate by 12.2 percent and the nonwhite rate decreased by 5.1. Of the total resident infant deaths, 450 (or 55.6 percent) were males and 359 (or 44.4 percent) were females.

The leading causes of infant death in South Carolina in 1980 are shown, by age at death, in Table 34. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 34.
Leading Causes of Infant Death, by Age at Death
South Carolina, 1980
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	809	310	154	97	248
Certain Conditions Originating in The Perinatal Period (760-779)	445	269	109	57	10
Congenital Anomalies (740-759)	124	37	32	19	36
Symptoms and Ill-defined Conditions (780-799)	106	-	1	8	97
Accidents (E800-E949)	23	-	1	1	21
Influenza and Pneumonia (480-487)	21	-	1	2	18
Disease of the Heart (390-398, 402, 404-429)	21	-	-	-	21
Infective and Parasitic Disease (001-139)	15	1	-	1	13
Meningitis (320-322)	8	-	-	2	6
Other Diseases of the Respiratory System (510-519)	8	1	-	-	7
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	8	-	5	2	1
All Other Causes	30	2	5	5	18

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 561, representing 69.3 percent of all infant deaths. The total neonatal mortality rate (10.8 per 1,000 live births) decreased 3.6 percent from the rate in 1979 (11.2). The white neonatal mortality rate decreased 12.6 percent to a rate of 7.6, while the nonwhite rate increased 4.8 percent to a rate of 15.4.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 248 in 1980. The postneonatal mortality rate of 4.8 per 1,000 live births represents a decrease of 17.2 percent from the 1979 rate of 5.8. As shown in Table 34 , the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1980 was Symptoms and Ill-defined Conditions and second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 12 maternal deaths occurred to South Carolina residents during 1980 at a rate of 2.3 per 10,000 live births. The 1980 maternal mortality rate represents an increase of 91.7 percent over the previous year's rate of 1.2. Seven of the 12 maternal deaths in 1980 were white and 5 were nonwhite.

Table 35.

Maternal Deaths by Cause, Race, and Age:
South Carolina, 1980
(Residence Data)

Cause of Maternal Death	Race	All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	12	-	-	3	3	4	2	-	-
	White	7	-	-	3	1	1	2	-	-
	Nonwhite	5	-	-	-	2	3	-	-	-
1. Pregnancy with abortive outcome (630-639)	Total	2	-	-	-	-	1	1	-	-
	White	1	-	-	-	-	-	1	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-
2. Complications mainly related to pregnancy (640-648)	Total	5	-	-	2	-	3	-	-	-
	White	3	-	-	2	-	1	-	-	-
	Nonwhite	2	-	-	-	-	2	-	-	-
3. Normal delivery, & other indications for care in pregnancy, labor & delivery (650-659)	Total	1	-	-	1	-	-	-	-	-
	White	1	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4.. Complications occurring mainly in the course of labor & delivery (660-669)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
5. Complications of the puerperium (670-676)	Total	4	-	-	-	3	-	1	-	-
	White	2	-	-	-	1	-	1	-	-
	Nonwhite	2	-	-	-	2	-	-	-	-

Cause of death classified according to the International Classification of Diseases, (ICD), 9th Revision.

FETAL DEATH

In 1980, there were 672 fetal deaths, representing a rate of 12.9 per 1,000 live births. The total number of white fetal deaths (288) increased 3.2 percent, and the nonwhite number (383) increased 2.1 percent over the previous year.

PERINATAL DEATH

In 1980, there were 1,233 deaths in the perinatal period, corresponding to a rate of 23.4 per 1,000 deliveries. The total number of perinatal deaths increased by 14 from 1979 and the rate decreased 1.7 percent. Of the total 1,233 perinatal deaths, 520 were white and 713 were nonwhite.

VIOLENT DEATHS

There were 2,413 South Carolina residents who died from violent causes in 1980. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted."

Table 36 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 36.
Violent Deaths With Rates by Type:
South Carolina, 1976-1980
(Residence Data)

Type of Violence	1976		1977		1978		1979		1980	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	2,266	79.6	2,510	87.3	2,375	81.4	2,452	83.6	2,413	77.3
Accidents	1,593	55.9	1,749	60.8	1,658	56.8	1,729	59.0	1,700	54.5
Homicide	352	12.4	380	13.2	359	12.3	387	13.2	392	12.6
Suicide	285	10.0	359	12.5	332	11.4	308	10.5	301	9.6
Unable to Determine	36	1.3	22	0.8	26	0.9	28	1.0	20	0.6

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,700 in 1980. This represents a 1.7 percent decrease from the previous year. The death rate for motor vehicle accidents decreased from 31.2 per 100,000 population in 1979 to 27.6 per 100,000 population in 1980, a decrease of 11.5 percent.

Table 37.
Types of Accidental Deaths by Sex:
South Carolina, 1980
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E910	E922	E800 E949
Total	1,700	926	55	145	161	110	51	252
Male	1,243	708	39	78	104	92	43	179
Female	457	218	16	67	57	18	8	73

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (72.8 percent) and poisoning (12.3 percent). Table 38 summarizes the methods most frequently used for each of the sex groups in 1980. Firearms were most frequently used to commit suicide in 1980 by both males (74.7 percent) and females (66.2 percent).

Table 38.
Methods of Suicidal Deaths by Sex:
South Carolina, 1980
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging, Strangulation and Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	301	37	30	5	219	4	3	3
Male	233	23	27	3	174	2	2	2
Female	68	14	3	2	45	2	1	1

HOMICIDE

Deaths from homicide accounted for 16.2 percent of all violent deaths in 1980. The most frequently used method for committing homicide in 1980 was firearms. Sex distribution of methods for committing homicide is shown in Table 39.

Table 39.
Methods of Homicidal Deaths by Sex:
South Carolina, 1980
(Residence Data)

	Total (E960-E978)	Fight Brawl Rape (E960)	Assault by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	392	2	1	11	-	282	56	40
Male	312	2	1	4	-	226	48	31
Female	80	-	-	7	-	56	8	9

TEN LEADING CAUSE OF DEATH

The ten leading causes of death in South Carolina during 1980 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 42. These ten causes accounted for 84.3 percent of all deaths in 1980; 72.1 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,047 deaths in 1980. The death rate for diseases of the heart was 289.8 per 100,000 population. Deaths attributed to this cause represented 36.0 percent of total deaths. Of all deaths from disease of the heart, 67 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 35.7 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 4,890 resident deaths in 1980. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 40 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 27.3 percent were attributed to malignant neoplasms of the respiratory system; 23.1 percent to malignant neoplasms of the disgestive system and peritoneum.

Table 40.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1980
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	4,890	100.0
Lip, Oral Cavity and Pharynx	140-149	123	2.5
Digestive Organs and Peritoneum	150-159	1,129	23.1
Respiratory System	160-165	1,337	27.3
Breast	174-175	412	8.4
Genital Organs	179-187	612	12.5
Cervix Uteri	(179-180)	(125)	(2.6)
Other Female Genital Organs	(181-184)	(158)	(3.2)
Prostate	(185)	(315)	(6.4)
Other Male Genital Organs	(186-187)	(14)	(0.3)
Urinary Organs	188-189	217	4.4
Leukemia	204-208	160	3.3
Other and Unspecified Sites	170-173, 190-199	635	13.0
Lymphatic and Hematopoietic Tissues	200-203	265	5.4

Cerebrovascular diseases, the third leading cause of death in 1980, accounted for 2,488 deaths, or 9.9 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 78.2 percent occurred to persons 65 years of age and older. Fifty seven percent of deaths from cerebrovascular diseases occurred to females, with 35.5 percent of all cerebrovascular disease deaths occurring to white females.

Table 41.
Deaths From Major Cardiovascular Diseases:
South Carolina, 1980
(Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	12,130	48.3
Disease of Heart (390-398, 402, 404-429)	9,047	36.0
Hypertension (401, 403)	112	0.4
Cerebrovascular Disease (430-438)	2,488	9.9
Atheriosclerosis (440)	264	1.1
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	219	0.9

Figure 10 depicts the sex percentage of the ten leading causes of death in South Carolina for 1980. Table 43 presents the five leading causes of death within each age group for 1980. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five age groups between the ages of one and 45 years.

Table 42.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1980
(Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages..............	25,138	100.0	16,781	100.0	8,357	100.0
Ten Leading Causes, All Ages.......	21,201	84.3	14,241	84.9	6,960	83.3
Diseases of Heart (390-398, 402, 404-429)...........................	9,047	36.0	6,421	38.3	2,626	31.4
Malignant Neoplasms (140-208)......	4,890	19.5	3,466	20.7	1,424	17.0
Cerebrovascular Diseases (430-438).	2,488	9.9	1,532	9.1	956	11.4
Accidents (E800-E949).............	1,700	6.8	1,092	6.5	608	7.3
Symptoms and Ill-Defined Conditions (780-799).....................	602	2.4	292	1.7	310	3.7
Pneumonia and Influenza (480-486, 487).........................	559	2.2	380	2.3	179	2.1
Diabetes Mellitus (250)...........	475	1.9	256	1.5	219	2.6
Certain Conditions Originating in the Perinatal Period (760-779)..	446	1.8	175	1.0	271	3.2
Homicide and Legal Intervention (E960-E978)...................	392	1.6	162	1.0	230	2.8
Chronic Liver Disease and Cirrhosis (571).........................	301	1.2	214	1.3	87	1.0
Suicide (E950-E959)...............	301	1.2	251	1.5	50	0.6
All Other Causes..................	3,937	15.7	2,540	15.1	1,397	16.7

Figure 10.
Percentage Distribution of Ten Leading Causes of Death And Deaths From All Causes by Sex, South Carolina, 1980
(Residence Data)



Table 45.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1980 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	809	100.0	330	100.0	479	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	445	55.0	174	52.7	271	56.6
Congenital Anomalies (740-759)	124	15.3	66	20.0	58	12.1
Symptoms and Ill-Defined Conditions (780-799)	106	13.1	45	13.6	61	12.7
Accidents (E800-E949)	23	2.8	10	3.0	13	2.7
Pneumonia and Influenza (480-486) (487)	21	2.6	3	0.9	18	3.8
Disease of Heart (390-398, 402, 404-429)	21	2.6	6	1.8	15	3.1
All Other Causes	69	8.5	26	7.9	43	9.0
1 - 4 Years						
All Causes	154	100.0	80	100.0	74	100.0
Accidents (E800-E949)	69	44.8	29	36.2	40	54.1
Congenital Anomalies (740-759)	23	14.9	15	18.8	8	10.8
Malignant Neoplasms (140-208)	10	6.5	6	7.5	4	5.4
Infectious and Parasitic Disease (001-139)	10	6.5	5	6.2	5	6.8
Disease of Heart (390-398, 402, 404-429)	6	3.9	4	5.0	2	2.7
Pneumonia and Influenza (480-486) (487)	6	3.9	4	5.0	2	2.7
All Other Causes	30	19.5	17	21.2	13	17.6
5 - 14 Years						
All Causes	168	100.0	97	100.0	71	100.0
Accidents (E800-E949)	96	57.1	55	56.7	41	57.7
Malignant Neoplasms (140-208)	15	8.9	10	10.3	5	7.0
Congenital Anomalies (740-759)	10	6.0	7	7.2	3	4.2
Disease of Heart (390-398, 402, 404-429)	6	3.6	3	3.1	3	4.2
Homicide and Legal Intervention (E960-E978)	5	3.0	3	3.1	2	2.8
All Other Causes	36	21.4	19	19.6	17	23.9
15 - 24 Years						
All Causes	745	100.0	467	100.0	278	100.0
Accidents (E800-E949)	419	56.2	289	61.9	130	46.8
Homicide and Legal Intervention (E960-E978)	92	12.3	40	8.6	52	18.7
Suicide(E950-E959)	58	7.8	45	9.6	13	4.7
Malignant Neoplasms (140-208)	44	5.9	25	5.4	19	6.8
Disease of Heart (390-398, 402, 404-429)	23	3.1	8	1.7	15	5.4
All Other Causes	109	14.6	60	12.8	49	17.6
25 - 44 Years						
All Causes	1,897	100.0	1,009	100.0	888	100.0
Accidents (E800-E949)	475	25.0	300	29.7	175	19.7
Disease of Heart (390-398, 402, 404-429)	292	15.4	144	14.3	148	16.7
Malignant Neoplasms (140-208)	282	14.9	176	17.4	106	11.9
Homicide and Legal Intervention (E960-E978)	184	9.7	68	6.7	116	13.1
Suicide (E950-E959)	122	6.4	94	9.3	28	3.2
All Other Causes	542	28.6	227	22.5	315	35.5
45 - 64 Years						
All Causes	6,836	100.0	4,278	100.0	2,558	100.0
Disease of Heart (390-398, 402, 404-429)	2,405	35.2	1,559	36.4	846	33.1
Malignant Neoplasms (140-208)	1,901	27.8	1,291	30.2	610	23.8
Cerebrovascular Diseases (430-438)	452	6.6	206	4.8	246	9.6
Accidents (E800-E949)	338	4.9	211	4.9	127	5.0
Chronic Liver Disease and Cirrhosis (571)	161	2.4	123	2.9	38	1.5
All Other Causes	1,579	23.1	888	20.8	691	27.0
65 - 74 Years						
All Causes	6,470	100.0	4,358	100.0	2,112	100.0
Disease of Heart (390-398, 402, 404-429)	2,690	41.6	1,874	43.0	816	38.6
Malignant Neoplasms (140-208)	1,484	22.9	1,061	24.3	423	20.0
Cerebrovascular Diseases (430-438)	672	10.4	358	8.2	314	14.9
Symptoms and Ill-Defined Conditions (780-799)	143	2.2	67	1.5	76	3.6
Accidents (E800-E949)	137	2.1	89	2.0	48	2.3
All Other Causes	1,344	20.8	909	20.9	435	20.6
75 Years and Over						
All Causes	8,059	100.0	6,162	100.0	1,897	100.0
Disease of Heart (390-398, 402, 404-429)	3,604	44.7	2,823	45.8	781	41.2
Cerebrovascular Diseases(430-438)	1,273	15.8	929	15.1	344	18.1
Malignant Neoplasms (140-208)	1,153	14.3	896	14.5	257	13.5
Pneumonia and Influenza (480-486) (487)	287	3.6	240	3.9	47	2.5
Atherosclerosis (440)	185	2.3	131	2.1	54	2.8
All Other Causes	1,557	19.3	1,143	18.5	414	21.8

Table 44.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA.........	25,138	8.1	16,781	7.8	8,357	8.6
Abbeville..............	206	9.1	147	9.7	59	7.8
Abbeville...........	60	10.2	38	11.6	22	8.5
Honea Path(part)....	-	0	-	0	-	0
Balance of County...	146	---	109	---	37	---
Aiken..................	851	8.1	620	7.9	231	8.7
Aiken...............	198	13.2	135	14.7	63	10.8
New Ellenton........	22	8.4	10	6.0	12	12.7
North Augusta.......	112	8.2	96	8.1	16	9.0
Balance of County...	519	---	379	---	140	---
Allendale..............	116	10.8	49	12.4	67	9.9
Allendale...........	43	9.8	16	10.6	27	9.3
Balance of County...	73	---	33	---	40	---
Anderson...............	1,141	8.6	927	8.4	214	9.1
Anderson............	371	13.3	267	14.0	104	11.7
Belton..............	73	13.7	63	13.8	10	13.2
Clemson(part).......	-	0	-	0	-	0
Honea Path(part)....	54	13.4	47	13.9	7	10.9
Pendleton...........	22	7.0	13	6.5	9	7.8
Williamston.........	38	8.8	32	9.2	6	7.2
Balance of County...	583	---	505	---	78	---
Bamberg................	165	9.1	74	9.6	91	8.7
Bamberg.............	42	11.4	24	11.0	18	12.1
Denmark.............	36	8.1	8	5.8	28	9.2
Balance of County...	87	---	42	---	45	---
Barnwell...............	170	8.6	94	8.1	76	9.2
Barnwell............	55	9.9	32	9.3	23	10.8
Williston...........	23	7.2	10	5.6	13	9.5
Balance of County...	92	---	52	---	40	---
Beaufort...............	407	6.2	241	5.7	166	7.2
Beaufort............	120	13.9	80	12.4	40	18.3
Port Royal..........	16	5.4	8	3.8	8	9.0
Balance of County...	271	---	153	---	118	---
Berkeley...............	397	4.2	250	3.6	147	5.7
Goose Creek.........	27	1.5	24	1.5	3	1.3
Balance of County...	370	---	226	---	144	---
Calhoun................	108	8.8	46	8.4	62	9.2
Charleston.............	1,962	7.1	1,179	6.6	783	7.9
Charleston..........	818	11.8	387	10.6	431	13.1
Isle of Palms.......	21	6.1	21	6.1	-	0
Mt. Pleasant........	102	7.2	81	6.4	21	14.1
N. Charleston.......	208	3.2	167	3.5	41	2.3
Balance of County...	813	---	523	---	290	---
Cherokee...............	362	8.8	286	8.7	76	9.3
Gaffney.............	155	11.5	118	13.1	37	8.3
Balance of County...	207	---	168	---	39	---
Chester................	292	9.7	185	10.0	107	9.2
Chester.............	76	11.1	43	13.3	33	9.2
Great Falls.........	35	13.5	29	13.1	6	15.5
Balance of County...	181	---	113	---	68	---

Table 44. (cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield...........	341	8.9	242	9.4	99	7.9
Cheraw.............	67	11.8	40	12.7	27	10.8
Balance of County...	274	---	202	---	72	---
Clarendon.............	225	8.2	95	8.2	130	8.2
Manning.............	38	8.0	16	7.0	22	8.9
Balance of County...	187	---	79	---	108	---
Colleton..............	339	10.7	196	11.4	143	9.8
Walterboro..........	103	17.1	68	18.6	35	14.7
Balance of County...	236	---	128	---	108	---
Darlington............	560	8.9	336	9.0	224	8.0
Darlington..........	112	14.0	53	13.8	59	14.2
Hartsville..........	89	11.7	58	11.1	31	12.9
Balance of County...	359	---	225	---	134	---
Dillon................	260	8.4	166	9.4	94	7.0
Dillon..............	81	11.5	55	11.5	26	11.6
Balance of County...	179	---	111	---	68	---
Dorchester............	386	6.6	253	5.9	133	8.4
Summerville.........	68	10.5	54	11.4	14	8.2
Balance of County...	318	---	199	---	119	---
Edgefield.............	154	8.8	83	9.5	71	8.1
Edgefield...........	36	13.3	25	17.6	11	8.5
Johnston............	25	9.5	18	14.8	7	5.0
Balance of County...	93	---	40	---	53	---
Fairfield.............	211	10.2	95	11.1	116	9.6
Winnsboro...........	49	16.8	25	17.4	24	16.2
Balance of County...	162	---	70	---	92	---
Florence..............	922	8.4	516	7.5	406	9.7
Florence............	358	11.9	167	10.6	191	13.4
Lake City...........	70	12.4	23	9.3	47	14.9
Balance of County...	494	---	326	---	168	---
Georgetown............	318	7.5	179	7.7	139	7.3
Andrews(part).......	21	6.9	14	10.6	7	4.1
Georgetown..........	122	12.0	73	13.6	49	10.3
Balance of County...	175	---	92	---	83	---
Greenville............	2,265	7.9	1,837	7.8	428	8.1
Fountain Inn(part)..	19	5.6	15	6.1	4	4.4
Greenville..........	650	11.2	416	11.2	234	11.0
Greer(part).........	100	15.2	79	14.0	21	21.9
Mauldin.............	22	2.7	20	2.7	2	2.5
Simpsonville........	36	4.0	27	3.3	9	11.4
Balance of County...	1,438	---	1,280	---	158	---
Greenwood.............	515	8.9	371	9.1	144	8.5
Greenwood...........	218	10.1	149	11.7	69	7.8
Balance of County...	297	---	222	---	75	---
Hampton...............	169	9.3	75	8.7	94	9.8
Hampton.............	25	8.0	18	8.0	7	7.9
Balance of County...	144	---	57	---	87	---
Horry.................	841	8.3	643	8.2	198	8.5
Conway..............	113	11.0	67	11.2	46	10.8
Myrtle Beach........	152	8.1	134	8.5	18	5.9
Balance of County...	576	---	442	---	134	---

Table 44. (cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	141	9.7	53	8.6	88	10.6
Kershaw	335	8.6	206	7.7	129	10.5
Camden	107	14.3	50	11.8	57	17.7
Balance of County	228	---	156	---	72	---
Lancaster	436	8.2	316	7.8	120	9.2
Lancaster	122	12.6	73	13.1	49	11.8
Balance of County	314	---	243	---	71	---
Laurens	517	9.9	376	10.2	141	9.2
Clinton	93	10.8	70	11.9	23	8.5
Fountain Inn (part)	1	1.2	1	2.9	-	0
Laurens	139	13.1	87	13.5	52	12.5
Balance of County	284	---	218	---	66	---
Lee	169	8.9	67	9.2	102	8.8
Bishopville	38	11.1	20	12.2	18	10.1
Balance of County	131	---	47	---	84	---
Lexington	885	6.3	762	6.1	123	8.3
Batesburg (part)	43	11.9	25	11.8	18	12.0
Cayce	81	6.9	64	6.5	17	9.4
Springdale	-	0	-	0	-	0
West Columbia	184	17.7	171	18.8	13	9.8
Balance of County	577	---	502	---	75	---
McCormick	72	9.2	27	8.9	45	9.5
Marion	315	9.2	140	8.6	175	9.8
Marion	83	10.8	33	8.8	50	12.7
Mullins	56	8.5	22	7.3	34	9.4
Balance of County	176	---	85	---	91	---
Marlboro	300	9.5	160	9.7	140	9.2
Bennettsville	109	12.4	50	11.3	59	13.6
McColl	27	10.1	25	11.2	2	4.5
Balance of County	164	---	85	---	79	---
Newberry	282	9.0	166	7.8	116	11.6
Newberry	114	11.6	70	10.6	44	13.5
Balance of County	168	---	96	---	72	---
Oconee	414	8.5	359	8.2	55	11.1
Seneca	78	4.5	52	10.1	26	2.1
Walhalla	44	11.1	39	10.8	5	13.5
Westminister	35	11.2	31	11.5	4	9.8
Balance of County	257	---	237	---	20	---
Orangeburg	817	9.9	405	11.3	412	8.9
Orangeburg	174	11.7	106	14.2	68	9.1
Balance of County	643	---	299	---	344	---
Pickens	501	6.3	443	6.1	58	9.2
Clemson (part)	37	4.6	26	3.8	11	8.7
Easley	128	9.0	111	8.9	17	9.3
Liberty	25	7.9	20	7.2	5	12.6
Pickens	46	14.4	38	15.4	8	10.9
Balance of County	265	---	248	---	17	---
Richland	2,149	8.0	1,316	8.2	833	7.7
Columbia	1,175	11.7	717	12.6	458	10.5
Forest Acres	-	0	-	0	-	0
Balance of County	974	---	599	---	375	---

Table 44. (cont.)

County of Residence	Total		White		Number	
	Number	Rate	Number	Rate	Number	Rate
Saluda.................	161	10.0	113	10.8	48	8.4
Batesburg(part).....	1	2.4	-	0	1	4.1
Balance of County...	160	---	113	---	47	---
Spartanburg............	1,801	8.9	1,410	8.8	391	9.3
Greer(part).........	37	9.4	20	9.0	17	9.9
Spartanburg.........	575	13.1	376	14.7	199	10.9
Woodruff............	39	7.5	33	8.4	6	4.8
Balance of County...	1,150	---	981	---	169	---
Sumter.................	677	7.7	312	6.5	365	9.1
Sumter.............	305	12.3	164	11.0	141	14.2
Balance of County...	372	---	148	---	224	---
Union..................	288	9.4	201	9.3	87	9.5
Union..............	104	9.9	70	9.9	34	9.8
Balance of County...	184	---	131	---	53	---
Williamsburg...........	347	9.1	137	9.5	210	8.8
Andrews(part).......	3	31.6	2	40.0	1	22.2
Kingstree..........	71	17.1	35	17.4	36	16.9
Balance of County...	273	---	100	---	173	---
York..................	848	7.9	627	7.7	221	8.7
Clover.............	33	9.6	24	8.8	9	12.5
Fort Mill..........	42	10.1	33	10.2	9	9.8
Rock Hill..........	382	10.8	261	11.7	121	9.2
York...............	66	10.3	40	10.0	26	10.8
Balance of County...	325	---	269	---	56	---

Rate per 1,000 population 1980 census

Table 45.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1980

(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	24,357	7.8	16,192	7.5	8,165	8.4
Abbeville............	147	6.5	102	6.8	45	6.0
Abbeville.........	95	16.2	65	19.9	30	11.6
Honea Path(part)..	-	0	-	0	-	0
Balance of County.	52	---	37	---	15	---
Aiken................	534	5.1	365	4.6	169	6.3
Aiken.............	340	22.7	233	25.4	107	18.4
New Ellenton......	6	2.3	4	2.4	2	2.1
North Augusta.....	32	2.3	27	2.3	5	2.8
Balance of County.	156	---	101	---	55	---
Allendale............	101	9.4	48	12.1	53	7.9
Allendale.........	8	1.8	2	1.3	6	2.1
Balance of County.	93	---	46	---	47	---
Anderson.............	1,091	8.2	871	7.9	220	9.4
Anderson..........	890	31.8	701	36.7	189	21.3
Belton............	11	2.1	9	2.0	2	2.6
Clemson(part).....	-	0	-	0	-	0
Honea Path(part)..	11	2.7	10	3.0	1	1.6
Pendleton.........	8	2.5	5	2.5	3	2.6
Williamston.......	11	2.6	9	2.6	2	2.4
Balance of County.	160	---	137	---	23	---
Bamberg..............	155	8.6	63	8.2	92	8.8
Bamberg...........	105	28.6	42	19.2	63	42.4
Denmark...........	9	2.0	2	1.4	7	2.3
Balance of County.	41	---	19	---	22	---
Barnwell.............	126	6.3	73	6.3	53	6.4
Barnwell..........	91	16.3	53	15.4	38	17.9
Williston.........	6	1.9	3	1.7	3	2.2
Balance of County.	29	---	17	---	12	---
Beaufort.............	390	6.0	237	5.6	153	6.7
Beaufort..........	220	25.5	113	17.5	107	48.9
Port Royal........	3	1.0	-	0	3	3.4
Balance of County.	167	---	124	---	43	---
Berkeley.............	158	1.7	87	1.3	71	2.7
Goose Creek.......	3	0.2	3	0.2	-	0
Balance of County.	155	---	84	---	71	---
Calhoun..............	45	3.7	20	3.6	25	3.7
Charleston...........	2,882	10.4	1,764	9.9	1,118	11.3
Charleston........	2,057	29.6	1,181	32.2	876	26.6
Isle of Palms.....	2	0.6	2	0.6	-	0
Mt. Pleasant......	13	0.9	11	0.9	2	1.3
N. Charleston.....	173	2.6	135	2.8	38	2.1
Balance of County.	637	---	435	---	202	---
Cherokee.............	283	6.9	223	6.8	60	7.3
Gaffney...........	12	0.9	10	1.1	2	0.5
Balance of County.	271	---	213	---	58	---
Chester..............	205	6.8	127	6.9	78	6.7
Chester...........	13	1.9	6	1.9	7	2.0
Great Falls.......	9	3.5	6	2.7	3	7.7
Balance of County.	183	---	115	---	68	---

Table 45. (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield	212	5.6	148	5.8	64	5.1
Cheraw	118	20.9	76	24.1	42	16.8
Balance of County	94	---	72	---	22	---
Clarendon	171	6.2	67	5.8	104	6.6
Manning	101	21.3	42	18.4	59	24.0
Balance of County	70	---	25	---	45	---
Colleton	303	9.5	171	10.0	132	9.0
Walterboro	239	39.6	144	39.4	95	39.9
Balance of County	64	---	27	---	37	---
Darlington	471	7.5	284	7.6	187	7.4
Darlington	193	24.2	100	26.1	93	22.4
Hartsville	172	22.5	118	22.6	54	22.4
Balance of County	106	---	66	---	40	---
Dillon	192	6.2	123	7.0	69	5.1
Dillon	121	17.2	77	16.1	44	19.6
Balance of County	71	---	46	---	25	---
Dorchester	148	2.5	98	2.3	50	3.2
Summerville	11	1.7	7	1.5	4	2.4
Balance of County	137	---	91	---	46	---
Edgefield	111	6.3	53	6.1	58	6.6
Edgefield	70	25.8	32	22.5	38	29.4
Johnston	5	1.9	5	4.1	-	0
Balance of County	36	---	16	---	20	---
Fairfield	143	6.9	71	8.3	72	5.9
Winnsboro	12	4.1	7	4.9	5	3.4
Balance of County	131	---	64	---	67	---
Florence	1,173	10.6	674	9.8	499	12.0
Florence	862	28.7	502	31.8	360	25.2
Lake City	79	14.0	27	10.9	52	16.5
Balance of County	232	---	145	---	87	---
Georgetown	287	6.8	162	6.9	125	6.5
Andrews(part)	4	1.3	2	1.5	2	1.2
Georgetown	237	23.4	138	25.7	99	20.8
Balance of County	46	---	22	---	24	---
Greenville	2,518	8.7	2,048	8.7	470	8.9
Fountain Inn(part)	5	1.5	4	1.6	1	1.1
Greenville	1,694	29.1	1,325	35.7	369	17.4
Greer(part)	149	22.6	129	22.9	20	20.9
Mauldin	-	0	-	0	-	0
Simpsonville	43	4.8	37	4.5	6	7.6
Balance of County	627	---	553	---	74	---
Greenwood	620	10.7	446	10.9	174	10.3
Greenwood	576	26.6	416	32.5	160	18.1
Balance of County	44	---	30	---	14	---
Hampton	114	6.3	47	5.5	67	7.0
Hampton	6	1.9	4	1.8	2	2.2
Balance of County	108	---	43	---	65	---
Horry	795	7.8	624	8.0	171	7.4
Conway	215	21.0	158	26.5	57	13.3
Myrtle Beach	222	11.8	185	11.8	37	12.1
Balance of County	358	---	281	---	77	---

Table 45. (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	100	6.9	43	7.0	57	6.8
Kershaw	253	6.5	156	5.8	97	7.9
Camden	207	27.7	126	29.7	81	25.2
Balance of County	46	---	30	---	16	---
Lancaster	371	7.0	264	6.5	107	8.2
Lancaster	316	32.6	230	41.4	86	20.7
Balance of County	55	---	34	---	21	---
Laurens	393	7.5	280	7.6	113	7.4
Clinton	5	0.6	2	0.3	3	1.1
Fountain Inn(part)	-	0	-	0	-	0
Laurens	193	18.2	131	20.4	62	14.9
Balance of County	195	---	147	---	48	---
Lee	106	5.6	36	4.9	70	6.0
Bishopville	8	2.3	4	2.4	4	2.2
Balance of County	98	---	32	---	66	---
Lexington	659	4.7	554	4.4	105	7.1
Batesburg(part)	10	2.8	5	2.4	5	3.3
Cayce	21	1.8	13	1.3	8	4.4
Springdale	-	0	-	0	-	0
West Columbia	46	4.4	40	4.4	6	4.5
Balance of County	582	---	496	---	86	---
McCormick	28	3.6	11	3.6	17	3.6
Marion	322	9.4	140	8.6	182	10.2
Marion	157	20.4	68	18.1	89	22.6
Mullins	99	15.0	44	14.7	55	15.2
Balance of County	66	---	28	---	38	---
Marlboro	258	8.2	132	8.0	126	8.3
Bennettsville	214	24.4	104	23.5	110	25.3
McColl	3	1.1	3	1.3	-	0
Balance of County	41	---	25	---	16	---
Newberry	213	6.8	124	5.8	89	8.9
Newberry	181	18.4	106	16.0	75	23.1
Balance of County	32	---	18	---	14	---
Oconee	373	7.7	319	7.3	54	10.9
Seneca	7	0.4	4	0.8	3	0.2
Walhalla	9	2.3	8	2.2	1	2.7
Westminister	7	2.5	5	1.8	2	4.9
Balance of County	350	---	302	---	48	---
Orangeburg	833	10.1	411	11.5	422	9.1
Orangeburg	593	39.7	310	41.6	283	37.8
Balance of County	240	---	101	---	139	---
Pickens	354	4.5	309	4.2	45	7.1
Clemson(part)	16	2.0	13	1.9	3	2.4
Easley	172	12.0	150	12.1	22	12.1
Liberty	4	1.3	3	1.2	1	2.5
Pickens	68	21.3	61	24.7	7	9.5
Balance of County	94	---	82	---	12	---
Richland	3,169	11.7	1,999	12.4	1,170	10.8
Columbia	2,575	25.7	1,636	28.7	939	21.6
Forest Acres	-	0	-	0	-	0
Balance of County	594	---	363	---	231	---

Table 45. (cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda	85	5.3	60	5.8	25	4.4
Batesburg(part)	1	2.4	-	0	1	4.1
Balance of County	84	---	60	---	24	---
Spartanburg	1,744	8.6	1,361	8.5	383	9.1
Greer(part)	3	0.8	3	1.4	-	0
Spartanburg	1,461	33.3	1,105	43.3	356	19.4
Woodruff	53	10.2	46	11.7	7	5.6
Balance of County	227	---	207	---	20	---
Sumter	591	6.7	267	5.5	324	8.1
Sumter	437	17.6	207	13.8	230	23.1
Balance of County	154	---	60	---	94	---
Union	220	7.2	152	7.0	68	7.5
Union	183	17.4	122	17.3	61	17.5
Balance of County	37	---	30	---	7	---
Williamsburg	236	6.2	84	5.8	152	6.4
Andrews(part)	-	0	-	0	-	0
Kingstree	169	40.8	65	32.2	104	48.8
Balance of County	67	---	19	---	48	---
York	674	6.3	494	6.1	180	7.1
Clover	5	1.4	3	1.1	2	2.8
Fort Mill	6	1.4	3	0.9	3	3.2
Rock Hill	513	14.5	390	17.5	123	9.4
York	107	16.7	66	16.5	41	17.0
Balance of County	43	---	32	---	11	---

Rate per 1,000 population 1980 census

Table 46.
Deaths by Race and Sex: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	25,138	14,092	11,046	16,781	9,444	7,337	8,357	4,648	3,709
Abbeville	206	117	89	147	83	64	59	34	25
Aiken	851	456	395	620	327	293	231	129	102
Allendale	116	59	57	49	24	25	67	35	32
Anderson	1,141	661	480	927	547	380	214	114	100
Bamberg	165	89	76	74	38	36	91	51	40
Barnwell	170	90	80	94	51	43	76	39	37
Beaufort	407	237	170	241	141	100	166	96	70
Berkeley	397	249	148	250	158	92	147	91	56
Calhoun	108	66	42	46	31	15	62	35	27
Charleston	1,962	1,061	901	1,179	640	539	783	421	362
Cherokee	362	215	147	286	173	113	76	42	34
Chester	292	163	129	185	105	80	107	58	49
Chesterfield	341	204	137	242	146	96	99	58	41
Clarendon	225	132	93	95	58	37	130	74	56
Colleton	339	190	149	196	112	84	143	78	65
Darlington	560	290	270	336	179	157	224	111	113
Dillon	260	142	118	166	87	79	94	55	39
Dorchester	386	244	142	253	150	103	133	94	39
Edgefield	154	85	69	83	42	41	71	43	28
Fairfield	211	120	91	95	50	45	116	70	46
Florence	922	520	402	516	295	221	406	225	181
Georgetown	318	194	124	179	119	60	139	75	64
Greenville	2,265	1,229	1,036	1,837	983	854	428	246	182
Greenwood	515	296	219	371	211	160	144	85	59
Hampton	169	105	64	75	46	29	94	59	35
Horry	841	499	342	643	383	260	198	116	82
Jasper	141	69	72	53	29	24	88	40	48
Kershaw	335	190	145	206	122	84	129	68	61
Lancaster	436	259	177	316	194	122	120	65	55
Laurens	517	296	221	376	218	158	141	78	63
Lee	169	95	74	67	42	25	102	53	49
Lexington	885	493	392	762	428	334	123	65	58
McCormick	72	49	23	27	19	8	45	30	15
Marion	315	167	148	140	70	70	175	97	78
Marlboro	300	161	139	160	93	67	140	68	72
Newberry	282	167	115	166	101	65	116	66	50
Oconee	414	219	195	359	190	169	55	29	26
Orangeburg	817	441	376	405	208	197	412	233	179
Pickens	501	283	218	443	258	185	58	25	33
Richland	2,149	1,184	965	1,316	724	592	833	460	373
Saluda	161	93	68	113	64	49	48	29	19
Spartanburg	1,801	1,003	798	1,410	780	630	391	223	168
Sumter	677	390	287	312	178	134	365	212	153
Union	288	161	127	201	116	85	87	45	42
Williamsburg	347	176	171	137	76	61	210	100	110
York	848	483	365	627	355	272	221	128	93

Table 47.
Deaths by Race and Sex: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	24,357	13,581	10,776	16,192	9,047	7,145	8,165	4,534	3,631
Abbeville	147	88	59	102	67	35	45	21	24
Aiken	534	281	253	365	184	181	169	97	72
Allendale	101	51	50	48	24	24	53	27	26
Anderson	1,091	625	466	871	511	360	220	114	106
Bamberg	155	84	71	63	29	34	92	55	37
Barnwell	126	58	68	73	33	40	53	25	28
Beaufort	390	216	174	237	130	107	153	86	67
Berkeley	158	102	56	87	57	30	71	45	26
Calhoun	45	31	14	20	15	5	25	16	9
Charleston	2,882	1,691	1,191	1,764	1,048	716	1,118	643	475
Cherokee	283	164	119	223	132	91	60	32	28
Chester	205	117	88	127	74	53	78	43	35
Chesterfield	212	125	87	148	90	58	64	35	29
Clarendon	171	106	65	67	43	24	104	63	41
Colleton	303	168	135	171	99	72	132	69	63
Darlington	471	228	243	284	137	147	187	91	96
Dillon	192	102	90	123	60	63	69	42	27
Dorchester	148	96	52	98	58	40	50	38	12
Edgefield	111	61	50	53	27	26	58	34	24
Fairfield	143	82	61	71	41	30	72	41	31
Florence	1,173	642	531	674	371	303	499	271	228
Georgetown	287	176	111	162	107	55	125	69	56
Greenville	2,518	1,330	1,188	2,048	1,069	979	470	261	209
Greenwood	620	345	275	446	245	201	174	100	74
Hampton	114	71	43	47	28	19	67	43	24
Horry	795	467	328	624	364	260	171	103	68
Jasper	100	51	49	43	29	14	57	22	35
Kershaw	253	140	113	156	89	67	97	51	46
Lancaster	371	199	172	264	144	120	107	55	52
Laurens	393	222	171	280	160	120	113	62	51
Lee	106	62	44	36	27	9	70	35	35
Lexington	659	356	303	554	300	254	105	56	49
McCormick	28	24	4	11	10	1	17	14	3
Marion	322	167	155	140	73	67	182	94	88
Marlboro	258	138	120	132	75	57	126	63	63
Newberry	213	121	92	124	73	51	89	48	41
Oconee	373	193	180	319	163	156	54	30	24
Orangeburg	833	445	388	411	210	201	422	235	187
Pickens	354	186	168	309	168	141	45	18	27
Richland	3,169	1,865	1,304	1,999	1,188	811	1,170	677	493
Saluda	85	39	46	60	27	33	25	12	13
Spartanburg	1,744	953	791	1,361	740	621	383	213	170
Sumter	591	318	273	267	139	128	324	179	145
Union	220	116	104	152	80	72	68	36	32
Williamsburg	236	111	125	84	43	41	152	68	84
York	674	368	306	494	266	228	180	102	78

DEATHS AND DEATH RATES[1] FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	SOUTH CAROLINA					RATES		
		White		Non-White				
	Total	Male	Female	Male	Female	Total	White	Non-White
All Causes	25,133	9,444	7,337	4,648	3,709	8.1	7.8	8.6
Infectious and Parasitic Dis. (001-136)	295	75	63	92	65	9.4	6.4	16.1
Enteritis and Other Intestinal Dis. (008-009)	7	1	1	4	1	0.2	0.1	0.5
Tuberculosis, All Forms (010-018)	55	9	7	28	11	1.8	0.7	4.0
Tetanus (037)	1	—	1	—	—	0.0	0.0	0
Measles (055)	—	—	—	—	—	0	0	0
Syphilis and its Sequelae (090-097)	2	—	—	1	1	0.1	0	0.2
Remainder of (001-136)	230	65	54	59	52	7.4	5.5	11.4
Malignant Neoplasms (140-208)	4,890	1,940	1,526	809	615	156.6	161.4	146.1
Of Lip, Oral Cavity and Pharynx (140-149)	123	48	29	33	13	3.9	3.6	4.7
Of Digestive Organs and Peritoneum (150-159)	1,129	379	360	220	170	36.2	34.4	40.0
Of Respiratory System (160-165)	1,337	790	240	247	60	42.8	48.0	31.5
Of Breast (174-175)	412	4	307	3	98	13.2	14.5	10.4
Of Genital Organs (179-187)	612	200	177	129	106	19.6	17.6	24.1
Of Urinary Organs (188-189)	217	119	56	21	21	7.0	8.2	4.3
Leukemia (204-208)	160	67	60	16	17	5.1	5.9	3.4
Of other and unspecified sites (170-173, 190-199)	635	249	204	90	92	20.3	21.1	18.7
Of Lymphatic and Hematopoietic Tissues (200-203)	265	84	93	50	38	8.5	8.2	9.0
Benign and unspecified Neoplasms (210-239)	50	13	20	6	11	1.6	1.5	1.7
Diabetes Mellitus (250)	475	123	133	74	145	15.2	11.9	22.5
Meningitis (320-322)	17	4	4	4	5	0.5	0.4	0.9
Diseases of Heart (390-398, 402, 404-429)	9,047	3,587	2,834	1,380	1,246	289.8	299.0	269.4
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	63	15	35	6	7	2.0	2.3	1.3
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	398	72	101	100	125	12.7	8.1	23.1
Ischemic Heart Disease (410-414)	6,060	2,707	1,948	741	664	194.1	216.8	144.2
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	429	110	148	90	81	13.7	12.0	17.5
All other forms of Heart Disease (415-423, 425-427, 429)	2,097	683	602	443	369	67.2	59.8	83.3
Hypertension (401, 403)	112	27	24	29	32	3.6	2.4	6.3
Cerebrovascular Disease (430-438)	2,488	648	884	429	527	79.7	71.3	98.1
Atherosclerosis (440)	264	74	101	53	36	8.5	8.2	9.1
Other Diseases of the Circulatory System (441-459)	287	151	65	40	31	9.2	10.1	7.3
Acute Bronchitis and Bronchiolitis (466)	5	2	2	1	—	0.2	0.2	0.1
Pneumonia (480-486)	540	188	175	117	60	17.3	16.9	18.2
Influenza (487)	19	9	8	—	2	0.6	0.8	0.2
Chronic and unqualified Bronchitis (490, 491)	40	20	15	4	1	1.3	1.6	0.5
Emphysema (492)	131	84	24	21	2	4.2	5.0	2.4
Asthma (493)	22	4	9	4	5	0.7	0.6	0.9
Ulcer of Stomach and Duodenum (531-533)	75	31	20	15	9	2.4	2.4	2.5
Hernia and Intestinal Obstruction (550-553, 560)	69	24	29	13	3	2.2	2.5	1.6
Chronic Liver Disease and Cirrhosis (571)	301	134	80	43	44	9.6	10.0	8.9
Other Disease of the Respiratory System (510-519)	181	66	45	43	27	5.8	5.2	7.2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	275	71	60	71	73	8.8	6.1	14.8
Infections of Kidney (590)	31	3	19	4	5	1.0	1.0	0.9
Congenital Anomalies (740-759)	196	61	57	51	27	6.3	5.5	8.0
Certain Conditions Originating in the Perinatal Period (760-779)	445	102	72	141	130	14.3	8.1	27.8
Symptoms and Ill-Defined Conditions (780-799)	602	178	114	168	142	19.3	13.6	31.8
All other Diseases (001-799)	1,867	703	555	352	257	59.8	58.6	62.5
Accidents (E800-E949)	1,700	784	308	459	149	54.5	50.9	62.4
Motor Vehicle Traffic (E810-E819)	844	425	155	210	54	27.0	27.0	27.1
Motor Vehicle Non-Traffic (E820-E825)	19	8	4	6	1	0.6	0.6	0.7
Railway (E800-E807)	12	7	—	5	—	0.4	0.3	0.5
Poisoning by Drugs & Medicaments (E850-E858)	34	19	12	2	1	1.1	1.4	0.3
Falls (E880-E888)	145	61	60	17	7	4.6	5.6	2.5
Fire and Flames (E890-E899)	161	43	13	61	44	5.2	2.6	10.8
Drowning (E910)	110	46	11	46	7	3.5	2.7	5.4
Firearms (E922)	51	31	4	12	4	1.6	1.6	1.6
Residual (E800-E949)	324	144	49	100	31	10.4	9.0	13.4
Suicide (E950-E959)	301	194	57	39	11	9.6	11.7	5.1
Firearms (E955)	219	148	38	26	7	7.0	8.7	3.4
Hanging, Strangulation and Suffocation (E953)	30	21	2	6	1	1.0	1.1	0.7
Poisoning (E950-E952)	37	20	13	3	1	1.2	1.5	0.4
Residual (E950-E959)	15	5	4	4	2	0.5	0.4	0.6
Homicide and Legal Intervention (E960-E978)	392	131	31	181	49	12.6	7.5	23.6
Assault by Firearms (E965)	282	96	20	130	36	9.0	5.4	17.0
Assault by Cutting and Piercing (E966)	56	15	3	33	5	1.8	0.8	3.9
Residual (E960-E978)	54	20	8	18	8	1.7	1.3	2.7
Other External Causes (E980-E999)	20	12	3	5	—	0.6	0.7	0.5

[1] Rate per 1,000 estimated population for all causes; rate per 100,000 estimated population for individual groups.

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	206	83	64	34	25	851	327	293	129	102
Infectious and Parasitic Dis. (001-136)	1	—	1	—	—	9	1	4	1	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	2	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	—	1	—	—	7	1	2	1	3
Malignant Neoplasms (140-208)	32	11	13	5	3	169	63	65	26	15
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	5	2	1	1	1
Of Digestive Organs and Peritoneum (150-159)	11	4	4	1	2	38	10	16	6	6
Of Respiratory System (160-165)	6	3	1	2	—	54	33	15	5	1
Of Breast (174-175)	4	—	3	—	1	11	—	9	—	2
Of Genital Organs (179-187)	4	2	1	1	—	18	3	10	4	1
Of Urinary Organs (188-189)	2	1	1	—	—	3	—	1	—	2
Leukemia (204-208)	1	—	1	—	—	7	3	2	2	—
Of other and unspecified sites (170-173, 190-199)	2	1	1	—	—	23	8	8	5	2
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	1	1	—	10	4	3	3	—
Benign and unspecified Neoplasms (210-239)	1	—	—	1	—	3	2	1	—	—
Diabetes Mellitus (250)	1	1	—	—	—	8	1	4	1	2
Meningitis (320-322)	—	—	—	—	—	2	—	2	—	—
Diseases of Heart (390-398, 402, 404-429)	61	28	21	4	8	342	126	114	60	42
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	1	1	—	1	7	1	3	1	2
Ischemic Heart Disease (410-414)	44	22	15	3	4	180	79	70	17	14
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	2	1	1	—	—	13	4	4	2	3
All other forms of Heart Disease (415-423, 425-427, 429)	12	4	4	1	3	141	42	36	40	23
Hypertension (401, 403)	2	1	—	—	1	2	1	—	—	1
Cerebrovascular Disease (430-438)	12	3	7	1	1	88	24	40	8	16
Atherosclerosis (440)	—	—	—	—	—	9	3	3	2	1
Other Diseases of the Circulatory System (441-459)	6	3	2	1	—	7	3	3	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	—	1	2	—	16	5	8	2	1
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	3	3	—	—	—
Emphysema (492)	—	—	—	—	—	11	10	1	—	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	4	—	2	2	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	—	3	—	1
Chronic Liver Disease and Cirrhosis (571)	3	3	—	—	—	6	3	2	—	1
Other Disease of the Respiratory System (510-519)	3	—	—	1	2	5	1	1	3	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	1	—	5	2	1	2	—
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	—	—	1	—	7	3	3	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	12	4	2	2	4
Symptoms and Ill-Defined Conditions (780-799)	41	16	10	7	8	4	1	3	—	—
All other Diseases (001-799)	18	7	7	3	1	66	29	18	7	12
Accidents (E800-E949)	13	8	2	3	—	41	26	8	6	1
Motor Vehicle Traffic (E810-E819)	6	3	1	2	—	19	12	6	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	3	2	1	—	—	4	3	1	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	7	5	—	2	—
Drowning (E910)	—	—	—	—	—	3	2	—	1	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	3	2	—	1	—	6	2	1	2	1
Suicide (E950-E959)	2	1	—	1	—	13	8	3	1	1
Firearms (E955)	1	1	—	—	—	9	7	1	—	1
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	—	1	—	3	1	2	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	1	—
Homicide and Legal Intervention (E960-E978)	3	—	—	2	1	9	6	—	3	—
Assault by Firearms (E965)	3	—	—	2	1	7	5	—	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	2	1	—	1	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	116	24	25	35	32	1,141	547	380	114	100
Infectious and Parasitic Dis. (001-136)	1	1	—	—	—	17	7	7	3	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	1	—	—	—	16	7	7	2	—
Malignant Neoplasms (140-208)	24	4	8	6	6	232	110	75	32	15
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	2	—	—	6	4	1	1	—
Of Digestive Organs and Peritoneum (150-159)	6	—	2	1	3	50	25	16	4	5
Of Respiratory System (160-165)	8	3	1	3	1	59	38	8	13	—
Of Breast (174-175)	1	—	1	—	—	23	1	18	—	4
Of Genital Organs (179-187)	—	—	—	—	—	32	15	8	7	2
Of Urinary Organs (188-189)	2	1	1	—	—	17	10	3	2	2
Leukemia (204-208)	1	—	—	1	—	11	4	5	2	—
Of other and unspecified sites (170-173, 190-199)	2	—	1	—	1	23	9	11	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	—	1	1	11	4	5	1	1
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	4	1	2	1	—
Diabetes Mellitus (250)	5	2	—	2	1	16	5	7	—	4
Meningitis (320-322)	—	—	—	—	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	44	10	12	11	11	371	177	144	18	32
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	5	—	4	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	—	1	1	2	12	—	5	3	4
Ischemic Heart Disease (410-414)	35	10	11	8	6	289	155	102	11	21
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	4	—	—	1	3	20	6	11	1	2
All other forms of Heart Disease (415-423, 425-427, 429)	1	—	—	1	—	45	16	22	3	4
Hypertension (401, 403)	—	—	—	—	—	4	3	1	—	—
Cerebrovascular Disease (430-438)	11	1	3	3	4	124	43	55	11	15
Atherosclerosis (440)	—	—	—	—	—	7	2	2	1	2
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	14	11	2	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	—	—	—	1	25	11	10	1	3
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	4	4	—	—	—
Asthma (493)	—	—	—	—	—	2	1	—	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	1	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	—	1	11	8	2	—	1
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	3	2	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	9	2	2	2	3
Infections of Kidney (590)	—	—	—	—	—	3	—	1	—	2
Congenital Anomalies (740-759)	1	1	—	—	—	4	2	2	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	7	—	—	6	1	14	6	6	2	—
Symptoms and Ill-Defined Conditions (780-799)	2	—	1	1	—	85	44	13	18	10
All other Diseases (001-799)	6	2	—	—	4	79	43	22	8	6
Accidents (E800-E949)	7	2	1	3	1	72	41	22	5	4
Motor Vehicle Traffic (E810-E819)	3	1	—	2	—	49	30	13	4	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	1	1	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	1	—	1	—	—	8	2	6	—	—
Fire and Flames (E890-E899)	1	—	—	1	—	4	1	1	1	1
Drowning (E910)	—	—	—	—	—	2	2	—	—	—
Firearms (E922)	1	1	—	—	—	2	1	—	—	1
Residual (E800-E949)	1	—	—	—	1	4	4	—	—	—
Suicide (E950-E959)	2	1	—	1	—	22	17	2	2	1
Firearms (E955)	2	1	—	1	—	18	14	1	2	1
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	2	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	1	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	1	1	13	3	2	7	1
Assault by Firearms (E965)	2	—	—	1	1	9	1	2	5	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	3	1	—	2	—
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	BAMBERG					BARNWELL				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	165	38	36	51	40	170	51	43	39	37
Infectious and Parasitic Dis. (001-136)	2	1	—	1	—	1	1	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	2	1	—	1	—	1	1	—	—	—
Malignant Neoplasms (140-208)	27	7	5	8	7	24	9	7	7	1
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	8	2	3	1	2	6	1	2	3	—
Of Respiratory System (160-165)	7	4	—	1	2	6	4	—	2	—
Of Breast (174-175)	2	—	1	—	1	1	—	1	—	—
Of Genital Organs (179-187)	6	1	1	4	—	4	1	1	1	1
Of Urinary Organs (188-189)	—	—	—	—	—	3	3	—	—	—
Leukemia (204-208)	—	—	—	—	—	—	—	—	—	—
Of other and unspecified sites (170-173, 190-199)	2	—	—	1	1	2	—	1	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	2	—	2	—	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	1	—	—
Diabetes Mellitus (250)	5	2	—	2	1	1	1	—	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	57	12	19	15	11	55	17	15	9	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	—	1	—	2	1	—	—	—	1
Ischemic Heart Disease (410-414)	37	9	13	11	4	43	14	14	5	10
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	—	—	—	—	—	3	1	1	1	—
All other forms of Heart Disease (415-423, 425-427, 429)	17	3	5	4	5	8	2	—	3	3
Hypertension (401, 403)	1	—	—	1	—	2	—	—	1	1
Cerebrovascular Disease (430-438)	12	1	3	3	5	21	4	5	5	7
Atherosclerosis (440)	1	1	—	—	—	2	—	2	—	—
Other Diseases of the Circulatory System (441-459)	2	—	—	—	2	2	1	1	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	1	—	—	—	5	—	4	—	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	—	1	—
Emphysema (492)	2	2	—	—	—	—	—	—	—	—
Asthma (493)	1	—	1	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	3	1	—	1	1	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	1	1	1	1	3	—	—	2	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	1	1	2	—	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	1	—	2	3	4	2	—	1	1
Symptoms and Ill-Defined Conditions (780-799)	3	—	—	2	1	16	1	3	4	8
All other Diseases (001-799)	11	3	4	—	4	17	9	5	2	1
Accidents (E800-E949)	20	3	1	12	4	12	6	—	4	2
Motor Vehicle Traffic (E810-E819)	8	3	—	5	—	6	3	—	2	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	1	—	—	1	—	—	—	—	—	—
Fire and Flames (E890-E899)	9	—	—	5	4	1	—	—	—	1
Drowning (E910)	2	—	1	1	—	1	—	—	1	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	—	—	—	—	—	2	1	—	1	—
Suicide (E950-E959)	1	—	1	—	—	—	—	—	—	—
Firearms (E955)	1	—	1	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	2	—	—	2	—
Assault by Firearms (E965)	1	—	—	1	—	1	—	—	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	407	141	100	96	70	397	158	92	91	56
Infectious and Parasitic Dis. (001-136)	5	—	2	3	—	3	2	—	1	—
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	4	—	2	2	—	2	1	—	1	—
Malignant Neoplasms (140-208)	110	35	33	21	21	76	30	22	11	13
Of Lip, Oral Cavity and Pharynx (140-149)	5	2	1	1	1	3	1	—	2	—
Of Digestive Organs and Peritoneum (150-159)	22	2	4	9	7	19	4	7	5	3
Of Respiratory System (160-165)	30	13	9	6	2	24	16	5	2	1
Of Breast (174-175)	11	1	6	—	4	7	—	4	—	3
Of Genital Organs (179-187)	10	4	1	2	3	7	3	—	1	3
Of Urinary Organs (188-189)	4	1	2	—	1	4	2	2	—	—
Leukemia (204-208)	8	2	5	—	1	1	—	—	—	1
Of other and unspecified sites (170-173, 190-199)	13	5	5	2	1	8	3	4	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	7	5	—	1	1	3	1	—	—	2
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	8	2	3	2	1	4	1	—	—	3
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	102	35	30	17	20	157	74	31	36	16
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	1	—	1	3	3	—	2	1	—
Ischemic Heart Disease (410-414)	73	31	22	11	9	110	57	18	24	11
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	5	—	1	3	1	9	2	—	4	3
All other forms of Heart Disease (415-423, 425-427, 429)	18	3	6	2	7	34	15	10	7	2
Hypertension (401, 403)	3	—	—	2	1	1	—	—	—	1
Cerebrovascular Disease (430-438)	36	10	10	7	9	19	4	5	3	7
Atherosclerosis (440)	4	1	—	3	—	4	1	1	1	1
Other Diseases of the Circulatory System (441-459)	3	1	—	1	1	6	2	1	1	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	—	1	2	—	5	—	1	3	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	2	1	1	—	—
Emphysema (492)	1	1	—	—	—	2	—	—	2	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	1	—	—	1	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	11	5	3	1	2	4	1	3	—	—
Other Disease of the Respiratory System (510-519)	4	2	1	—	1	2	1	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	—	3	—	3	1	—	—	2
Infections of Kidney (590)	1	—	—	1	—	—	—	—	—	—
Congenital Anomalies (740-759)	6	3	1	2	—	5	—	2	2	1
Certain Conditions Originating in the Perinatal Period (760-779)	7	4	—	2	1	13	3	3	5	2
Symptoms and Ill-Defined Conditions (780-799)	7	3	1	2	1	6	3	2	1	—
All other Diseases (001-799)	36	11	6	13	6	35	8	14	10	3
Accidents (E800-E949)	40	18	5	12	5	38	21	3	12	2
Motor Vehicle Traffic (E810-E819)	18	9	4	5	—	24	17	2	4	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	3	2	—	1	—	—	—	—	—	—
Fire and Flames (E890-E899)	3	—	—	1	2	4	—	—	3	1
Drowning (E910)	3	2	—	1	—	1	—	1	—	—
Firearms (E922)	1	—	—	1	—	—	—	—	—	—
Residual (E800-E949)	12	5	1	3	3	8	3	—	5	—
Suicide (E950-E959)	10	7	3	—	—	2	1	1	—	—
Firearms (E955)	7	5	2	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	1	1	—	—	—	1	1	—	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	1	—	2	—	9	3	2	3	1
Assault by Firearms (E965)	2	1	—	1	—	7	2	2	3	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	—	1
Other External Causes (E980-E999)	1	1	—	—	—	1	1	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	108	31	15	35	27	1,962	640	539	421	362
Infectious and Parasitic Dis. (001-136)	—	—	—	—	—	38	10	3	12	13
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	6	1	—	2	3
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	—	1	—
Remainder of (001-136)	—	—	—	—	—	31	9	3	9	10
Malignant Neoplasms (140-208)	26	14	2	8	2	473	152	148	94	79
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	15	3	3	5	4
Of Digestive Organs and Peritoneum (150-159)	6	2	—	3	1	101	38	27	21	15
Of Respiratory System (160-165)	9	5	1	3	—	142	63	35	33	11
Of Breast (174-175)	—	—	—	—	—	42	—	30	—	12
Of Genital Organs (179-187)	3	1	—	2	—	49	12	13	12	12
Of Urinary Organs (188-189)	—	—	—	—	—	24	13	5	2	4
Leukemia (204-208)	2	2	—	—	—	13	6	5	2	—
Of other and unspecified sites (170-173, 190-199)	6	4	1	—	1	61	11	21	12	17
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	26	6	9	7	4
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	2	—	—
Diabetes Mellitus (250)	7	2	—	1	4	35	3	7	6	19
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	36	9	5	7	15	613	203	185	118	107
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	4	—	3	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	7	—	—	3	4	35	7	10	7	11
Ischemic Heart Disease (410-414)	22	8	5	2	7	385	158	123	56	48
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	2	—	—	1	1	31	4	11	7	9
All other forms of Heart Disease (415-423, 425-427, 429)	5	1	—	1	3	158	34	38	48	38
Hypertension (401, 403)	1	—	—	1	—	4	2	—	2	—
Cerebrovascular Disease (430-438)	10	—	2	5	3	142	29	47	29	37
Atherosclerosis (440)	1	—	1	—	—	22	8	8	2	4
Other Diseases of the Circulatory System (441-459)	1	—	1	—	—	31	15	9	3	4
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	1	—	—	—	44	10	15	14	5
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	3	1	2	—	—
Emphysema (492)	—	—	—	—	—	6	4	—	2	—
Asthma (493)	—	—	—	—	—	3	1	—	2	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	4	3	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	5	2	2	1	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	—	1	40	19	6	7	8
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	12	5	2	2	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	29	7	4	9	9
Infections of Kidney (590)	—	—	—	—	—	8	1	5	2	—
Congenital Anomalies (740-759)	—	—	—	—	—	14	4	6	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	—	1	54	15	4	23	12
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	16	3	4	5	4
All other Diseases (001-799)	8	1	2	4	1	165	58	43	39	25
Accidents (E800-E949)	14	4	2	8	—	128	58	24	25	21
Motor Vehicle Traffic (E810-E819)	8	3	2	3	—	53	31	7	9	6
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	4	2	1	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	6	4	2	—	—
Falls (E880-E888)	1	—	—	1	—	18	5	8	3	2
Fire and Flames (E890-E899)	3	—	—	3	—	12	1	1	6	4
Drowning (E910)	—	—	—	—	—	10	3	—	4	3
Firearms (E922)	—	—	—	—	—	2	—	—	—	2
Residual (E800-E949)	2	1	—	1	—	23	12	5	2	4
Suicide (E950-E959)	—	—	—	—	—	31	19	7	3	2
Firearms (E955)	—	—	—	—	—	18	13	4	—	1
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	1	—	2	—
Poisoning (E950-E952)	—	—	—	—	—	6	4	2	—	—
Residual (E950-E959)	—	—	—	—	—	4	1	1	1	1
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	37	8	6	17	6
Assault by Firearms (E965)	—	—	—	—	—	22	7	4	10	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	7	—	—	5	2
Residual (E960-E978)	—	—	—	—	—	8	1	2	2	3
Other External Causes (E980-E999)	—	—	—	—	—	2	—	—	2	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	CHEROKEE					CHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	362	173	113	42	34	292	105	80	58	49
Infectious and Parasitic Dis. (001-136)	4	2	—	—	2	—	—	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	4	2	—	—	2	—	—	—	—	—
Malignant Neoplasms (140-208)	72	40	21	8	3	42	15	14	6	7
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	19	10	7	1	1	5	2	3	—	—
Of Respiratory System (160-165)	18	15	1	1	1	12	6	3	3	—
Of Breast (174-175)	6	—	6	—	—	4	—	3	—	1
Of Genital Organs (179-187)	15	6	5	3	1	9	2	2	3	2
Of Urinary Organs (188-189)	4	3	—	1	—	1	1	—	—	—
Leukemia (204-208)	3	1	—	2	—	1	—	—	—	1
Of other and unspecified sites (170-173, 190-199)	3	2	1	—	—	6	1	3	—	2
Of Lymphatic and Hematopoietic Tissues (200-203)	3	2	1	—	—	4	3	—	—	1
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	10	2	4	2	2	4	1	1	1	1
Meningitis (320-322)	1	1	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	122	52	47	11	12	130	44	39	27	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	1	1	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	2	—	—	4	—	1	1	2
Ischemic Heart Disease (410-414)	92	41	34	9	8	70	25	25	9	11
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	9	2	3	2	2	7	1	3	2	1
All other forms of Heart Disease (415-423, 425-427, 429)	17	8	7	—	2	49	18	10	15	6
Hypertension (401, 403)	2	—	1	1	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	37	13	13	5	6	27	10	6	2	9
Atherosclerosis (440)	6	—	4	1	1	5	1	3	—	1
Other Diseases of the Circulatory System (441-459)	4	3	1	—	—	2	1	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	8	3	3	2	—	5	1	2	2	—
Influenza (487)	1	—	1	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	5	3	1	1	—	4	4	—	—	—
Asthma (493)	1	—	1	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	2	1	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	2	—	1	1	—
Chronic Liver Disease and Cirrhosis (571)	6	2	3	1	—	7	3	1	—	3
Other Disease of the Respiratory System (510-519)	9	4	3	1	1	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	1	—	2	—	2	1	—	1	—
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	3	1	—	1	1	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	7	4	—	1	2	6	1	3	1	1
Symptoms and Ill-Defined Conditions (780-799)	3	3	—	—	—	3	—	1	2	—
All other Diseases (001-799)	17	12	3	1	1	13	5	3	4	1
Accidents (E800-E949)	26	17	5	2	2	27	12	3	9	3
Motor Vehicle Traffic (E810-E819)	11	6	3	1	1	13	6	2	4	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	2	2	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	1	1	1	—	2	1	—	1	—
Fire and Flames (E890-E899)	2	1	1	—	—	4	1	—	2	1
Drowning (E910)	1	1	—	—	—	1	—	—	1	—
Firearms (E922)	2	2	—	—	—	1	1	—	—	—
Residual (E800-E949)	4	3	—	—	1	6	3	1	1	1
Suicide (E950-E959)	3	3	—	—	—	4	1	2	1	—
Firearms (E955)	2	2	—	—	—	4	1	2	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	9	7	—	1	1	6	4	—	1	1
Assault by Firearms (E965)	5	4	—	1	—	3	2	—	—	1
Assault by Cutting and Piercing (E966)	3	2	—	—	1	3	2	—	1	—
Residual (E960-E978)	1	1	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	1	—	—	1	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	341	146	96	58	41	225	58	37	74	56
Infectious and Parasitic Dis. (001-136)	4	—	1	3	—	4	2	—	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—					
Tuberculosis, All Forms (010-018)	2	—	—	2	—	2	1	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	2	—	1	1	—	2	1	—	—	1
Malignant Neoplasms (140-208)	68	36	17	9	6	33	17	1	9	6
Of Lip, Oral Cavity and Pharynx (140-149)	3	2	—	1	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	13	10	3	—	—	9	6	—	3	—
Of Respiratory System (160-165)	23	17	2	3	1	8	4	—	4	—
Of Breast (174-175)	6	—	5	—	1	3	—	1	—	2
Of Genital Organs (179-187)	6	2	2	1	1	3	1	—	1	1
Of Urinary Organs (188-189)	4	2	1	1	—	2	2	—	—	—
Leukemia (204-208)	—	—	—	—	—	2	1	—	—	1
Of other and unspecified sites (170-173, 190-199)	8	2	2	2	2	3	2	—	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	5	1	2	1	1	3	1	—	1	1
Benign and unspecified Neoplasms (210-239)	2	—	2	—	—	—	—	—	—	—
Diabetes Mellitus (250)	6	1	3	1	1	6	2	1	1	2
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	121	62	37	14	8	92	22	16	33	21
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	—	2	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	5	—	1	—	6	1	—	2	3
Ischemic Heart Disease (410-414)	85	46	26	8	5	59	16	9	20	14
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	6	3	1	1	1	11	3	2	3	3
All other forms of Heart Disease (415-423, 425-427, 429)	22	8	8	4	2	16	2	5	8	1
Hypertension (401, 403)	—	—	—	—	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	37	8	13	7	9	30	2	8	9	11
Atherosclerosis (440)	3	2	1	—	—	1	—	—	1	—
Other Diseases of the Circulatory System (441-459)	2	1	—	—	1	2	—	—	1	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	3	1	—	—	4	—	3	1	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Ulcer of Stomach and Duodenum (531-533)	2	—	1	1	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	3	2	—	1	—	1	—	—	1	—
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	3	—	1	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	1	—	—	1	—	—	1	—
Infections of Kidney (590)	—	—	—	—	—	1	—	—	—	1
Congenital Anomalies (740-759)	1	—	—	1	—	8	2	1	3	2
Certain Conditions Originating in the Perinatal Period (760-779)	12	—	1	4	7	1	—	—	1	—
Symptoms and Ill-Defined Conditions (780-799)	23	6	6	5	6	16	4	4	3	5
All other Diseases (001-799)	21	11	6	3	1					
Accidents (E800-E949)	24	12	3	7	2	14	3	—	7	4
Motor Vehicle Traffic (E810-E819)	15	7	3	3	2	8	1	—	5	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	1	—	—	—	1
Drowning (E910)	1	1	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	6	3	—	3	—	4	1	—	2	1
Suicide (E950-E959)	3	1	2	—	—	1	—	1	—	—
Firearms (E955)	2	1	1	—	—	1	—	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	1	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	3	2	—	1	—
Assault by Firearms (E965)	1	—	—	1	—	2	1	—	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	COLLETON					DARLINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	339	112	84	78	65	560	179	157	111	113
Infectious and Parasitic Dis. (001-136)	2	—	2	—	—	6	1	—	2	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	2	—	2	—	—	6	1	—	2	3
Malignant Neoplasms (140-208)	61	25	11	13	12	91	36	22	19	14
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	12	6	—	1	5	16	3	4	6	3
Of Respiratory System (160-165)	24	11	3	8	2	34	22	7	4	1
Of Breast (174-175)	4	—	4	—	—	6	—	4	—	2
Of Genital Organs (179-187)	13	3	3	3	4	10	4	1	2	3
Of Urinary Organs (188-189)	—	—	—	—	—	5	3	—	1	1
Leukemia (204-208)	3	2	—	1	—	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	3	3	—	—	—	14	3	4	4	3
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	1	—	1	4	—	1	2	1
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	—	1
Diabetes Mellitus (250)	10	2	4	2	2	5	1	1	—	3
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	83	38	24	9	12	239	79	71	42	47
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	12	4	1	4	3
Ischemic Heart Disease (410-414)	62	30	20	6	6	169	52	56	29	32
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	3	2	1	—	—	13	3	5	2	3
All other forms of Heart Disease (415-423, 425-427, 429)	18	6	3	3	6	45	20	9	7	9
Hypertension (401, 403)	—	—	—	—	—	4	—	2	—	2
Cerebrovascular Disease (430-438)	54	14	18	11	11	62	14	26	11	11
Atherosclerosis (440)	—	—	—	—	—	2	—	—	—	2
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	7	3	—	2	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	—	—	1	—
Pneumonia (480-486)	6	1	4	1	—	13	6	1	4	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	1	1	—	—	—	1	1	—	—	—
Emphysema (492)	7	4	2	1	—	2	1	—	1	—
Asthma (493)	1	—	—	—	1	1	—	—	—	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	3	1	1	1	—	6	2	2	—	2
Other Disease of the Respiratory System (510-519)	5	2	1	—	2	2	—	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	1	—	1	2	1	1	—	—
Infections of Kidney (590)	—	—	—	—	—	1	1	—	—	—
Congenital Anomalies (740-759)	3	—	—	2	1	8	1	3	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	9	2	—	3	4	7	2	2	—	3
Symptoms and Ill-Defined Conditions (780-799)	42	7	7	15	13	10	2	3	2	3
All other Diseases (001-799)	16	5	4	3	4	44	11	12	12	9
Accidents (E800-E949)	27	7	5	14	1	34	11	7	10	6
Motor Vehicle Traffic (E810-E819)	16	4	4	8	—	15	8	1	—	6
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	1	1	1	—	7	2	4	1	—
Fire and Flames (E890-E899)	—	—	—	—	—	4	—	1	3	—
Drowning (E910)	3	—	—	3	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	3	—	—	3	—
Residual (E800-E949)	5	2	—	2	1	5	1	1	3	—
Suicide (E950-E959)	1	1	—	—	—	5	3	2	—	—
Firearms (E955)	1	1	—	—	—	4	3	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	2	1	6	3	1	2	—
Assault by Firearms (E965)	3	—	—	2	1	5	3	—	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	260	87	79	55	39	386	150	103	94	39
Infectious and Parasitic Dis. (001-136)	3	1	1	1	—	3	—	—	3	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	1	1	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	—	—	1	—	2	—	—	2	—
Malignant Neoplasms (140-208)	43	20	13	8	2	82	34	22	21	5
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	3	1	—	2	—
Of Digestive Organs and Peritoneum (150-159)	10	5	3	1	1	22	6	3	11	2
Of Respiratory System (160-165)	15	7	4	4	—	19	12	2	5	—
Of Breast (174-175)	2	—	2	—	—	3	—	2	—	1
Of Genital Organs (179-187)	9	4	2	2	1	16	5	8	2	1
Of Urinary Organs (188-189)	2	2	—	—	—	4	2	1	1	—
Leukemia (204-208)	—	—	—	—	—	2	—	2	—	—
Of other and unspecified sites (170-173, 190-199)	3	2	—	1	—	9	7	1	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	2	—	—	4	1	3	—	—
Benign and unspecified Neoplasms (210-239)	1	1	—	—	—	2	—	1	1	—
Diabetes Mellitus (250)	7	2	1	2	2	6	1	2	1	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	56	20	23	3	10	129	52	39	22	16
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	6	—	1	2	3
Ischemic Heart Disease (410-414)	33	13	13	1	6	87	41	26	10	10
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	8	1	5	—	2	7	1	2	3	1
All other forms of Heart Disease (415-423, 425-427, 429)	14	6	4	2	2	28	10	9	7	2
Hypertension (401, 403)	3	2	—	1	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	29	4	9	7	9	28	7	6	8	7
Atherosclerosis (440)	3	—	3	—	—	4	2	2	—	—
Other Diseases of the Circulatory System (441-459)	2	2	—	—	—	1	1	—	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	2	—	—	11	3	3	4	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	1	—	1	—	—	1	—	—	—	1
Emphysema (492)	1	—	1	—	—	3	2	—	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	–	—	—	—	—	2	1	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	1	—	1	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	8	2	4	1	1	4	2	2	—	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	6	3	3	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	1	2	—	—	9	3	3	2	1
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	4	—	1	1	2	12	6	2	4	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	1	—	—	7	—	1	6	—
Symptoms and Ill-Defined Conditions (780-799)	48	13	10	18	7	5	2	—	1	2
All other Diseases (001-799)	13	6	3	2	2	31	9	11	8	3
Accidents (E800-E949)	21	7	4	7	3	33	19	3	10	1
Motor Vehicle Traffic (E810-E819)	8	4	1	2	1	19	10	2	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	2	—	1	1	—	4	4	—	—	—
Fire and Flames (E890-E899)	1	—	—	—	1	1	1	—	—	—
Drowning (E910)	2	1	—	1	—	2	1	—	1	—
Firearms (E922)	2	—	1	1	—	—	—	—	—	—
Residual (E800-E949)	6	2	1	2	1	6	3	—	3	—
Suicide (E950-E959)	3	2	—	1	—	3	1	—	2	—
Firearms (E955)	2	1	—	1	—	2	—	—	2	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	2	1	2	1	1	—	—
Assault by Firearms (E965)	3	1	—	1	1	2	1	1	—	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	154	42	41	43	28	211	50	45	70	46
Infectious and Parasitic Dis. (001-136)	4	—	1	1	2	3	—	—	3	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	3	—	1	—	2	2	—	—	2	—
Malignant Neoplasms (140-208)	34	13	7	8	6	42	20	6	10	6
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	—	1	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	9	4	2	1	2	7	4	1	1	1
Of Respiratory System (160-165)	11	6	1	4	—	9	7	—	2	—
Of Breast (174-175)	2	—	2	—	—	5	—	3	1	1
Of Genital Organs (179-187)	5	—	1	2	2	7	3	—	1	3
Of Urinary Organs (188-189)	1	—	—	—	1	3	1	—	1	1
Leukemia (204-208)	—	—	—	—	—	1	—	—	1	—
Of other and unspecified sites (170-173, 190-199)	4	3	—	1	—	7	4	1	2	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	1	—	—	2	—	1	1	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	4	1	—	1	2	7	2	2	2	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	52	16	17	13	6	67	17	20	15	15
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	7	1	—	2	4	2	1	1	—	—
Ischemic Heart Disease (410-414)	32	13	10	8	1	38	10	14	6	8
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	2	—	2	—	—	1	—	—	1	—
All other forms of Heart Disease (415-423, 425-427, 429)	11	2	5	3	1	26	6	5	8	7
Hypertension (401, 403)	—	—	—	—	—	2	—	1	1	—
Cerebrovascular Disease (430-438)	18	3	5	5	5	19	—	1	7	11
Atherosclerosis (440)	5	1	3	1	—	4	1	1	2	—
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	3	2	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	2	1	—	1	2	—	—	1	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	2	2	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	—	1	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	—	—	2	1	1	—	—	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	1	—	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	3	1	1	1	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	3	1	1	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	8	—	1	6	1
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	7	1	2	2	2
All other Diseases (001-799)	10	2	5	2	1	15	—	4	7	4
Accidents (E800-E949)	11	2	2	5	2	18	2	3	10	3
Motor Vehicle Traffic (E810-E819)	7	2	1	3	1	9	—	3	6	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	—	—	1
Falls (E880-E888)	—	—	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	3	—	—	1	2
Drowning (E910)	—	—	—	—	—	1	—	—	1	—
Firearms (E922)	1	—	1	—	—	—	—	—	—	—
Residual (E800-E949)	3	—	—	2	1	4	2	—	2	—
Suicide (E950-E959)	1	1	—	—	—	—	—	—	—	—
Firearms (E955)	1	1	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	3	—	2	—	1	—	1
Assault by Firearms (E965)	2	—	—	2	—	—	—	—	—	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	2	—	1	—	1
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	922	295	221	225	181	318	119	60	75	64
Infectious and Parasitic Dis. (001-136)	11	1	2	4	4	5	—	2	3	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	3	—	—	2	1	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	8	1	2	2	3	4	—	2	2	—
Malignant Neoplasms (140-208)	175	59	49	33	34	63	28	13	13	9
Of Lip, Oral Cavity and Pharynx (140-149)	5	3	1	1	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	46	14	13	9	10	14	3	4	7	—
Of Respiratory System (160-165)	38	20	9	9	—	18	15	1	2	—
Of Breast (174-175)	17	—	9	—	8	6	—	3	—	3
Of Genital Organs (179-187)	36	9	9	10	8	9	2	2	1	4
Of Urinary Organs (188-189)	8	5	1	1	1	4	3	1	—	—
Leukemia (204-208)	5	2	2	—	1	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	12	5	3	2	2	9	4	2	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	8	1	2	1	4	2	—	—	2	—
Benign and unspecified Neoplasms (210-239)	2	—	1	—	1	1	—	1	—	—
Diabetes Mellitus (250)	22	1	8	3	10	5	3	—	1	1
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	367	116	95	85	71	89	39	18	14	18
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	4	1	1	1	1	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	27	5	3	8	11	6	—	2	1	3
Ischemic Heart Disease (410-414)	251	85	70	52	44	55	31	9	7	8
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	15	5	2	3	5	5	1	2	1	1
All other forms of Heart Disease (415-423, 425-427, 429)	70	20	19	21	10	23	7	5	5	6
Hypertension (401, 403)	8	3	1	2	2	—	—	—	—	—
Cerebrovascular Disease (430-438)	97	28	28	22	19	59	14	12	20	13
Atherosclerosis (440)	11	3	2	1	5	3	1	1	—	1
Other Diseases of the Circulatory System (441-459)	4	2	1	1	—	3	2	1	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	13	3	2	5	3	5	1	1	1	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	—	1	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	2	1	—	1	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	—	1
Chronic Liver Disease and Cirrhosis (571)	9	5	3	—	1	6	—	2	2	2
Other Disease of the Respiratory System (510-519)	2	—	—	2	—	2	—	—	—	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	2	2	2	3	10	2	1	2	5
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	7	3	1	2	1	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	24	7	2	11	4	8	1	2	2	3
Symptoms and Ill-Defined Conditions (780-799)	5	1	2	1	1	3	—	—	1	2
All other Diseases (001-799)	61	19	12	17	13	17	8	5	3	1
Accidents (E800-E949)	66	28	10	21	7	29	16	—	9	4
Motor Vehicle Traffic (E810-E819)	29	11	7	8	3	13	8	—	5	—
Motor Vehicle Non-Traffic (E820-E825)	4	2	1	1	—	1	—	—	1	—
Railway (E800-E807)	1	1	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	2	1	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	11	2	—	6	3	3	—	—	—	3
Drowning (E910)	5	4	—	1	—	2	2	—	—	—
Firearms (E922)	3	3	—	—	—	2	2	—	—	—
Residual (E800-E949)	9	2	1	5	1	7	3	—	3	1
Suicide (E950-E959)	4	2	—	1	1	3	2	—	1	—
Firearms (E955)	4	2	—	1	1	2	2	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	1	—
Homicide and Legal Intervention (E960-E978)	19	9	—	9	1	6	2	1	3	—
Assault by Firearms (E965)	14	8	—	5	1	1	1	—	—	—
Assault by Cutting and Piercing (E966)	3	1	—	2	—	3	—	—	3	—
Residual (E960-E978)	2	—	—	2	—	2	1	1	—	—
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2,265	983	854	246	182	515	211	160	85	59
Infectious and Parasitic Dis. (001-136)	38	15	9	8	6	3	—	1	—	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	8	1	2	4	1	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	30	14	7	4	5	3	—	1	—	2
Malignant Neoplasms (140-208)	469	207	187	39	36	114	49	39	17	9
Of Lip, Oral Cavity and Pharynx (140-149)	6	2	3	1	—	2	—	—	2	—
Of Digestive Organs and Peritoneum (150-159)	100	42	37	12	9	23	4	12	4	3
Of Respiratory System (160-165)	137	89	35	8	5	31	24	2	4	1
Of Breast (174-175)	49	1	44	—	4	8	—	6	—	2
Of Genital Organs (179-187)	68	29	28	4	7	14	5	4	4	1
Of Urinary Organs (188-189)	20	7	7	5	1	3	1	1	—	1
Leukemia (204-208)	14	7	6	—	1	6	2	3	—	1
Of other and unspecified sites (170-173, 190-199)	65	27	23	8	7	16	7	7	2	—
Of Lymphatic and Hematopoietic Tissues (200-203)	10	3	4	1	2	11	6	4	1	—
Benign and unspecified Neoplasms (210-239)	2	—	2	—	—	1	—	—	—	1
Diabetes Mellitus (250)	37	12	14	3	8	10	3	3	2	2
Meningitis (320-322)	1	1	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	867	415	303	91	58	203	92	62	29	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	10	4	4	1	1	3	1	2	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	20	5	9	5	1	8	—	2	2	4
Ischemic Heart Disease (410-414)	642	331	221	58	32	149	75	45	20	9
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	24	9	8	2	5	6	—	2	2	2
All other forms of Heart Disease (415-423, 425-427, 429)	171	66	61	25	19	37	16	11	5	5
Hypertension (401, 403)	11	2	9	—	—	2	1	—	1	—
Cerebrovascular Disease (430-438)	204	63	97	14	30	53	20	21	8	4
Atherosclerosis (440)	18	3	13	1	1	8	2	2	2	2
Other Diseases of the Circulatory System (441-459)	27	11	12	2	2	5	—	2	2	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	59	20	28	9	2	17	10	4	2	1
Influenza (487)	10	5	4	—	1	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	4	2	1	1	—	1	1	—	—	—
Emphysema (492)	8	5	3	—	—	5	4	—	1	—
Asthma (493)	1	—	1	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	10	3	4	—	3	3	2	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	8	—	7	1	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	24	12	8	2	2	4	1	3	—	—
Other Disease of the Respiratory System (510-519)	19	8	7	4	—	3	1	2	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	16	7	5	3	1	—	—	—	—	—
Infections of Kidney (590)	1	—	1	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	12	6	3	1	2	2	—	—	2	—
Certain Conditions Originating in the Perinatal Period (760-779)	30	8	8	5	9	10	—	3	2	5
Symptoms and Ill-Defined Conditions (780-799)	18	7	4	6	1	3	1	1	1	—
All other Diseases (001-799)	184	73	83	19	9	32	8	9	6	9
Accidents (E800-E949)	125	67	30	22	6	26	11	6	7	2
Motor Vehicle Traffic (E810-E819)	75	43	17	14	1	14	5	3	5	1
Motor Vehicle Non-Traffic (E820-E825)	1	—	—	1	—	—	—	—	—	—
Railway (E800-E807)	2	2	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	2	2	—	—	—	—	—	—	—	—
Falls (E880-E888)	10	5	4	—	1	—	—	—	—	—
Fire and Flames (E890-E899)	12	6	1	2	3	3	1	1	1	—
Drowning (E910)	2	—	1	1	—	2	1	—	1	—
Firearms (E922)	—	—	—	—	—	1	—	—	—	1
Residual (E800-E949)	21	9	7	4	1	6	4	2	—	—
Suicide (E950-E959)	28	16	7	4	1	6	4	1	1	—
Firearms (E955)	25	15	5	4	1	5	3	1	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	2	—	2	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	34	15	4	11	4	2	—	—	2	—
Assault by Firearms (E965)	30	13	3	10	4	2	—	—	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	4	2	1	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	HAMPTON					HORRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	169	46	29	59	35	841	383	260	116	82
Infectious and Parasitic Dis. (001-136)	1	—	—	1	—	6	—	2	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	—	—	1	—	6	—	2	3	1
Malignant Neoplasms (140-208)	29	8	4	11	6	156	72	52	23	9
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	7	2	3	2	—
Of Digestive Organs and Peritoneum (150-159)	8	1	2	3	2	30	13	13	4	—
Of Respiratory System (160-165)	9	4	—	5	—	45	29	9	6	1
Of Breast (174-175)	1	—	1	—	—	14	—	11	—	3
Of Genital Organs (179-187)	3	1	—	—	2	17	7	2	7	1
Of Urinary Organs (188-189)	1	1	—	—	—	7	4	2	1	—
Leukemia (204-208)	1	—	—	—	1	6	1	2	1	2
Of other and unspecified sites (170-173, 190-199)	4	1	1	1	1	24	13	8	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	—	2	—	6	3	2	1	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	1	1	—
Diabetes Mellitus (250)	9	1	2	2	4	15	3	5	2	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	59	20	17	16	6	316	162	104	32	18
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	2	1	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	—	—	1	—	9	2	6	—	1
Ischemic Heart Disease (410-414)	52	19	16	11	6	197	113	61	14	9
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	1	—	—	1	—	15	7	5	3	—
All other forms of Heart Disease (415-423, 425-427, 429)	5	1	1	3	—	93	39	31	15	8
Hypertension (401, 403)	—	—	—	—	—	1	—	—	1	—
Cerebrovascular Disease (430-438)	12	3	2	4	3	77	27	34	6	10
Atherosclerosis (440)	5	1	—	1	3	4	—	3	—	1
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	16	8	1	5	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	—	—	5	1	13	4	6	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	1	—	—
Emphysema (492)	—	—	—	—	—	2	1	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	3	3	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	4	1	—	1	2	8	5	2	—	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	3	—	1	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	—	—	1	12	4	4	2	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	1	—	—	—	5	2	2	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	13	2	3	4	4
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	28	5	6	8	9
All other Diseases (001-799)	14	2	2	4	6	59	27	18	6	8
Accidents (E800-E949)	16	5	1	9	1	71	39	9	17	6
Motor Vehicle Traffic (E810-E819)	4	—	—	4	—	39	24	4	8	3
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	2	1	—	1	—	3	1	2	—	—
Fire and Flames (E890-E899)	4	2	1	1	—	6	1	1	1	3
Drowning (E910)	2	—	—	2	—	4	2	1	1	—
Firearms (E922)	1	—	—	1	—	3	3	—	—	—
Residual (E800-E949)	3	2	—	—	1	15	7	1	7	—
Suicide (E950-E959)	1	—	—	1	—	12	8	3	—	1
Firearms (E955)	1	—	—	1	—	9	6	3	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	2	—	—	1
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	1	—	1	—	14	8	1	2	3
Assault by Firearms (E965)	2	1	—	1	—	11	7	—	2	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	1	—	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	—	1
Other External Causes (E980-E999)	—	—	—	—	—	2	2	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	JASPER					KERSHAW				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	141	29	24	40	48	335	122	84	68	61
Infectious and Parasitic Dis. (001-136)	4	—	—	2	2	2	1	—	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	1	—	—	—	1	—	—	—	—	—
Remainder of (001-136)	3	—	—	2	1	1	1	—	—	—
Malignant Neoplasms (140-208)	25	7	8	4	6	62	31	13	12	6
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	5	1	2	2	—	15	7	2	5	1
Of Respiratory System (160-165)	6	4	1	—	1	21	14	1	4	2
Of Breast (174-175)	4	—	2	—	2	3	—	2	—	1
Of Genital Organs (179-187)	4	1	2	—	1	4	1	2	1	—
Of Urinary Organs (188-189)	1	—	—	—	1	2	1	1	—	—
Leukemia (204-208)	—	—	—	—	—	3	1	2	—	—
Of other and unspecified sites (170-173, 190-199)	2	—	—	1	1	11	7	1	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	1	1	—	3	—	2	1	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	1	1	—
Diabetes Mellitus (250)	3	1	1	1	—	11	2	2	2	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	37	11	6	6	14	96	40	30	12	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	—	—	—	1	6	—	—	1	5
Ischemic Heart Disease (410-414)	30	11	6	5	8	64	26	24	7	7
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	1	—	—	—	1	—	—	—	—	—
All other forms of Heart Disease (415-423, 425-427, 429)	5	—	—	1	4	26	14	6	4	2
Hypertension (401, 403)	—	—	—	—	—	1	—	—	—	1
Cerebrovascular Disease (430-438)	24	2	2	7	13	31	8	7	7	9
Atherosclerosis (440)	—	—	—	—	—	7	1	4	2	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	1	—	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	1	1	1	1	4	2	—	1	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	1	—	—	—	3	—	1	1	1
Asthma (493)	—	—	—	—	—	2	—	2	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	3	1	—	1	1
Other Disease of the Respiratory System (510-519)	2	—	—	—	2	4	2	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	—	1	2	2	2	1	1	—	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	2	—	1	1	—	3	—	1	2	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	—	—	2	3	3	—	1	1	1
Symptoms and Ill-Defined Conditions (780-799)	1	—	1	—	—	31	6	4	13	8
All other Diseases (001-799)	10	1	2	4	3	29	11	8	5	5
Accidents (E800-E949)	13	3	1	7	2	29	11	6	6	6
Motor Vehicle Traffic (E810-E819)	6	1	1	4	—	17	7	4	3	3
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	1	—	—	—	1	2	1	1	—	—
Fire and Flames (E890-E899)	1	—	—	1	—	2	—	—	—	2
Drowning (E910)	2	1	—	1	—	4	1	1	1	1
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	3	1	—	1	1	2	1	—	1	—
Suicide (E950-E959)	1	1	—	—	—	5	3	1	—	1
Firearms (E955)	1	1	—	—	—	5	3	1	—	1
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	3	2	—	1	—
Assault by Firearms (E965)	3	1	—	2	—	2	1	—	1	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	1	1	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	LANCASTER					LAURENS				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	436	194	122	65	55	517	218	158	78	63
Infectious and Parasitic Dis. (001-136)	5	2	2	—	1	3	1	1	1	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	5	2	2	—	1	3	1	1	1	—
Malignant Neoplasms (140-208)	67	30	21	8	8	94	43	30	8	13
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	3	2	—	—	1
Of Digestive Organs and Peritoneum (150-159)	14	4	4	4	2	20	8	5	2	5
Of Respiratory System (160-165)	19	12	3	3	1	15	10	3	2	—
Of Breast (174-175)	7	1	5	—	1	11	—	8	—	3
Of Genital Organs (179-187)	6	2	1	1	2	14	7	4	—	3
Of Urinary Organs (188-189)	3	2	1	—	—	4	3	—	1	—
Leukemia (204-208)	2	1	1	—	—	4	4	—	—	—
Of other and unspecified sites (170-173, 190-199)	12	7	3	—	2	19	8	7	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	2	—	—	4	1	3	—	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	4	2	1	—	1
Diabetes Mellitus (250)	8	4	1	1	2	13	4	5	2	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	204	94	59	27	24	165	70	54	20	21
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	1	1	1	2	7	2	1	1	3
Ischemic Heart Disease (410-414)	140	70	39	18	13	116	54	39	11	12
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	7	2	2	2	1	7	1	4	2	—
All other forms of Heart Disease (415-423, 425-427, 429)	51	21	16	6	8	34	13	9	6	6
Hypertension (401, 403)	3	—	—	—	3	4	1	2	—	1
Cerebrovascular Disease (430-438)	34	10	12	8	4	62	25	22	6	9
Atherosclerosis (440)	7	2	2	2	1	7	—	2	2	3
Other Diseases of the Circulatory System (441-459)	5	2	2	1	—	5	2	2	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	14	6	4	3	1	8	4	3	1	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	3	1	2	—	—
Chronic Liver Disease and Cirrhosis (571)	2	2	—	—	—	6	4	—	1	1
Other Disease of the Respiratory System (510-519)	3	2	1	—	—	4	1	2	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	1	—	2	1	3	—	2	—	1
Infections of Kidney (590)	—	—	—	—	—	3	1	1	—	1
Congenital Anomalies (740-759)	1	1	—	—	—	6	4	1	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	2	—	2	8	2	1	2	3
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	35	15	5	11	4
All other Diseases (001-799)	32	17	4	6	5	32	15	12	4	1
Accidents (E800-E949)	25	14	8	3	—	37	17	10	9	1
Motor Vehicle Traffic (E810-E819)	12	6	4	2	—	21	9	6	6	—
Motor Vehicle Non-Traffic (E820-E825)	1	—	1	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	—	2	—	—
Falls (E880-E888)	4	2	2	—	—	3	2	—	—	1
Fire and Flames (E890-E899)	3	2	—	1	—	2	1	—	1	—
Drowning (E910)	1	1	—	—	—	2	1	1	—	—
Firearms (E922)	—	—	—	—	—	1	—	—	1	—
Residual (E800-E949)	4	3	1	—	—	5	3	1	1	—
Suicide (E950-E959)	7	4	2	—	1	1	1	—	—	—
Firearms (E955)	6	3	2	—	1	1	1	—	—	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	—	1	3	—	12	4	—	8	—
Assault by Firearms (E965)	3	—	1	2	—	9	4	—	5	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	—	—	2	—
Residual (E960-E978)	1	—	—	1	—	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	169	42	25	53	49	885	428	334	65	58
Infectious and Parasitic Dis. (001-136)	4	1	—	2	1	8	5	1	—	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	1	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	2	2	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	3	1	—	1	1	5	2	1	—	2
Malignant Neoplasms (140-208)	23	10	3	2	8	202	97	81	13	11
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	4	4	—	—	—
Of Digestive Organs and Peritoneum (150-159)	7	2	2	—	3	46	13	23	5	5
Of Respiratory System (160-165)	4	3	—	1	—	57	45	9	2	1
Of Breast (174-175)	2	—	—	—	2	18	—	17	1	—
Of Genital Organs (179-187)	1	—	—	—	1	20	7	7	3	3
Of Urinary Organs (188-189)	3	1	1	1	—	4	3	1	—	—
Leukemia (204-208)	2	1	—	—	1	5	—	4	1	—
Of other and unspecified sites (170-173, 190-199)	2	2	—	—	—	34	17	15	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	14	8	5	—	1
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	7	1	—	4	2	13	4	7	1	1
Meningitis (320-322)	—	—	—	—	—	2	1	—	—	1
Diseases of Heart (390-398, 402, 404-429)	74	19	16	21	18	333	153	135	21	24
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	—	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	—	—	1	—	11	1	6	2	2
Ischemic Heart Disease (410-414)	54	16	9	13	16	246	125	99	7	15
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	6	1	3	2	—	16	7	7	2	—
All other forms of Heart Disease (415-423, 425-427, 429)	13	2	4	5	2	59	20	23	9	7
Hypertension (401, 403)	—	—	—	—	—	1	—	—	1	—
Cerebrovascular Disease (430-438)	24	2	4	11	7	52	13	29	5	5
Atherosclerosis (440)	—	—	—	—	—	6	3	2	1	—
Other Diseases of the Circulatory System (441-459)	1	—	—	1	—	11	9	1	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	1	—	—	3	14	9	2	3	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	2	2	—	—	—
Emphysema (492)	—	—	—	—	—	14	10	3	1	—
Asthma (493)	—	—	—	—	—	2	1	1	—	—
Ulcer of Stomach and Duodenum (531-533)	2	1	—	1	—	2	1	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	14	6	8	—	—
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	9	7	1	1	--
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	9	2	3	1	3
Infections of Kidney (590)	1	—	—	—	1	2	—	2	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	6	3	3	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	7	1	—	4	2	8	4	3	1	—
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	—	2	5	2	1	1	1
All other Diseases (001-799)	10	3	1	3	3	73	41	23	4	5
Accidents (E800-E949)	6	1	1	3	1	65	37	20	6	2
Motor Vehicle Traffic (E810-E819)	2	--	1	1	—	37	20	12	3	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	3	2	1	—	—
Falls (E880-E888)	—	—	—	—	—	5	3	2	—	—
Fire and Flames (E890-E899)	1	—	—	—	1	6	3	—	3	—
Drowning (E910)	—	—	—	—	—	2	1	1	—	—
Firearms (E922)	—	—	—	—	—	3	2	1	—	—
Residual (E800-E949)	3	1	—	2	—	8	5	3	—	—
Suicide (E950-E959)	1	1	—	—	—	16	10	4	2	—
Firearms (E955)	1	1	—	—	—	11	7	2	2	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	4	2	2	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	1	1	—	—	—	11	5	1	2	3
Assault by Firearms (E965)	1	1	—	—	—	9	5	—	1	3
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	--	1	—	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	3	1	2	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	72	19	8	30	15	315	70	70	97	78
Infectious and Parasitic Dis. (001-136)	2	—	1	1	—	4	—	1	1	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	1	—	1	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	2	—	1	1	—	2	—	—	—	2
Malignant Neoplasms (140-208)	9	3	—	3	3	50	13	14	11	12
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	3	—	—	2	1	16	1	4	3	8
Of Respiratory System (160-165)	1	1	—	—	—	15	8	1	5	1
Of Breast (174-175)	1	—	—	—	1	2	—	2	—	—
Of Genital Organs (179-187)	—	—	—	—	—	5	—	3	2	—
Of Urinary Organs (188-189)	—	—	—	—	—	2	1	—	—	1
Leukemia (204-208)	—	—	—	—	—	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	3	2	—	1	—	5	—	2	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	3	1	2	—	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	1	—	—
Diabetes Mellitus (250)	—	—	—	—	—	4	—	—	2	2
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	28	9	1	9	9	91	23	20	28	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	—	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	1	—	—	2	2	—	—	—	2
Ischemic Heart Disease (410-414)	22	7	1	9	5	67	17	17	18	15
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	2	—	—	—	2	1	1	—	—	—
All other forms of Heart Disease (415-423, 425-427, 429)	1	1	—	—	—	20	5	3	10	2
Hypertension (401, 403)	—	—	—	—	—	3	1	—	1	1
Cerebrovascular Disease (430-438)	7	1	2	2	2	46	4	10	11	21
Atherosclerosis (440)	—	—	—	—	—	3	—	1	2	—
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	5	3	1	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	—	1	—	—	8	1	2	4	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	1	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	2	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	3	—	1	2	—
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	2	1	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	7	1	2	3	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	1	—	4	—	2	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	3	—	—	1	2
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	16	—	2	7	7
All other Diseases (001-799)	6	1	1	4	—	19	4	6	6	3
Accidents (E800-E949)	8	3	1	3	1	30	13	4	9	4
Motor Vehicle Traffic (E810-E819)	1	—	—	1	—	17	7	3	5	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	—	1	—	—	1	—	1	—	—
Fire and Flames (E890-E899)	2	—	—	1	1	2	1	—	1	—
Drowning (E910)	3	2	—	1	—	1	—	—	—	1
Firearms (E922)	—	—	—	—	—	4	3	—	1	—
Residual (E800-E949)	1	1	—	—	—	5	2	—	2	1
Suicide (E950-E959)	1	1	—	—	—	3	1	1	1	—
Firearms (E955)	—	—	—	—	—	2	—	1	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	3	—	9	2	1	5	1
Assault by Firearms (E965)	3	—	—	3	—	7	1	1	4	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	1	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	300	93	67	68	72	282	101	65	66	50
Infectious and Parasitic Dis. (001-136)	2	—	—	2	—	4	1	2	—	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	—	—	1	—	4	1	2	—	1
Malignant Neoplasms (140-208)	51	21	10	9	11	52	28	7	12	5
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	—	1	1	—	—	1	—
Of Digestive Organs and Peritoneum (150-159)	13	5	3	2	3	13	5	2	5	1
Of Respiratory System (160-165)	11	7	—	3	1	13	7	1	3	2
Of Breast (174-175)	6	—	4	—	2	2	—	1	—	1
Of Genital Organs (179-187)	8	2	2	2	2	7	3	1	3	—
Of Urinary Organs (188-189)	6	3	1	1	1	—	—	—	—	—
Leukemia (204-208)	1	1	—	—	—	4	4	—	—	—
Of other and unspecified sites (170-173, 190-199)	3	2	—	—	1	8	7	—	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	—	1	—	4	2	2	—	—
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	5	2	—	2	1	4	1	1	1	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	103	35	29	21	18	109	43	29	14	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	3	1	1	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	—	1	—	2	6	—	3	1	2
Ischemic Heart Disease (410-414)	74	26	20	16	12	59	28	14	8	9
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	2	—	2	—	—	9	2	4	1	2
All other forms of Heart Disease (415-423, 425-427, 429)	24	9	6	5	4	32	12	7	4	9
Hypertension (401, 403)	3	1	—	1	1	—	—	—	—	—
Cerebrovascular Disease (430-438)	51	5	16	9	21	21	2	7	4	8
Atherosclerosis (440)	3	—	1	1	1	3	—	2	1	—
Other Diseases of the Circulatory System (441-459)	4	2	—	1	1	3	1	1	1	—
Acute Bronchitis and Bronchiolitis (466)	1	1	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	2	1	1	—	6	2	—	4	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	—	—	1	—
Asthma (493)	—	—	—	—	—	1	1	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	4	3	1	—	—	4	—	2	1	1
Other Disease of the Respiratory System (510-519)	2	—	—	2	—	5	1	2	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	2	—	—	2	7	—	2	3	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	2	—	—	1	3	2	1	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	—	1	4	—	—	1	3
Symptoms and Ill-Defined Conditions (780-799)	5	1	—	1	3	20	5	2	10	3
All other Diseases (001-799)	24	3	5	6	10	19	7	4	6	2
Accidents (E800-E949)	19	7	4	8	—	7	4	3	—	—
Motor Vehicle Traffic (E810-E819)	7	3	2	2	—	4	2	2	—	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	1	—	—	—	—	—	—	—
Falls (E880-E888)	2	2	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	1	—	—	1	—	—	—	—	—	—
Drowning (E910)	2	1	—	1	—	1	—	1	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	6	1	1	4	—	2	2	—	—	—
Suicide (E950-E959)	2	2	—	—	—	3	1	—	2	—
Firearms (E955)	2	2	—	—	—	3	1	—	2	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	8	3	—	4	1	4	—	—	3	1
Assault by Firearms (E965)	5	2	—	2	1	4	—	—	3	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	3	1	—	2	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	414	190	169	29	26	817	208	197	233	179
Infectious and Parasitic Dis. (001-136)	1	1	—	—	—	7	—	—	4	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	3	—	—	1	2
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	1	—	—	—	3	—	—	3	—
Malignant Neoplasms (140-208)	100	34	54	6	6	131	32	35	44	20
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	—	—	5	3	1	1	—
Of Digestive Organs and Peritoneum (150-159)	31	8	18	2	3	39	6	11	12	10
Of Respiratory System (160-165)	16	13	3	—	—	34	11	4	17	2
Of Breast (174-175)	9	—	8	—	1	8	—	6	—	2
Of Genital Organs (179-187)	15	2	9	3	1	14	4	2	4	4
Of Urinary Organs (188-189)	5	4	1	—	—	3	—	2	1	—
Leukemia (204-208)	5	2	3	—	—	6	2	3	1	—
Of other and unspecified sites (170-173, 190-199)	11	2	7	1	1	12	3	5	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	6	2	4	—	—	10	3	1	5	1
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	—	1
Diabetes Mellitus (250)	9	3	4	—	2	14	3	6	1	4
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	148	71	55	12	10	298	79	94	61	64
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	2	1	—	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	17	6	6	4	1	11	—	2	3	6
Ischemic Heart Disease (410-414)	88	45	35	4	4	220	66	78	37	39
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	7	3	3	1	—	13	1	4	5	3
All other forms of Heart Disease (415-423, 425-427, 429)	36	17	11	3	5	52	11	10	15	16
Hypertension (401, 403)	2	—	1	—	1	3	—	—	2	1
Cerebrovascular Disease (430-438)	40	16	17	4	3	119	22	26	38	33
Atherosclerosis (440)	3	1	2	—	—	7	4	1	2	—
Other Diseases of the Circulatory System (441-459)	5	4	1	—	—	15	6	3	4	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	10	5	4	—	1	13	6	1	5	1
Influenza (487)	1	1	—	—	—	1	—	—	—	1
Chronic and unqualified Bronchitis (490, 491)	3	2	1	—	—	1	1	—	—	—
Emphysema (492)	2	1	1	—	—	3	1	—	2	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	2	—	1	1	—
Chronic Liver Disease and Cirrhosis (571)	3	3	—	—	—	9	4	—	3	2
Other Disease of the Respiratory System (510-519)	3	1	2	—	—	7	1	1	2	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	1	—	—	13	5	—	1	7
Infections of Kidney (590)	1	—	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	1	—	—	—	7	1	1	2	3
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	2	1	1	10	1	1	2	6
Symptoms and Ill-Defined Conditions (780-799)	5	2	2	—	1	7	—	1	1	5
All other Diseases (001-799)	32	17	11	3	1	59	16	15	14	14
Accidents (E800-E949)	29	19	7	3	—	65	21	8	30	6
Motor Vehicle Traffic (E810-E819)	10	7	2	1	—	30	12	4	12	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	—	1	—
Falls (E880-E888)	6	2	4	—	—	5	1	2	2	—
Fire and Flames (E890-E899)	1	1	—	—	—	7	—	—	4	3
Drowning (E910)	3	3	—	—	—	6	2	—	3	1
Firearms (E922)	2	2	—	—	—	2	2	—	—	—
Residual (E800-E949)	6	4	1	1	—	13	4	2	7	—
Suicide (E950-E959)	2	2	—	—	—	1	1	—	—	—
Firearms (E955)	2	2	—	—	—	1	1	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	6	5	1	—	—	21	4	1	14	2
Assault by Firearms (E965)	3	2	1	—	—	14	4	—	9	1
Assault by Cutting and Piercing (E966)	2	2	—	—	—	2	—	—	2	—
Residual (E960-E978)	1	1	—	—	—	5	—	1	3	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	PICKENS					RICHLAND				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	501	258	185	25	33	2,149	724	592	460	373
Infectious and Parasitic Dis. (001-136)	8	4	1	—	3	29	6	6	11	6
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	1	—	—
Tuberculosis, All Forms (010-018)	1	1	—	—	—	6	—	1	3	2
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	7	3	1	—	3	22	6	4	8	4
Malignant Neoplasms (140-208)	110	59	40	6	5	375	130	109	76	60
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	14	5	4	4	1
Of Digestive Organs and Peritoneum (150-159)	29	16	8	3	2	91	30	22	20	19
Of Respiratory System (160-165)	28	18	9	—	1	98	54	18	23	3
Of Breast (174-175)	10	—	9	—	1	37	—	25	1	11
Of Genital Organs (179-187)	10	8	2	—	—	50	14	13	15	8
Of Urinary Organs (188-189)	3	2	1	—	—	18	8	8	—	2
Leukemia (204-208)	6	4	2	—	—	8	4	1	1	2
Of other and unspecified sites (170-173, 190-199)	14	6	5	2	1	41	12	10	9	10
Of Lymphatic and Hematopoietic Tissues (200-203)	9	4	4	1	—	18	3	8	3	4
Benign and unspecified Neoplasms (210-239)	3	1	1	—	1	5	1	—	1	3
Diabetes Mellitus (250)	7	5	1	—	1	43	8	6	11	18
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	181	90	70	9	12	792	295	227	143	127
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	1	—	—	—	6	3	2	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	1	—	—	—	58	14	8	21	15
Ischemic Heart Disease (410-414)	145	72	57	6	10	450	186	145	61	58
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	10	8	1	1	—	48	12	15	12	9
All other forms of Heart Disease (415-423, 425-427, 429)	24	8	12	2	2	230	80	57	49	44
Hypertension (401, 403)	1	—	—	—	1	12	2	2	3	5
Cerebrovascular Disease (430-438)	63	30	31	1	1	195	43	80	29	43
Atherosclerosis (440)	6	1	5	—	—	41	15	10	12	4
Other Diseases of the Circulatory System (441-459)	2	1	1	—	—	26	14	4	6	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	11	7	2	1	1	59	18	17	9	15
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	2	1	1	—	—	3	—	1	2	—
Emphysema (492)	1	1	—	—	—	17	7	6	3	1
Asthma (493)	1	—	1	—	—	1	—	1	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	9	3	2	2	2
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	9	5	1	3	—
Chronic Liver Disease and Cirrhosis (571)	3	2	1	—	—	33	14	9	6	4
Other Disease of the Respiratory System (510-519)	5	2	2	1	—	13	6	1	5	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	2	2	—	—	38	5	8	14	11
Infections of Kidney (590)	1	—	1	—	—	2	—	1	—	1
Congenital Anomalies (740-759)	4	1	3	—	—	25	5	7	9	4
Certain Conditions Originating in the Perinatal Period (760-779)	7	4	2	1	—	33	3	5	9	16
Symptoms and Ill-Defined Conditions (780-799)	2	1	1	—	—	16	6	2	5	3
All other Diseases (001-799)	32	17	9	1	5	187	64	59	32	32
Accidents (E800-E949)	33	19	8	4	2	106	42	20	36	8
Motor Vehicle Traffic (E810-E819)	18	12	4	1	1	43	24	5	14	—
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	5	1	3	1	—
Falls (E880-E888)	3	2	1	—	—	10	3	5	1	1
Fire and Flames (E890-E899)	—	—	—	—	—	10	3	2	2	3
Drowning (E910)	2	1	—	1	—	11	—	2	9	—
Firearms (E922)	—	—	—	—	—	4	1	1	2	—
Residual (E800-E949)	9	3	3	2	1	23	10	2	7	4
Suicide (E950-E959)	8	7	1	—	—	37	22	6	8	1
Firearms (E955)	5	5	—	—	—	19	13	3	3	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	7	4	1	2	—
Poisoning (E950-E952)	2	1	1	—	—	8	4	1	2	1
Residual (E950-E959)	—	—	—	—	—	3	1	1	1	—
Homicide and Legal Intervention (E960-E978)	4	2	—	1	1	41	8	2	25	6
Assault by Firearms (E965)	2	1	—	1	—	27	4	1	17	5
Assault by Cutting and Piercing (E966)	1	1	—	—	—	8	1	1	6	—
Residual (E960-E978)	1	—	—	—	1	6	3	—	2	1
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	161	64	49	29	19	1,801	780	630	223	168
Infectious and Parasitic Dis. (001-136)	2	1	—	1	—	12	3	5	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	3	—	1	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	1	1	—	—	—	9	3	4	1	1
Malignant Neoplasms (140-208)	35	12	10	8	5	329	127	119	51	32
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	6	1	2	2	1
Of Digestive Organs and Peritoneum (150-159)	11	4	2	3	2	70	20	31	14	5
Of Respiratory System (160-165)	7	3	—	3	1	85	46	16	18	5
Of Breast (174-175)	3	—	2	—	1	22	—	19	—	3
Of Genital Organs (179-187)	3	—	2	1	—	33	13	10	5	5
Of Urinary Organs (188-189)	1	—	1	—	—	19	13	5	1	—
Leukemia (204-208)	—	—	—	—	—	10	3	5	—	2
Of other and unspecified sites (170-173, 190-199)	6	2	2	1	1	63	23	25	8	7
Of Lymphatic and Hematopoietic Tissues (200-203)	3	2	1	—	—	21	8	6	3	4
Benign and unspecified Neoplasms (210-239)	—	—	—	—	—	3	1	2	—	—
Diabetes Mellitus (250)	4	—	2	1	1	37	15	15	1	6
Meningitis (320-322)	—	—	—	—	—	2	—	2	—	—
Diseases of Heart (390-398, 402, 404-429)	46	23	15	5	3	671	297	267	50	57
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	6	1	4	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	32	7	10	7	8
Ischemic Heart Disease (410-414)	40	21	14	2	3	446	233	162	30	21
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	—	—	—	—	—	36	7	21	1	7
All other forms of Heart Disease (415-423, 425-427, 429)	6	2	1	3	—	151	49	70	11	21
Hypertension (401, 403)	—	—	—	—	—	16	5	3	5	3
Cerebrovascular Disease (430-438)	28	9	13	2	4	138	57	52	19	10
Atherosclerosis (440)	2	—	1	1	—	13	4	6	3	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	22	11	8	1	2
Acute Bronchitis and Bronchiolitis (466)	1	—	1	—	—	—	—	—	—	—
Pneumonia (480-486)	2	2	—	—	—	60	29	21	7	3
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	7	6	—	1	—
Asthma (493)	—	—	—	—	—	2	—	1	1	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	5	2	3	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	—	2	—	—	4	3	1	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	1	—	16	7	7	1	1
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	19	6	4	3	6
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	1	1	19	7	5	3	4
Infections of Kidney (590)	1	—	1	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	1	—	—	—	9	2	6	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	2	—	—	—	25	9	4	5	7
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	40	15	11	6	8
All other Diseases (001-799)	15	6	2	4	3	154	68	48	26	12
Accidents (E800-E949)	12	5	1	4	2	125	65	30	21	9
Motor Vehicle Traffic (E810-E819)	5	1	—	2	2	58	37	9	7	5
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	2	1	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	4	3	1	—	—
Falls (E880-E888)	1	—	1	—	—	12	5	6	—	1
Fire and Flames (E890-E899)	2	1	—	1	—	13	6	3	2	2
Drowning (E910)	2	1	—	1	—	4	2	1	1	—
Firearms (E922)	1	1	—	—	—	2	2	—	—	—
Residual (E800-E949)	—	—	—	—	—	30	9	10	10	1
Suicide (E950-E959)	3	2	—	1	—	31	23	5	3	—
Firearms (E955)	1	1	—	—	—	23	17	4	2	—
Hanging, Strangulation and Suffocation (E953)	1	—	—	1	—	5	4	—	1	—
Poisoning (E950-E952)	1	1	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	1	1	—	—	—	34	13	3	12	6
Assault by Firearms (E965)	—	—	—	—	—	25	8	2	10	5
Assault by Cutting and Piercing (E966)	1	1	—	—	—	4	2	—	1	1
Residual (E960-E978)	—	—	—	—	—	5	3	1	1	—
Other External Causes (E980-E999)	—	—	—	—	—	5	4	—	1	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	SUMTER					UNION				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	677	178	134	212	153	288	116	85	45	42
Infectious and Parasitic Dis. (001-136)	12	1	1	6	4	1	1	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	4	—	—	3	1	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	8	1	1	3	3	1	1	—	—	—
Malignant Neoplasms (140-208)	132	39	25	28	40	51	27	15	5	4
Of Lip, Oral Cavity and Pharynx (140-149)	6	—	2	4	—	2	1	1	—	—
Of Digestive Organs and Peritoneum (150-159)	27	2	7	6	12	12	7	4	1	—
Of Respiratory System (160-165)	36	20	4	7	5	14	9	2	1	2
Of Breast (174-175)	9	—	4	—	5	4	—	3	—	1
Of Genital Organs (179-187)	13	5	1	3	4	5	1	1	2	1
Of Urinary Organs (188-189)	7	5	1	—	1	1	1	—	—	—
Leukemia (204-208)	4	—	3	—	1	—	—	—	—	—
Of other and unspecified sites (170-173, 190-199)	25	6	3	6	10	7	5	2	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	5	1	—	2	2	6	3	2	1	—
Benign and unspecified Neoplasms (210-239)	1	—	—	—	1	—	—	—	—	—
Diabetes Mellitus (250)	10	3	4	1	2	4	2	1	1	—
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	255	75	46	77	57	126	45	45	19	17
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	—	—	2	2	10	2	7	1	—
Ischemic Heart Disease (410-414)	113	54	21	17	21	88	31	30	14	13
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	27	4	7	12	4	2	—	—	—	2
All other forms of Heart Disease (415-423, 425-427, 429)	110	17	17	46	30	26	12	8	4	2
Hypertension (401, 403)	1	—	—	—	1	1	1	—	—	—
Cerebrovascular Disease (430-438)	71	13	18	16	24	33	4	13	7	9
Atherosclerosis (440)	5	1	—	3	1	3	1	1	1	—
Other Diseases of the Circulatory System (441-459)	6	5	—	1	—	3	2	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	11	2	2	6	1	7	2	2	3	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and unqualified Bronchitis (490, 491)	2	—	2	—	—	1	1	—	—	—
Emphysema (492)	6	4	1	1	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	—	1	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	8	2	3	3	—	5	1	—	2	2
Other Disease of the Respiratory System (510-519)	6	2	1	3	—	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	—	1	2	1	4	2	—	—	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	—	1	2	1	2	1	1	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	20	1	3	9	7	4	1	2	—	1
Symptoms and Ill-Defined Conditions (780-799)	9	1	1	4	3	3	1	1	—	1
All other Diseases (001-799)	52	10	19	19	4	14	7	2	2	3
Accidents (E800-E949)	47	16	5	21	5	16	10	2	3	1
Motor Vehicle Traffic (E810-E819)	20	6	2	11	1	7	4	1	2	—
Motor Vehicle Non-Traffic (E820-E825)	1	—	—	—	1	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	4	2	1	1	—	2	1	1	—	—
Fire and Flames (E890-E899)	3	—	—	2	1	—	—	—	—	—
Drowning (E910)	5	2	—	2	1	—	—	—	—	—
Firearms (E922)	1	1	—	—	—	1	—	—	1	—
Residual (E800-E949)	12	5	2	4	1	6	5	—	—	1
Suicide (E950-E959)	2	1	1	—	—	4	4	—	—	—
Firearms (E955)	1	—	1	—	—	3	3	—	—	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	11	2	—	8	1	2	—	—	2	—
Assault by Firearms (E965)	9	1	—	7	1	1	—	—	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	2	1	—	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

DEATHS FROM SELECTED CAUSES BY RACE, AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1980
(Residence Data)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	347	76	61	100	110	848	355	272	128	93
Infectious and Parasitic Dis. (001-136)	6	1	—	4	1	5	1	4	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	—	—	2	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-136)	4	1	—	2	1	4	—	4	—	—
Malignant Neoplasms (140-208)	52	12	15	14	11	173	71	61	24	17
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	1	—	1	5	3	—	1	1
Of Digestive Organs and Peritoneum (150-159)	13	1	5	3	4	44	18	17	8	1
Of Respiratory System (160-165)	12	7	1	3	1	49	28	10	10	1
Of Breast (174-175)	4	—	3	—	1	12	—	8	—	4
Of Genital Organs (179-187)	8	2	—	4	2	19	3	11	—	5
Of Urinary Organs (188-189)	1	—	1	—	—	6	4	2	—	—
Leukemia (204-208)	4	1	1	1	1	5	3	2	—	—
Of other and unspecified sites (170-173, 190-199)	4	1	2	—	1	21	10	6	3	2
Of Lymphatic and Hematopoietic Tissues (200-203)	4	—	1	3	—	12	2	5	2	3
Benign and unspecified Neoplasms (210-239)	1	—	—	—	1	3	3	—	—	—
Diabetes Mellitus (250)	5	—	—	—	5	21	7	5	2	7
Meningitis (320-322)	1	—	—	—	1	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	140	39	26	29	46	320	139	102	45	34
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	3	—	2	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	12	1	2	4	5	12	2	3	5	2
Ischemic Heart Disease (410-414)	77	30	15	16	16	230	105	75	26	24
Chr. Dis. of Endocardium and other Myocard. Insuff (424, 428)	6	1	1	2	2	7	4	2	1	—
All other forms of Heart Disease (415-423, 425-427, 429)	45	7	8	7	23	68	28	20	12	8
Hypertension (401, 403)	5	—	1	1	3	3	1	—	1	1
Cerebrovascular Disease (430-438)	48	7	8	15	18	83	26	39	7	11
Atherosclerosis (440)	1	—	—	1	—	15	8	6	—	1
Other Diseases of the Circulatory System (441-459)	5	2	2	—	1	15	12	2	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	2	—	1	3	17	1	11	4	1
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and unqualified Bronchitis (490, 491)	2	—	2	—	—	1	—	1	—	—
Emphysema (492)	—	—	—	—	—	7	3	3	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	5	1	—	3	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	1	2	1	—
Chronic Liver Disease and Cirrhosis (571)	4	1	—	2	1	9	5	—	3	1
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	4	1	2	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	2	—	1	1	8	3	2	2	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	—	3	—	6	2	1	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	7	1	1	3	2	14	7	2	3	2
Symptoms and Ill-Defined Conditions (780-799)	9	—	1	—	8	10	4	—	1	5
All other Diseases (001-799)	14	1	2	7	4	50	21	17	10	2
Accidents (E800-E949)	28	7	3	15	3	47	25	7	12	3
Motor Vehicle Traffic (E810-E819)	13	2	2	7	2	27	14	5	7	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	1	1	1	—	1	1	—	—	—
Fire and Flames (E890-E899)	2	—	—	1	1	2	1	—	1	—
Drowning (E910)	4	2	—	2	—	5	3	—	2	—
Firearms (E922)	1	—	—	1	—	1	1	—	—	—
Residual (E800-E949)	4	2	—	2	—	11	5	2	2	2
Suicide (E950-E959)	—	—	—	—	—	12	8	1	2	1
Firearms (E955)	—	—	—	—	—	11	8	1	2	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	—	1
Homicide and Legal Intervention (E960-E978)	5	—	—	4	1	13	4	2	4	3
Assault by Firearms (E965)	5	—	—	4	1	10	3	2	2	3
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	1	—	1	—	—

Table 49.
Deaths From Selected Causes, by Age, Race, and Sex: South Carolina, 1980
(Residence Data)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
ALL CAUSES	Total	25,138	809	154	90	78	303	442	839	1,058	2,214	4,622	6,470	8,059	-
	MW	9,444	194	45	25	32	162	188	339	352	910	2,003	2,660	2,534	-
	FW	7,337	136	35	29	11	53	64	131	187	416	949	1,698	3,628	-
	M Nw	4,648	256	46	24	25	72	140	258	338	548	1,000	1,116	825	-
	F Nw	3,709	223	28	12	10	16	50	111	181	340	670	996	1,072	-
INFECTIOUS AND PARASITIC DISEASES (001-136)	Total	295	15	10	-	1	1	2	11	23	23	52	88	69	-
	MW	75	3	3	-	-	-	-	1	6	7.	17	23	15	-
	FW	63	-	2	-	-	1	2	1	3	5	6	22	21	-
	M NW	92	8	3	-	-	-	-	4	7	8	20	24	18	-
	F NW	65	4	2	-	1	-	-	5	7	3	9	19	15	-
Enteritis and other Intestinal Diseases (008-009)	Total	7	4	1	-	-	-	-	-	-	1	1	-	-	-
	MW	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	M Nw	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	F Nw	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms (010-018)	Total	55	-	-	-	-	-	1	2	10	3	11	15	13	-
	MW	9	-	-	-	-	-	-	-	2	-	3	2	2	-
	FW	7	-	-	-	-	-	1	-	1	1	-	3	1	-
	M Nw	28	-	-	-	-	-	-	2	4	1	7	7	7	-
	F Nw	11	-	-	-	-	-	-	-	3	1	1	3	3	-
Tetanus (037)	Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	Total	2	1	-	-	-	-	-	-	-	-	-	1	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	1	-	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Remainder of (001-136)	Total	230	10	9	-	1	1	1	9	13	19	41	71	55	-
	MW	65	3	3	-	-	-	-	1	4	6	14	21	13	-
	FW	54	-	2	-	-	1	1	1	2	4	6	18	19	-
	M Nw	59	4	2	-	-	-	-	2	3	7	13	17	11	-
	F Nw	52	3	2	-	1	-	-	5	4	2	8	15	12	-
MALIGNANT NEOPLASMS (140-208)	Total	4,890	1	10	6	9	18	26	80	202	598	1,303	1,484	1,153	-
	MW	1,940	1	3	2	3	4	12	24	58	221	529	623	460	-
	FW	1,526	-	3	2	3	4	5	31	63	184	357	438	436	-
	M NW	809	-	-	1	2	6	5	14	37	102	247	256	139	-
	F NW	615	-	4	1	1	4	4	11	44	91	170	167	118	-
Of lip, oral cavity and pharynx (140-149)	Total	123	-	-	-	-	1	-	3	4	15	33	48	19	-
	MW	48	-	-	-	-	-	-	1	-	6	16	19	6	-
	FW	29	-	-	-	-	-	-	-	1	3	2	14	9	-
	M Nw	33	-	-	-	-	-	-	1	3	5	13	10	1	-
	F Nw	13	-	-	-	-	1	-	1	-	1	2	5	3	-
Of digestive organs and peritoneum (150-159)	Total	1,129	-	-	-	1	3	1	9	31	127	300	330	327	-
	MW	379	-	-	-	1	-	-	3	9	44	108	108	106	-
	FW	360	-	-	-	-	-	-	1	7	26	70	106	150	-
	M Nw	220	-	-	-	-	3	1	4	6	34	75	67	30	-
	F Nw	170	-	-	-	-	-	-	1	9	23	47	49	41	-
Of respiratory system (160-165)	Total	1,337	-	-	-	-	-	2	2	41	191	437	444	220	-
	MW	790	-	-	-	-	-	1	2	22	105	244	281	135	-
	FW	240	-	-	-	-	-	-	-	5	39	82	74	40	-
	M Nw	247	-	-	-	-	-	-	-	12	35	90	74	36	-
	F Nw	60	-	-	-	-	-	1	-	2	12	21	15	9	-
Of Breast(174-175)	Total	412	-	-	-	-	-	-	14	35	75	118	105	65	-
	MW	4	-	-	-	-	-	-	1	-	-	1	2	-	-
	FW	307	-	-	-	-	-	-	9	22	54	87	81	54	-
	M Nw	3	-	-	-	-	-	-	-	-	-	2	1	-	-
	F Nw	98	-	-	-	-	-	-	4	13	21	28	21	11	-
Of genital organs (179-187)	Total	612	-	-	-	-	3	3	11	23	49	131	186	206	-
	MW	200	-	-	-	-	-	1	2	-	2	31	67	97	-
	FW	177	-	-	-	-	2	-	7	12	26	42	42	46	-
	M Nw	129	-	-	-	-	1	1	1	1	6	25	50	44	-
	F Nw	106	-	-	-	-	-	1	1	10	15	33	27	19	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Of urinary organs (188-189)	Total	217	-	3	-	-	-	2	3	2	16	54	74	63	-
	MW	119	-	-	-	-	-	-	1	2	7	37	41	31	-
	FW	56	-	1	-	-	-	1	-	-	4	10	17	23	-
	M Nw	21	-	-	-	-	-	1	1	-	4	5	9	1	-
	F Nw	21	-	2	-	-	-	-	1	-	1	2	7	8	-
Leukemia (204-208)	Total	160	-	3	3	3	3	5	9	12	13	35	34	40	-
	MW	67	-	2	2	2	2	4	3	3	5	18	10	16	-
	FW	60	-	-	-	-	-	-	4	6	7	11	16	16	-
	M NW	16	-	-	1	1	-	-	1	2	1	2	3	5	-
	F NW	17	-	1	-	-	1	1	1	1	-	4	5	3	-
Of other and unspecified sites (170-173, 190-199)	Total	635	1	4	3	5	5	9	22	36	77	136	191	146	-
	MW	249	1	1	-	-	1	4	9	14	39	58	79	43	-
	FW	204	-	2	2	3	2	3	8	7	15	36	62	64	-
	M Nw	90	-	-	-	1	1	2	5	7	7	22	27	18	-
	F Nw	92	-	1	1	1	1	-	-	8	16	20	23	21	-
Of Lymphatic and Hematopoietic Tissue (200-203)	Total	265	-	-	-	-	3	4	7	18	35	59	72	67	-
	MW	84	-	-	-	-	1	2	2	8	13	16	16	26	-
	FW	93	-	-	-	-	-	1	2	3	10	17	26	34	-
	M Nw	50	-	-	-	-	1	-	1	6	10	13	15	4	-
	F Nw	38	-	-	-	-	1	1	2	1	2	13	15	3	-
BENIGN AND UNSPECIFIED NEOPLASMS (210-239)	Total	50	-	1	-	-	-	1	1	1	8	8	16	14	-
	MW	13	-	-	-	-	-	-	1	-	1	4	3	4	-
	FW	20	-	1	-	-	-	1	-	-	2	3	5	8	-
	M Nw	6	-	-	-	-	-	-	-	1	1	-	3	1	-
	F Nw	11	-	-	-	-	-	-	-	-	4	1	5	1	-
DIABETES MELLITUS (250)	Total	475	-	-	-	1	1	3	14	22	37	120	136	141	-
	MW	123	-	-	-	-	-	-	7	6	11	30	27	42	-
	FW	133	-	-	-	-	-	2	1	4	5	25	47	49	-
	M Nw	74	-	-	-	-	-	1	5	6	5	25	19	13	-
	F Nw	145	-	-	-	1	1	-	1	6	16	40	43	37	-
MENINGITIS (320-322)	Total	17	8	2	-	-	-	2	-	1	1	1	2	-	-
	MW	4	2	1	-	-	-	1	-	-	-	-	-	-	-
	FW	4	1	-	-	-	-	-	-	1	1	1	-	-	-
	M Nw	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	F Nw	5	2	-	-	-	-	1	-	-	-	-	2	-	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
DISEASES OF HEART (390-398, 402, 404-429)	Total	9,047	21	6	4	2	8	15	63	229	692	1,713	2,690	3,604	-
	MW	3,587	3	2	1	1	2	4	19	89	361	838	1,180	1,087	-
	FW	2,834	3	2	1	-	1	1	5	31	79	281	694	1,736	-
	M Nw	1,380	10	2	-	1	3	9	28	77	158	351	419	322	-
	F Nw	1,246	5	-	2	-	2	1	11	32	94	243	397	459	-
1. Rheumatic fever and chr. rheumatic heart diseases (390-398)	Total	63	-	-	1	-	-	-	2	8	13	13	12	14	-
	MW	15	-	-	-	-	-	-	1	1	4	7	1	1	-
	FW	35	-	-	1	-	-	-	-	4	5	5	10	10	-
	M NW	6	-	-	-	-	-	-	-	1	2	1	1	1	-
	F NW	7	-	-	-	-	-	-	1	2	2	-	-	2	-
2. Hypertensive heart and hypertensive heart-renal (402, 404)	Total	398	-	-	-	-	-	-	3	8	21	81	138	147	-
	MW	72	-	-	-	-	-	-	2	-	1	17	26	26	-
	FW	101	-	-	-	-	-	-	-	-	1	6	35	59	-
	M Nw	100	-	-	-	-	-	-	1	4	13	23	37	22	-
	F Nw	125	-	-	-	-	-	-	-	4	6	35	40	40	-
3. Ischemic heart disease (410-414)	Total	6,060	-	-	-	-	2	6	19	132	462	1,178	1,855	2,406	-
	MW	2,707	-	-	-	-	2	1	5	62	279	640	933	785	-
	FW	1,948	-	-	-	-	-	1	-	14	51	197	486	1,199	-
	M Nw	741	-	-	-	-	-	3	12	44	82	198	228	174	-
	F Nw	664	-	-	-	-	-	1	2	12	50	143	208	248	-
4. Chronic disease of endocardium and other insuff. (424, 428)	Total	429	1	1	-	1	-	-	1	6	19	65	99	236	-
	MW	110	-	-	-	-	-	-	-	4	7	18	27	54	-
	FW	148	-	-	-	-	-	-	-	1	2	15	26	104	-
	M Nw	90	1	1	-	1	-	-	1	-	8	21	26	31	-
	F Nw	81	-	-	-	-	-	-	-	1	2	11	20	47	-
All other forms of heart diseases (415-423, 425-427, 429)	Total	2,097	20	5	3	1	6	9	38	75	177	376	586	801	-
	MW	683	3	2	1	1	-	3	11	22	70	156	193	221	-
	FW	602	3	2	-	-	1	-	5	12	20	58	137	364	-
	M Nw	443	9	1	-	-	3	6	14	28	53	108	127	94	-
	F Nw	369	5	-	2	-	2	-	8	13	34	54	129	122	-
HYPERTENSION (401, 403)	Total	112	-	-	-	-	1	-	2	6	16	24	30	33	-
	MW	27	-	-	-	-	-	-	1	-	2	5	10	9	-
	FW	24	-	-	-	-	-	-	-	1	1	3	4	15	-
	M Nw	29	-	-	-	-	-	-	1	4	4	9	8	3	-
	F Nw	32	-	-	-	-	1	-	-	1	9	7	8	6	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
CEREBROVASCULAR DISEASES (430-438)	Total	2,488	2	2	1	-	-	3	22	61	133	319	672	1,273	-
	MW	648	1	-	1	-	-	-	4	13	29	99	185	316	-
	FW	884	-	1	-	-	-	-	7	12	20	58	173	613	-
	M Nw	429	-	-	-	-	-	2	6	23	48	89	140	121	-
	F Nw	527	1	1	-	-	-	1	5	13	36	73	174	223	-
ARTERIOSCELEROSIS (440)	Total	264	-	-	-	-	-	-	-	1	7	15	56	185	-
	MW	74	-	-	-	-	-	-	-	1	2	6	25	40	-
	FW	101	-	-	-	-	-	-	-	-	1	1	8	91	-
	M NW	53	-	-	-	-	-	-	-	-	3	6	14	30	-
	F NW	36	-	-	-	-	-	-	-	-	1	2	9	24	-
OTHER DISEASES OF THE CIRCULATORY SYSTEM (441-459)	Total	287	1	-	-	-	2	1	2	10	20	65	93	93	-
	MW	151	-	-	-	-	1	1	1	5	7	36	57	43	-
	FW	65	-	-	-	-	-	-	-	-	3	11	16	35	-
	M Nw	40	1	-	-	-	-	-	1	3	8	12	9	6	-
	F Nw	31	-	-	-	-	1	-	-	2	2	6	11	9	-
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)	Total	5	1	-	-	-	-	-	-	-	1	1	1	1	-
	MW	2	1	-	-	-	-	-	-	-	-	-	-	1	-
	FW	2	-	-	-	-	-	-	-	-	-	1	1	-	-
	M Nw	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA (480-486)	Total	540	21	5	2	-	1	9	7	20	31	73	98	273	-
	MW	188	2	1	-	-	1	-	3	4	9	29	40	99	-
	FW	175	1	2	2	-	-	3	1	1	5	11	20	129	-
	M Nw	117	9	2	-	-	-	4	2	12	12	26	26	24	-
	F Nw	60	9	-	-	-	-	2	1	3	5	7	12	21	-
INFLUENZA (487)	Total	19	-	1	1	-	-	-	-	-	-	1	2	14	-
	MW	9	-	1	1	-	-	-	-	-	-	1	1	5	-
	FW	8	-	-	-	-	-	-	-	-	-	-	1	7	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	2	-	-	-	-	-	-	-	-	-	-	-	2	-
CHRONIC AND UNQUALIFIED BRONCHITIS (490-491)	Total	40	-	-	-	-	-	-	1	1	6	5	11	16	-
	MW	20	-	-	-	-	-	-	-	1	3	2	6	8	-
	FW	15	-	-	-	-	-	-	1	-	1	3	3	7	-
	M Nw	4	-	-	-	-	-	-	-	-	2	-	2	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
EMPHYSEMA (492)	Total	131	-	-	-	-	-	-	-	-	13	33	46	39	-
	MW	84	-	-	-	-	-	-	-	-	8	20	32	24	-
	FW	24	-	-	-	-	-	-	-	-	4	5	4	11	-
	M Nw	21	-	-	-	-	-	-	-	-	1	8	8	4	-
	F Nw	2	-	-	-	-	-	-	-	-	-	-	2	-	-
ASTHMA (493)	Total	22	-	-	-	-	-	-	6	2	3	4	5	2	-
	MW	4	-	-	-	-	-	-	2	-	-	1	1	-	-
	FW	9	-	-	-	-	-	-	1	-	-	3	3	2	-
	M NW	4	-	-	-	-	-	-	1	2	-	-	1	-	-
	F NW	5	-	-	-	-	-	-	2	-	3	-	-	-	-
ULCER OF STOMACH AND DUODENUM (531-533)	Total	75	1	-	-	-	-	-	1	4	13	14	12	30	-
	MW	31	-	-	-	-	-	-	-	2	6	7	7	9	-
	FW	20	-	-	-	-	-	-	1	-	1	1	2	15	-
	M Nw	15	1	-	-	-	-	-	-	2	4	4	1	3	-
	F Nw	9	-	-	-	-	-	-	-	-	2	2	2	3	-
HERNIA AND INTESTINAL OBSTRUCTION(550-553, 560)	Total	69	4	-	1	2	-	-	1	3	6	7	15	30	-
	MW	24	2	-	-	1	-	-	1	1	-	3	6	10	-
	FW	29	-	-	1	1	-	-	-	-	3	3	5	16	-
	M Nw	13	2	-	-	-	-	-	-	2	3	1	2	3	-
	F Nw	3	-	-	-	-	-	-	-	-	-	-	2	1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	Total	301	-	-	-	-	-	2	18	42	66	95	64	14	-
	MW	134	-	-	-	-	-	-	6	10	26	59	28	5	-
	FW	80	-	-	-	-	-	-	2	5	15	23	27	8	-
	M Nw	43	-	-	-	-	-	-	3	13	14	9	3	1	-
	F Nw	44	-	-	-	-	-	2	7	14	11	4	6	-	-
OTHER DISEASES OF THE RESPIRATORY SYSTEM (510-519)	Total	181	8	1	1	1	-	2	3	4	15	32	56	58	-
	MW	66	1	-	-	-	-	1	1	-	5	10	30	18	-
	FW	45	2	1	-	-	-	1	-	1	2	6	12	20	-
	M Nw	43	1	-	-	-	-	-	1	1	7	11	10	12	-
	F Nw	27	4	-	1	1	-	-	1	2	1	5	4	8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (580-589)	Total	275	8	-	-	1	1	3	6	4	19	54	82	97	-
	MW	71	2	-	-	-	1	-	2	3	2	9	26	26	-
	FW	60	1	-	-	1	-	-	-	1	6	5	14	32	-
	M Nw	71	3	-	-	-	-	2	2	-	4	20	19	21	-
	F Nw	73	2	-	-	-	-	1	2	-	7	20	23	18	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
INFECTIONS OF KIDNEY (590)	**Total**	31	1	-	-	-	-	-	-	-	1	5	9	15	-
	MW	3	-	-	-	-	-	-	-	-	-	-	2	1	-
	FW	19	-	-	-	-	-	-	-	-	1	4	2	12	-
	M Nw	4	1	-	-	-	-	-	-	-	-	1	2	-	-
	F Nw	5	-	-	-	-	-	-	-	-	-	-	3	2	-
CONGENITAL ANOMALIES (740-759)	**Total**	196	124	23	5	5	4	2	5	7	6	7	6	2	-
	MW	61	34	8	-	4	1	1	1	1	2	3	4	2	-
	FW	57	32	7	2	1	1	-	4	5	1	3	1	-	-
	M NW	51	34	7	3	-	1	1	-	-	3	1	1	-	-
	F NW	27	24	1	-	-	1	-	-	1	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	**Total**	446	445	1	-	-	-	-	-	-	-	-	-	-	-
	MW	103	103	-	-	-	-	-	-	-	-	-	-	-	-
	FW	72	71	1	-	-	-	-	-	-	-	-	-	-	-
	M Nw	141	141	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	130	130	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS (780-799)	**Total**	602	106	5	-	-	-	1	12	19	54	96	143	166	-
	MW	178	28	-	-	-	-	-	2	4	27	35	46	36	-
	FW	114	17	-	-	-	-	1	-	3	6	13	21	53	-
	M Nw	168	31	4	-	-	-	-	8	9	17	32	41	26	-
	F Nw	142	30	1	-	-	-	-	2	3	4	16	35	51	-
ALL OTHER DISEASES (001-799)	**Total**	1,867	18	17	13	11	20	42	87	105	187	323	468	576	-
	MW	703	5	4	3	2	10	9	26	22	58	136	217	211	-
	FW	555	4	7	4	2	4	12	12	17	28	86	130	249	-
	M Nw	352	5	2	5	6	3	13	27	39	65	62	69	56	-
	F Nw	257	4	4	1	1	3	8	22	27	36	39	52	60	-
ACCIDENTS (E800-E949)	**Total**	1,700	23	69	53	43	201	218	293	182	162	176	137	143	-
	MW	784	6	21	17	19	115	112	152	84	74	84	52	48	-
	FW	308	4	8	16	3	35	27	39	25	25	28	37	61	-
	M Nw	459	6	25	14	16	48	66	79	57	51	44	32	21	-
	F Nw	149	7	15	6	5	3	13	23	16	12	20	16	13	-
Motor Vehicle Traffic (E810-E819)	**Total**	844	1	20	24	25	143	150	192	101	62	57	46	23	-
	MW	425	1	7	9	11	85	83	95	47	30	31	18	8	-
	FW	155	-	4	8	2	30	23	27	18	11	12	15	5	-
	M Nw	210	-	6	7	9	27	36	53	28	17	11	9	7	-
	F Nw	54	-	3	-	3	1	8	17	8	4	3	4	3	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Motor Vehicle non-traffic (E820-E825)	**Total**	19	-	2	1	-	-	-	2	3	4	4	3	-	-
	MW	8	-	-	-	-	-	-	2	2	1	2	1	-	-
	FW	4	-	-	1	-	-	-	-	-	1	1	1	-	-
	M Nw	6	-	2	-	-	-	-	-	1	2	1	-	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Railway (E800-E807)	**Total**	12	-	-	-	1	1	1	2	2	2	2	1	-	-
	MW	7	-	-	-	1	1	-	1	1	2	-	1	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	5	-	-	-	-	-	1	1	1	-	2	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by drugs and medicaments (E850-E858)	**Total**	34	-	-	-	-	2	2	11	4	3	5	3	4	-
	MW	19	-	-	-	-	1	2	7	3	1	2	-	3	-
	FW	12	-	-	-	-	1	-	4	1	2	2	2	-	-
	M Nw	2	-	-	-	-	-	-	-	-	-	1	1	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Falls (E880-E888)	**Total**	145	-	2	1	-	-	3	6	5	7	15	29	77	-
	MW	61	-	1	-	-	-	1	4	1	1	5	16	32	-
	FW	60	-	-	-	-	-	1	1	2	2	6	8	40	-
	M Nw	17	-	1	-	-	-	1	1	2	3	3	4	2	-
	F Nw	7	-	-	1	-	-	-	-	-	1	1	1	3	-
Fire and Flames (E890-E899)	**Total**	161	3	24	10	3	6	12	10	17	22	26	13	15	-
	MW	43	1	5	1	1	3	4	5	3	7	8	3	2	-
	FW	13	-	-	2	1	1	2	-	1	1	2	1	2	-
	M Nw	61	-	9	3	-	2	3	3	11	10	7	5	8	-
	F Nw	44	2	10	4	1	-	3	2	2	4	9	4	3	-
Drowning (E910)	**Total**	110	1	9	10	9	20	19	13	11	7	8	2	1	-
	MW	46	-	4	3	4	8	7	5	6	5	4	-	-	-
	FW	11	1	2	2	-	2	-	2	-	1	1	-	-	-
	M Nw	46	-	3	4	5	10	11	5	3	1	3	1	-	-
	F Nw	7	-	-	1	-	-	1	1	2	-	-	1	1	-
Firearms (E922)	**Total**	51	-	-	4	2	9	5	12	6	6	6	1	-	-
	MW	31	-	-	2	1	7	1	7	4	4	4	1	-	-
	FW	4	-	-	2	-	-	-	1	-	-	1	-	-	-
	M Nw	12	-	-	-	-	2	4	3	-	2	1	-	-	-
	F Nw	4	-	-	-	1	-	-	1	2	-	-	-	-	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Residual (E800-E949)	Total	324	18	12	3	3	20	26	45	33	49	53	39	23	-
	MW	144	4	4	2	1	10	14	26	17	23	28	12	3	-
	FW	49	3	2	1	-	1	1	4	3	7	3	10	14	-
	M Nw	100	6	4	-	2	7	10	13	11	16	15	12	4	-
	F Nw	31	5	2	-	-	2	1	2	2	3	7	5	2	-
SUICIDE (E950-E959)	Total	301	-	-	-	-	22	36	83	39	41	39	30	11	-
	MW	194	-	-	-	-	17	21	46	23	26	27	23	11	-
	FW	57	-	-	-	-	3	4	18	7	12	7	6	-	-
	M NW	39	-	-	-	-	2	8	13	8	3	4	1	-	-
	F NW	11	-	-	-	-	-	3	6	1	-	1	-	-	-
Firearms (E955)	Total	219	-	-	-	-	14	21	53	28	35	33	27	8	-
	MW	148	-	-	-	-	11	10	32	17	25	24	21	8	-
	FW	38	-	-	-	-	2	2	12	4	8	5	5	-	-
	M Nw	26	-	-	-	-	1	7	6	6	2	3	1	-	-
	F Nw	7	-	-	-	-	-	2	3	1	-	1	-	-	-
Hanging, Strangulation and Suffocation (E953)	Total	30	-	-	-	-	7	8	6	1	1	2	2	3	-
	MW	21	-	-	-	-	6	5	2	1	-	2	2	3	-
	FW	2	-	-	-	-	-	1	-	-	1	-	-	-	-
	M Nw	6	-	-	-	-	1	1	4	-	-	-	-	-	-
	F Nw	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Poisoning (E950-E952)	Total	37	-	-	-	-	1	5	17	6	4	3	1	-	-
	MW	20	-	-	-	-	-	4	10	5	-	1	-	-	-
	FW	13	-	-	-	-	1	1	4	1	3	2	1	-	-
	M Nw	3	-	-	-	-	-	-	2	-	1	-	-	-	-
	F Nw	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Residual (E950-E959)	Total	15	-	-	-	-	-	2	7	4	1	1	-	-	-
	MW	5	-	-	-	-	-	2	2	-	1	-	-	-	-
	FW	4	-	-	-	-	-	-	2	2	-	-	-	-	-
	M Nw	4	-	-	-	-	-	-	1	2	-	1	-	-	-
	F Nw	2	-	-	-	-	-	-	2	-	-	-	-	-	-
HOMICIDE (E960-E978)	Total	392	1	1	3	2	23	69	116	68	53	32	17	7	-
	MW	131	-	1	-	2	10	21	38	19	22	9	5	4	-
	FW	31	-	-	1	-	4	5	6	5	5	1	2	2	-
	M Nw	181	-	-	1	-	9	29	60	35	23	17	6	1	-
	F Nw	49	1	-	1	-	-	14	12	9	3	5	4	-	-

Table 49. (cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Assault by Firearms (E965)	Total	282	-	-	2	2	18	52	88	52	28	25	11	4	-
	MW	96	-	-	-	2	8	16	33	14	11	6	4	2	-
	FW	20	-	-	-	-	3	3	4	5	2	1	1	1	-
	M Nw	130	-	-	1	-	7	22	41	29	12	14	3	1	-
	F Nw	36	-	-	1	-	-	11	10	4	3	4	3	-	-
Assault by cutting and piercing (E966)	Total	56	-	-	-	-	3	12	18	6	11	1	3	2	-
	MW	15	-	-	-	-	1	4	1	2	4	1	1	1	-
	FW	3	-	-	-	-	-	-	-	-	1	-	1	1	-
	M NW	33	-	-	-	-	2	7	16	2	6	-	-	-	-
	F NW	5	-	-	-	-	-	1	1	2	-	-	1	-	-
Residual (E960-E978)	Total	54	1	1	1	-	2	5	10	10	14	6	3	1	-
	MW	20	-	1	-	-	1	1	4	3	7	2	-	1	-
	FW	8	-	-	1	-	1	2	2	-	2	-	-	-	-
	M Nw	18	-	-	-	-	-	-	3	4	5	3	3	-	-
	F Nw	8	1	-	-	-	-	2	1	3	-	1	-	-	-
OTHER EXTERNAL CAUSES (E980-E999)	Total	20	-	-	-	-	-	5	5	2	2	5	1	-	-
	MW	12	-	-	-	-	-	5	1	-	1	4	1	-	-
	FW	3	-	-	-	-	-	-	1	2	-	-	-	-	-
	M Nw	5	-	-	-	-	-	-	3	-	1	1	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total														
	MW														
	FW														
	M Nw														
	F Nw														
	Total														
	MW														
	FW														
	M Nw														
	F Nw														
	Total														
	MW														
	FW														
	M Nw														
	F Nw														

Table 50.
Major Causes of Accidental Death: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Cause of Accidental Death							
	Total	Transport	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,700	926	55	145	161	51	110	252
Abbeville	13	6	1	3	1	-	-	2
Aiken	41	20	2	4	7	1	3	4
Allendale	7	3	-	1	1	1	-	1
Anderson	72	52	1	8	4	2	2	3
Bamberg	20	8	-	1	9	-	2	-
Barnwell	12	6	2	-	1	1	1	1
Beaufort	40	21	1	3	3	1	3	8
Berkeley	38	26	1	-	4	-	1	6
Calhoun	14	8	-	1	3	-	-	2
Charleston	128	59	7	18	12	2	10	20
Cherokee	26	13	1	3	2	2	1	4
Chester	27	14	-	2	4	1	1	5
Chesterfield	24	16	-	-	1	-	1	6
Clarendon	14	9	-	-	1	1	-	3
Colleton	27	16	1	3	-	-	3	4
Darlington	34	15	-	7	4	3	-	5
Dillon	21	8	2	2	1	2	2	4
Dorchester	33	20	1	4	1	-	2	5
Edgefield	11	7	-	-	-	1	-	3
Fairfield	18	9	1	-	3	-	1	4
Florence	66	35	3	3	11	3	5	6
Georgetown	29	16	-	1	3	2	2	5
Greenville	125	81	2	10	12	-	2	18
Greenwood	26	16	1	-	3	1	2	3
Hampton	16	4	1	2	4	1	2	2
Horry	71	46	3	3	6	3	4	6
Jasper	13	7	-	1	1	-	2	2
Kershaw	29	19	1	2	2	-	4	1
Lancaster	25	13	-	4	3	-	1	4
Laurens	37	22	2	3	2	1	2	5
Lee	6	2	1	-	1	-	-	2
Lexington	65	40	3	5	6	3	2	6
McCormick	8	1	-	1	2	-	3	1
Marion	30	19	-	1	2	4	1	3
Marlboro	19	7	5	2	1	-	2	2
Newberry	7	4	-	-	-	-	1	2
Oconee	29	12	-	6	1	2	3	5
Orangeburg	65	33	1	5	7	2	6	11
Pickens	33	19	-	3	-	-	2	9
Richland	106	47	7	10	10	4	11	17
Saluda	12	6	-	1	2	1	2	-
Spartanburg	125	65	4	12	13	2	4	25
Sumter	47	24	-	4	3	1	5	10
Union	16	9	-	2	-	1	-	4
Williamsburg	28	15	-	3	2	1	4	3
York	47	28	-	1	2	1	5	10

Table 51.
Major Causes of Accidental Death: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Cause of Accidental Death							
	Total	Transport	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,742	961	56	149	154	51	123	248
Abbeville	12	4	1	2	1	-	1	3
Aiken	32	15	2	3	7	-	3	2
Allendale	4	2	-	-	1	1	-	-
Anderson	79	60	1	7	4	2	3	2
Bamberg	13	6	-	1	4	-	2	-
Barnwell	6	3	2	-	-	-	1	-
Beaufort	53	29	2	3	6	-	6	7
Berkeley	28	17	-	-	4	-	3	4
Calhoun	11	8	-	-	3	-	-	-
Charleston	194	88	9	26	16	5	11	39
Cherokee	22	14	1	1	2	2	1	1
Chester	20	11	-	1	3	1	-	4
Chesterfield	21	15	-	-	1	-	1	4
Clarendon	12	7	-	-	-	1	2	2
Colleton	28	14	1	3	-	2	5	3
Darlington	24	12	-	3	4	2	-	3
Dillon	24	12	2	-	1	2	2	5
Dorchester	15	13	-	-	1	-	-	1
Edgefield	12	9	-	-	-	-	-	3
Fairfield	15	7	1	-	2	-	2	3
Florence	95	54	3	10	11	3	6	8
Georgetown	28	16	-	1	3	-	2	6
Greenville	156	98	4	15	13	3	3	20
Greenwood	24	14	2	4	3	1	-	-
Hampton	9	3	1	1	1	1	1	1
Horry	76	44	2	2	6	3	10	9
Jasper	14	11	-	-	1	-	1	1
Kershaw	23	14	1	-	2	-	5	1
Lancaster	21	11	-	3	4	-	-	3
Laurens	25	16	1	2	1	-	-	5
Lee	8	6	-	-	1	-	-	1
Lexington	50	29	3	2	5	1	5	5
McCormick	10	6	-	-	2	-	2	-
Marion	23	13	-	1	2	3	2	2
Marlboro	17	8	5	-	1	-	2	1
Newberry	10	6	-	-	-	-	1	3
Oconee	30	17	-	4	1	2	2	4
Orangeburg	70	38	1	5	6	3	8	9
Pickens	28	11	-	4	-	-	3	10
Richland	156	72	6	22	11	7	12	26
Saluda	7	4	-	-	2	-	1	-
Spartanburg	131	68	4	15	12	4	4	24
Sumter	41	20	1	3	2	1	5	9
Union	10	5	-	2	-	-	-	3
Williamsburg	20	12	-	1	2	-	2	3
York	35	19	-	2	2	1	3	8

Table 52.
Deaths From Suicides by Method: South Carolina, 1980
(Occurrence Data)

County of Occurrence	Total (E950-E959)	Firearms (E955)	Hanging Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	298	217	31	38	12
Abbeville	2	1	-	1	-
Aiken	10	7	-	3	-
Allendale	2	2	-	-	-
Anderson	22	17	1	3	1
Bamberg	1	1	-	-	-
Barnwell	-	-	-	-	-
Beaufort	7	5	-	1	1
Berkeley	3	1	1	1	-
Calhoun	1	1	-	-	-
Charleston	31	19	4	5	3
Cherokee	-	-	-	-	-
Chester	3	3	-	-	-
Chesterfield	3	2	-	1	-
Clarendon	1	1	-	-	-
Colleton	1	1	-	-	-
Darlington	4	3	-	1	-
Dillon	3	2	1	-	-
Dorchester	2	2	-	-	-
Edgefield	1	1	-	-	-
Fairfield	-	-	-	-	-
Florence	4	4	-	-	-
Georgetown	2	1	-	-	1
Greenville	31	27	1	3	-
Greenwood	6	5	1	-	-
Hampton	1	1	-	-	-
Horry	15	10	4	-	1
Jasper	1	1	-	-	1
Kershaw	6	5	-	1	-
Lancaster	6	5	1	-	-
Laurens	1	1	-	-	-
Lee	1	1	-	-	-
Lexington	19	12	2	4	1
McCormick	1	-	1	-	-
Marion	2	2	-	-	-
Marlboro	2	2	-	-	-
Newberry	3	3	-	-	-
Oconee	3	2	-	1	-
Orangeburg	1	1	-	-	-
Pickens	8	5	1	2	-
Richland	37	22	5	7	3
Saluda	3	1	1	1	-
Spartanburg	30	23	5	2	-
Sumter	2	1	1	-	-
Union	4	3	-	1	-
Williamsburg	1	1	-	-	-
York	11	9	1	-	1

Table 53.
Deaths From Homicides by Types: South Carolina, 1980 (Occurrence Data)

County of Occurrence	Total (E960-E978)	Assault by Firearms (E965)	Assault by Cutting/ Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	386	272	55	59
Abbeville	3	3	-	-
Aiken	5	3	-	2
Allendale	2	2	-	-
Anderson	13	8	4	1
Bamberg	1	1	-	-
Barnwell	2	1	1	-
Beaufort	3	2	1	-
Berkeley	10	7	-	3
Calhoun	1	1	-	-
Charleston	41	23	8	10
Cherokee	9	5	3	1
Chester	6	3	3	-
Chesterfield	1	1	-	-
Clarendon	4	4	-	-
Colleton	4	4	-	-
Darlington	6	5	-	1
Dillon	6	5	1	-
Dorchester	5	3	1	1
Edgefield	2	2	-	-
Fairfield	2	-	2	-
Florence	20	14	2	4
Georgetown	5	1	3	1
Greenville	34	29	1	4
Greenwood	3	3	-	-
Hampton	2	2	-	-
Horry	13	10	1	2
Jasper	-	-	-	-
Kershaw	3	2	1	-
Lancaster	2	1	-	1
Laurens	12	9	2	1
Lee	-	-	-	-
Lexington	8	6	1	1
McCormick	2	2	-	-
Marion	9	7	1	1
Marlboro	8	4	1	3
Newberry	3	3	-	-
Oconee	5	3	2	-
Orangeburg	17	14	1	2
Pickens	3	2	-	1
Richland	47	30	8	9
Saluda	1	-	1	-
Spartanburg	38	28	5	5
Sumter	10	7	-	3
Union	1	1	-	-
Williamsburg	5	5	-	-
York	9	6	1	2

Table 54.
Infant Deaths and Infant Mortality Rate by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	809	15.6	330	10.8	479	22.4
Abbeville	1	3.1	-	0	1	7.5
Aiken	22	13.0	11	10.1	11	18.5
Allendale	9	39.8	1	22.7	8	44.0
Anderson	21	10.8	19	12.5	2	4.7
Bamberg	8	27.1	1	10.5	7	35.0
Barnwell	6	17.4	2	12.3	4	22.0
Beaufort	20	15.2	9	11.5	11	20.4
Berkeley	25	12.6	14	10.2	11	17.8
Calhoun	1	4.7	-	0	1	6.7
Charleston	83	16.6	34	12.5	49	21.6
Cherokee	10	15.8	6	14.5	4	18.2
Chester	9	15.1	5	17.1	4	13.2
Chesterfield	16	25.0	1	2.8	15	53.2
Clarendon	11	21.6	3	18.9	8	22.9
Colleton	14	27.5	3	15.2	11	35.1
Darlington	20	21.4	7	15.2	13	27.4
Dillon	10	16.7	2	7.9	8	23.1
Dorchester	14	13.3	5	6.9	9	27.4
Edgefield	3	10.0	-	0	3	15.6
Fairfield	12	35.3	2	19.6	10	42.0
Florence	35	17.6	14	13.8	21	21.5
Georgetown	11	13.8	3	9.1	8	17.0
Greenville	52	11.8	31	9.4	21	19.2
Greenwood	13	14.9	4	8.0	9	24.5
Hampton	11	32.0	2	19.2	9	37.5
Horry	26	13.7	8	6.4	18	27.8
Jasper	9	29.2	3	34.9	6	27.0
Kershaw	9	14.7	5	13.7	4	16.0
Lancaster	14	16.8	8	15.1	6	19.8
Laurens	16	20.3	8	16.3	8	26.9
Lee	12	37.9	1	13.2	11	45.6
Lexington	17	8.5	14	8.2	3	10.0
McCormick	2	12.7	-	0	2	17.2
Marion	12	18.7	3	13.6	9	21.4
Marlboro	10	16.9	2	8.4	8	22.7
Newberry	7	15.4	3	13.0	4	17.8
Oconee	7	9.4	5	7.6	2	22.2
Orangeburg	25	16.6	7	14.7	18	17.5
Pickens	12	11.5	10	10.7	2	18.9
Richland	70	17.4	19	9.8	51	24.5
Saluda	3	12.1	3	25.2	-	0
Spartanburg	42	13.4	21	9.3	21	24.5
Sumter	31	17.5	7	8.1	24	26.5
Union	10	20.7	8	27.6	2	10.4
Williamsburg	13	16.9	3	13.6	10	18.2
York	25	14.5	13	11.0	12	22.2

Rate per 1,000 live births

Table 55.
Neonatal Deaths and Neonatal Mortality Rates by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	561	10.8	232	7.6	329	15.4
Abbeville	1	3.1	-	0	1	7.5
Aiken	17	10.1	9	8.2	8	13.4
Allendale	8	35.4	1	22.7	7	38.5
Anderson	17	8.7	15	9.9	2	4.7
Bamberg	7	23.7	1	10.5	6	30.0
Barnwell	4	11.6	2	12.3	2	11.0
Beaufort	10	7.6	6	7.7	4	7.4
Berkeley	19	9.5	9	6.6	10	16.2
Calhoun	1	4.7	-	0	1	6.7
Charleston	64	12.8	26	9.5	38	16.8
Cherokee	8	12.6	5	12.1	3	13.6
Chester	5	8.4	4	13.7	1	3.3
Chesterfield	14	21.9	1	2.8	13	46.1
Clarendon	9	17.7	3	18.9	6	17.1
Colleton	10	19.6	2	10.2	8	25.6
Darlington	8	8.6	5	10.9	3	6.3
Dillon	4	6.7	2	7.9	2	5.8
Dorchester	11	10.5	4	5.5	7	21.3
Edgefield	1	3.3	-	0	1	5.2
Fairfield	11	32.4	2	19.6	9	37.8
Florence	27	13.6	11	10.9	16	16.3
Georgetown	8	10.0	3	9.1	5	10.6
Greenville	35	8.0	20	6.1	15	13.7
Greenwood	12	13.8	3	6.0	9	24.5
Hampton	5	14.5	1	9.6	4	16.7
Horry	16	8.4	5	4.0	11	17.0
Jasper	6	19.5	1	11.6	5	22.5
Kershaw	6	9.8	2	5.5	4	16.0
Lancaster	8	9.6	6	11.3	2	6.6
Laurens	9	11.4	5	10.2	4	13.5
Lee	8	25.2	1	13.2	7	29.0
Lexington	12	6.0	11	6.4	1	3.3
McCormick	1	6.3	-	0	1	8.6
Marion	6	9.4	2	9.1	4	9.5
Marlboro	4	6.8	1	4.2	3	8.5
Newberry	5	11.0	1	4.3	4	17.8
Oconee	6	8.0	4	6.1	2	22.2
Orangeburg	17	11.3	4	8.4	13	12.7
Pickens	8	7.7	7	7.5	1	9.4
Richland	46	11.4	9	4.6	37	17.8
Saluda	2	8.1	2	16.8	-	0
Spartanburg	29	9.3	15	6.6	14	16.3
Sumter	24	13.5	4	4.6	20	22.1
Union	5	10.4	4	13.8	1	5.2
Williamsburg	9	11.7	2	9.1	7	12.8
York	18	10.5	11	9.3	7	12.9

Rate per 1,000 live births

Table 56.
Postneonatal Deaths and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	248	4.8	98	3.2	150	7.0
Abbeville	-	0	-	0	-	0
Aiken	5	3.0	2	1.8	3	5.0
Allendale	1	4.4	-	0	1	5.5
Anderson	4	2.1	4	2.6	-	0
Bamberg	1	3.4	-	0	1	5.0
Barnwell	2	5.8	-	0	2	11.0
Beaufort	10	7.6	3	3.8	7	13.0
Berkeley	6	3.0	5	3.6	1	1.6
Calhoun	-	0	-	0	-	0
Charleston	19	3.8	8	2.9	11	4.9
Cherokee	2	3.2	1	2.4	1	4.5
Chester	4	6.7	1	3.4	3	9.9
Chesterfield	2	3.1	-	0	2	7.1
Clarendon	2	3.9	-	0	2	5.7
Colleton	4	7.8	1	5.1	3	9.6
Darlington	12	12.8	2	4.3	10	21.0
Dillon	6	10.0	-	0	6	17.3
Dorchester	3	2.9	1	1.4	2	6.1
Edgefield	2	6.7	-	0	2	10.4
Fairfield	1	2.9	-	0	1	4.2
Florence	8	4.0	3	3.0	5	5.1
Georgetown	3	3.8	-	0	3	6.4
Greenville	17	3.9	11	3.3	6	5.5
Greenwood	1	1.1	1	2.0	-	0
Hampton	6	17.4	1	9.6	5	20.8
Horry	10	5.3	3	2.4	7	10.8
Jasper	3	9.7	2	23.3	1	4.5
Kershaw	3	4.9	3	8.2	-	0
Lancaster	6	7.2	2	3.8	4	13.2
Laurens	7	8.9	3	6.1	4	13.5
Lee	4	12.6	-	0	4	16.6
Lexington	5	2.5	3	1.8	2	6.6
McCormick	1	6.3	-	0	1	8.6
Marion	6	9.4	1	4.5	5	11.9
Marlboro	6	10.2	1	4.2	5	14.2
Newberry	2	4.4	2	8.7	-	0
Oconee	1	1.3	1	1.5	-	0
Orangeburg	8	5.3	3	6.3	5	4.9
Pickens	4	3.8	3	3.2	1	9.4
Richland	24	6.0	10	5.0	14	6.7
Saluda	1	4.0	1	8.4	-	0
Spartanburg	13	4.2	6	2.6	7	8.2
Sumter	7	3.9	3	3.5	4	4.4
Union	5	10.4	4	13.8	1	5.2
Williamsburg	4	5.2	1	4.5	3	5.5
York	7	4.1	2	1.7	5	9.2

Rate per 1,000 live births

Table 57.
Fetal Deaths and Fetal Mortality Rates by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	672	12.9	288	9.4	384	18.0
Abbeville	4	12.6	1	5.4	3	22.6
Aiken	16	9.5	9	8.2	7	11.8
Allendale	6	26.5	1	22.7	5	27.5
Anderson	24	12.3	18	11.9	6	14.0
Bamberg	5	16.9	-	0	5	25.0
Barnwell	6	17.4	2	12.3	4	22.0
Beaufort	14	10.6	7	9.0	7	13.0
Berkeley	16	8.0	8	5.8	8	12.9
Calhoun	2	9.3	-	0	2	13.4
Charleston	72	14.4	27	9.9	45	19.9
Cherokee	8	12.6	4	9.7	4	18.2
Chester	5	8.4	2	6.8	3	9.9
Chesterfield	11	17.2	5	14.0	6	21.3
Clarendon	12	23.6	-	0	12	34.3
Colleton	5	9.8	1	5.1	4	12.8
Darlington	12	12.8	5	10.9	7	14.8
Dillon	9	15.0	2	7.9	7	20.2
Dorchester	14	13.3	10	13.8	4	12.2
Edgefield	6	20.0	2	18.5	4	20.8
Fairfield	10	29.4	-	0	10	42.0
Florence	25	12.6	8	7.9	17	17.4
Georgetown	12	15.0	-	0	12	25.5
Greenville	49	11.1	29	8.8	20	18.3
Greenwood	11	12.6	3	6.0	8	21.8
Hampton	10	29.1	-	0	10	41.7
Horry	16	8.4	8	6.4	8	12.3
Jasper	8	26.0	3	34.9	5	22.5
Kershaw	4	6.5	1	2.7	3	12.0
Lancaster	12	14.4	5	9.5	7	23.1
Laurens	10	12.7	4	8.2	6	20.2
Lee	8	25.2	2	26.3	6	24.9
Lexington	16	8.0	14	8.2	2	6.6
McCormick	2	12.7	-	0	2	17.2
Marion	11	17.2	2	9.1	9	21.4
Marlboro	14	23.7	6	25.1	8	22.7
Newberry	-	0	-	0	-	0
Oconee	8	10.7	7	10.6	1	11.1
Orangeburg	13	8.7	4	8.4	9	8.8
Pickens	19	18.2	19	20.3	-	0
Richland	63	15.6	24	12.3	39	18.7
Saluda	4	16.2	-	0	4	31.3
Spartanburg	22	7.0	16	7.0	6	7.0
Sumter	26	14.7	7	8.1	19	20.9
Union	9	18.7	5	17.2	4	20.8
Williamsburg	20	26.0	3	13.6	17	31.0
York	22	12.8	14	11.9	8	14.8
Unknown County	1				1	

Rate per 1,000 live births

Table 58.
Perinatal Deaths and Perinatal Mortality Rates by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	1,233	23.4	520	16.9	713	32.8
Abbeville	5	15.5	1	5.4	4	29.4
Aiken	33	19.4	18	16.3	15	24.9
Allendale	14	60.3	2	44.4	12	64.2
Anderson	41	20.8	33	21.5	8	18.4
Bamberg	12	40.0	1	10.5	11	53.7
Barnwell	10	28.6	4	24.4	6	32.3
Beaufort	24	18.0	13	16.5	11	20.1
Berkeley	35	17.4	17	12.3	18	28.7
Calhoun	3	13.8	-	0	3	19.9
Charleston	136	26.8	53	19.2	83	35.9
Cherokee	16	24.9	9	21.5	7	31.2
Chester	10	16.7	6	20.3	4	13.1
Chesterfield	25	38.5	6	16.6	19	66.0
Clarendon	21	40.3	3	18.9	18	49.7
Colleton	15	29.1	3	15.2	12	37.9
Darlington	20	21.1	10	21.5	10	20.8
Dillon	13	21.4	4	15.7	9	25.4
Dorchester	25	23.5	14	19.1	11	33.0
Edgefield	7	22.9	2	18.2	5	25.5
Fairfield	21	60.0	2	19.6	19	76.6
Florence	52	25.8	19	18.6	33	33.1
Georgetown	20	24.6	3	9.1	17	29.2
Greenville	84	18.9	49	14.7	35	31.4
Greenwood	23	26.1	6	11.9	17	45.3
Hampton	15	42.4	1	9.6	14	56.0
Horry	32	16.7	13	10.4	19	29.0
Jasper	14	44.3	4	44.9	10	44.1
Kershaw	10	16.2	3	8.2	7	27.7
Lancaster	20	23.7	11	20.6	9	29.0
Laurens	19	23.8	9	18.2	10	33.0
Lee	16	49.2	3	38.5	13	52.6
Lexington	28	13.8	25	14.5	3	9.9
McCormick	3	18.8	-	0	3	25.4
Marion	17	26.1	4	18.0	13	30.2
Marlboro	18	29.8	7	28.6	11	30.6
Newberry	5	11.0	1	4.3	4	17.8
Oconee	14	18.5	11	16.5	3	33.0
Orangeburg	30	19.8	8	16.7	22	21.2
Pickens	27	25.4	26	27.2	1	9.4
Richland	109	26.6	33	16.7	76	35.8
Saluda	6	23.9	2	16.8	4	30.3
Spartanburg	51	16.2	31	13.6	20	23.1
Sumter	50	27.8	11	12.6	39	42.1
Union	14	28.5	9	30.5	5	25.5
Williamsburg	29	36.8	5	22.4	24	42.5
York	40	23.0	25	21.0	15	27.3

Rate per 1,000 Deliveries

Table 59.
Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1980
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	12	2.3	7	2.3	5	2.3
Abbeville	1	31.4	1	54.1	-	0
Anderson	3	15.4	1	6.6	2	46.7
Berkeley	1	5.0	1	7.3	-	0
Dillon	1	16.7	-	0	1	28.8
Greenville	1	2.3	1	3.0	-	0
Lancaster	1	12.0	-	0	1	33.0
Oconee	1	13.4	1	15.2	-	0
Orangeburg	1	6.7	1	21.1	-	0
Richland	1	2.5	-	0	1	4.8
Spartanburg	1	3.2	1	4.4	-	0

Rate per 10,000 live births

Table 60.
Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	11	2.2	7	2.4	4	1.9
Anderson	4	16.6	2	10.5	2	39.6
Charleston	1	1.2	1	2.0	-	0
Florence	1	4.1	-	0	1	9.0
Greenville	2	3.7	2	4.8	-	0
Laurens	1	40.5	1	82.6	-	0
Orangeburg	1	6.6	1	20.1	-	0
Richland	1	1.8	-	0	1	3.8

Rate per 10,000 live births

MARRIAGES, DIVORCES, AND ANNULMENTS

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1980 there were 53,915 marriages recorded in South Carolina at a rate of 17.3 per 1,000 population. This is a decrease of 4.9 percent over the rate recorded in 1979.

As shown in Figure 11, the trend in residential status of persons obtaining marriage licenses in South Carolina over the past twenty years shows an interesting reversal in 1972. From 1961 through 1971, the majority of persons obtaining marriage licenses in South Carolina were not residents of this state. However, in 1972, 50.3 percent were South Carolina residents, and 49.7 percent were non-residents of South Carolina. The decrease in non-residents obtaining licenses continued in 1980, when the percentage of marriages where neither the bride nor the groom was a resident of South Carolina fell to 39.6.

Figure 11.
Percentage of Non-Residents Obtaining
Marriage Licenses in South Carolina, 1961-1980



Table 63 shows that there were 29,625 marriages or 54.9 percent of total marriages in which both the bride and the groom were residents of South Carolina. In 39.6 percent of the marriages, neither the bride nor groom were residents of this state. Nearly twice as many marriages (3.6 percent) occurred between resident brides and non-resident grooms as compared to resident grooms and non-resident brides (1.9 percent).

Again in 1980, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 20,824 persons under the age of twenty who married in South Carolina in 1980. Therefore, teenagers represent 19.3 percent of all persons married in this state in 1980. This percentage is lower than that for 1979, when 20.4 percent of all persons marrying were teenagers.

There were 558 marriages between persons of different races in South Carolina in 1980. Table61 shows a cross-classification of race of bride by race of groom for South Carolina, 1980.

Table 61.
Marriages by Race of Bride by Race of Groom
South Carolina, 1980

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	40,950	262	121	9	4	50	2	41,398
Black	102	11,810	8	1	1	5	1	11,928
Indian	95	9	272	-	-	3	-	379
Chinese	4	1	-	11	-	-	-	16
Japanese	12	1	-	2	2	-	-	17
Other	117	18	-	2	1	36	-	174
Not Stated	3	-	-	-	-	-	-	2
TOTAL	41,283	12,101	401	25	8	94	5	53,917

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1980, South Carolina recorded 13,595 divorces and annulments. The rate of divorces and annulments was 4.4 per 1,000 census population, This is a decrease of 6.4 percent from the rate recorded in 1979.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1980, the white rate was 5.2 and the nonwhite rate was 2.6.

There were 15,625 children involved in divorces and annulments in 1980, or an average of 1.1 children per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 65.3 percent of all grounds for divorce, followed by cruelty, desertion, and adultery. Table 68 shows divorces by legal grounds for decree, for South Carolina and each county, 1980.

Out of the total 27,190 persons in 1980 who were granted divorces, 42.7 percent were between the ages of 20 and 29.

Table 62.

Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1980

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	53,915	31,573	58.6	22,342	41.4	30,631	56.8	23,284	43.2
Abbeville	213	162	76.1	51	23.9	160	75.1	53	24.9
Aiken	3,017	1,180	39.1	1,837	60.9	1,118	37.1	1,899	62.9
Allendale	245	90	36.7	155	63.3	82	33.5	163	66.5
Anderson	1,422	1,252	88.0	170	12.0	1,224	86.1	198	13.9
Bamberg	160	150	93.8	10	6.3	150	93.8	10	6.3
Barnwell	183	172	95.6	8	4.4	167	91.3	16	8.7
Beaufort	824	610	74.0	214	26.0	578	70.1	246	29.9
Berkeley	762	731	95.9	31	4.1	714	93.7	48	6.3
Calhoun	84	79	94.0	5	6.0	77	91.7	7	8.3
Charleston	4,004	3,650	91.2	354	8.8	3,547	88.6	457	11.4
Cherokee	2,347	404	17.2	1,943	82.8	397	16.9	1,950	83.1
Chester	379	309	81.5	70	18.5	303	79.9	76	20.1
Chesterfield	1,293	314	24.3	979	75.7	306	23.7	987	76.3
Clarendon	249	217	87.1	32	12.9	215	86.3	34	13.7
Colleton	297	271	91.2	26	8.8	261	87.9	36	12.1
Darlington	584	533	91.3	51	8.7	532	91.1	52	8.9
Dillon	6,811	458	6.7	6,353	93.3	459	6.7	6,352	93.3
Dorchester	310	295	95.2	15	4.8	292	94.2	18	5.8
Edgefield	181	141	77.9	40	22.1	138	76.2	43	23.8
Fairfield	137	129	94.2	8	5.8	129	94.2	8	5.8
Florence	1,217	1,086	89.2	131	10.8	1,044	85.8	173	14.2
Georgetown	431	401	93.0	30	7.0	383	88.9	48	11.1
Greenville	3,933	3,282	83.4	651	16.6	3,182	80.9	751	19.1
Greenwood	640	614	95.9	26	4.1	602	94.1	38	5.9
Hampton	190	172	90.5	18	9.5	163	85.8	27	14.2
Horry	1,849	1,120	60.6	729	39.4	1,097	59.3	752	40.7
Jasper	1,419	191	13.5	1,228	86.5	191	13.5	1,228	86.5
Kershaw	442	422	95.5	20	4.5	404	91.4	38	8.6
Lancaster	948	588	62.0	360	38.0	578	61.0	370	39.0
Laurens	514	499	97.1	15	2.9	493	95.9	21	4.1
Lee	152	146	96.1	6	3.9	141	92.8	11	7.2
Lexington	1,127	1,090	96.7	37	3.3	1,055	93.6	72	6.4
McCormick	112	63	56.3	49	43.8	61	54.5	51	45.5
Marion	281	251	89.3	30	10.7	239	85.1	42	14.9
Marlboro	1,221	284	23.3	937	76.7	268	21.9	953	78.1
Newberry	263	249	94.7	14	5.3	249	94.7	14	5.3
Oconee	1,633	545	33.4	1,088	66.6	529	32.4	1,104	67.6
Orangeburg	712	665	93.4	47	6.6	629	88.3	83	11.7
Pickens	867	738	85.1	129	14.9	721	83.2	146	16.8
Richland	3,475	3,271	94.1	204	5.9	3,164	91.1	311	8.9
Saluda	138	132	95.7	6	4.3	126	91.3	12	8.7
Spartanburg	2,298	2,025	88.1	273	11.9	1,966	85.6	332	14.4
Sumter	986	914	92.7	72	7.3	872	88.4	114	11.6
Union	309	297	96.1	12	3.9	296	95.8	13	4.2
Williamsburg	349	319	91.4	30	8.6	308	88.3	41	11.7
York	4,907	1,059	21.6	3,848	78.4	1,021	20.8	3,886	79.2

Table 63.
Marriages by Residential Status, by County of Marriage
South Carolina, 1980
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	53,915	29,625	1,006	1,948	21,336
Abbeville	210	156	6	6	42
Aiken	3,024	1,028	111	167	1,718
Allendale	250	89	-	7	154
Anderson	1,491	1,265	27	57	142
Bamberg	174	160	3	3	8
Barnwell	190	172	4	9	5
Beaufort	841	551	28	63	199
Berkeley	836	769	12	35	20
Calhoun	106	94	2	5	5
Charleston	3,687	3,120	111	211	245
Cherokee	2,348	372	28	34	1,914
Chester	398	311	9	15	63
Chesterfield	1,315	312	12	22	969
Clarendon	263	219	7	12	25
Colleton	319	280	3	15	21
Darlington	603	527	18	22	36
Dillon	6,800	420	45	43	6,292
Dorchester	488	450	10	11	17
Edgefield	193	140	9	13	31
Fairfield	157	145	2	3	7
Florence	1,188	1,004	16	53	115
Georgetown	487	426	9	28	24
Greenville	3,824	3,015	56	159	594
Greenwood	606	555	10	25	16
Hampton	182	152	3	11	16
Horry	1,854	1,029	63	85	677
Jasper	1,414	173	19	19	1,203
Kershaw	459	414	4	24	17
Lancaster	918	530	23	30	335
Laurens	547	516	7	14	10
Lee	191	172	4	11	4
Lexington	1,301	1,200	15	55	31
McCormick	117	60	4	6	47
Marion	292	244	7	17	24
Marlboro	1,221	253	19	35	914
Newberry	273	256	5	6	6
Oconee	1,609	490	17	36	1,066
Orangeburg	741	649	6	45	41
Pickens	898	734	16	35	113
Richland	3,074	2,686	77	179	132
Saluda	144	131	1	6	6
Spartanburg	2,323	1,947	53	106	217
Sumter	1,000	861	27	66	46
Union	320	306	1	2	11
Williamsburg	363	314	9	17	23
York	4,864	923	87	123	3,731
Out-of-State	12	5	1	2	4

Table 64.
Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1980

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,573	100.0	23,936	100.0	7,637	100.0
Under 15	129	0.4	117	0.5	12	0.2
15 - 19	8,433	26.7	6,808	28.4	1,625	21.3
20 - 24	11,093	35.1	7,926	33.1	3,167	41.5
25 - 29	5,198	16.5	3,794	15.9	1,404	18.4
30 - 34	2,659	8.4	2,049	8.6	610	8.0
35 - 39	1,420	4.5	1,118	4.7	302	4.0
40 - 44	836	2.6	676	2.8	160	2.1
45 - 49	662	2.1	541	2.3	121	1.6
50 - 54	380	1.2	297	1.2	83	1.1
55 - 59	275	0.9	227	0.9	48	0.6
60 - 64	252	0.8	196	0.8	56	0.7
65 - 69	149	0.5	121	0.5	28	0.4
70 - 74	64	0.2	50	0.2	14	0.2
75 and Over	23	0.1	16	0.1	7	0.1
Non-Residents						
All Ages	22,342	100.0	17,343	100.0	4,999	100.0
Under 15	257	1.2	248	1.4	9	0.2
15 - 19	5,551	24.8	4,648	26.8	903	18.1
20 - 24	5,842	26.1	4,182	24.1	1,660	33.2
25 - 29	3,708	16.6	2,717	15.7	991	19.8
30 - 34	2,386	10.7	1,820	10.5	566	11.3
35 - 39	1,504	6.7	1,212	7.0	292	5.8
40 - 44	1,038	4.6	856	4.9	182	3.6
45 - 49	744	3.3	619	3.6	125	2.5
50 - 54	513	2.3	413	2.4	100	2.0
55 - 59	312	1.4	235	1.4	77	1.5
60 - 64	261	1.2	205	1.2	56	1.1
65 - 69	136	0.6	110	0.6	26	0.5
70 - 74	60	0.3	50	0.3	10	0.2
75 and Over	30	0.1	28	0.2	2	0.0

Table 65.
Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1980

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	30,631	100.0	23,198	100.0	7,433	100.0
Under 15	-	0	-	0	-	0
15 - 19	3,653	11.9	3,146	13.6	507	6.8
20 - 24	11,341	37.0	8,214	35.4	3,127	42.1
25 - 29	6,662	21.7	4,755	20.5	1,907	25.7
30 - 34	3,504	11.4	2,710	11.7	794	10.7
35 - 39	1,825	6.0	1,478	6.4	347	4.7
40 - 44	1,093	3.6	889	3.8	204	2.7
45 - 49	752	2.5	616	2.7	136	1.8
50 - 54	547	1.8	442	1.9	105	1.4
55 - 59	428	1.4	334	1.4	94	1.3
60 - 64	328	1.1	243	1.0	85	1.1
65 - 69	246	0.8	183	0.8	63	0.8
70 - 74	139	0.5	101	0.4	38	0.5
75 and Over	113	0.4	87	0.4	26	0.3
Non-Residents						
All Ages	23,284	100.0	17,991	100.0	5,293	100.0
Under 15	-	0	-	0	-	0
15 - 19	2,801	12.0	2,464	13.7	337	6.4
20 - 24	7,013	30.1	5,109	28.4	1,904	36.0
25 - 29	4,370	18.8	3,190	17.7	1,180	22.3
30 - 34	2,932	12.6	2,248	12.5	684	12.9
35 - 39	1,843	7.9	1,482	8.2	361	6.8
40 - 44	1,296	5.6	1,056	5.9	240	4.5
45 - 49	970	4.2	791	4.4	179	3.4
50 - 54	704	3.0	593	3.3	111	2.1
55 - 59	532	2.3	419	2.3	113	2.1
60 - 64	402	1.7	311	1.7	91	1.7
65 - 69	229	1.0	169	0.9	60	1.1
70 - 74	119	0.5	99	0.6	20	0.4
75 and Over	73	0.3	60	0.3	13	0.2

Table 66.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1980

Age of Groom	Age of Bride															
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & Over	Not Stated
Total	53,915	386	13,984	16,935	8,906	5,045	2,924	1,874	1,406	893	587	513	285	124	53	-
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	6,454	237	4,991	1,037	142	36	8	3	-	-	-	-	-	-	-	-
20 - 24	18,354	130	7,145	8,731	1,782	424	118	15	8	1	-	-	-	-	-	-
25 - 29	11,032	12	1,367	4,834	3,451	1,012	256	67	22	5	2	3	-	-	1	-
30 - 34	6,436	5	341	1,576	2,145	1,559	556	188	53	9	1	2	1	-	-	-
35 - 39	3,668	1	90	467	846	1,049	738	308	127	29	10	1	-	1	1	-
40 - 44	2,389	1	32	160	342	520	591	430	216	61	20	12	2	2	-	-
45 - 49	1,722	-	11	70	108	254	361	390	333	139	31	14	6	4	1	-
50 - 54	1,251	-	4	31	62	123	171	248	296	190	80	33	12	-	1	-
55 - 59	960	-	1	17	22	41	75	119	186	218	176	77	21	5	2	-
60 - 64	730	-	1	8	6	20	34	62	101	135	144	146	65	6	2	-
65 - 69	475	-	1	2	-	5	10	30	41	73	83	129	76	18	7	-
70 - 74	258	-	-	2	-	2	4	11	17	20	26	66	54	44	12	-
75 & Over	186	-	-	-	-	-	2	3	6	13	14	30	48	44	26	-

Table 67.
Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1980

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13,595	11,155	2,440	15,625	12,311	3,314
Abbeville	56	46	10	59	42	17
Aiken	450	371	79	467	355	112
Allendale	20	8	12	27	12	15
Anderson	670	616	54	723	650	73
Bamberg	47	30	17	47	32	15
Barnwell	66	51	15	76	54	22
Beaufort	262	190	72	227	143	84
Berkeley	387	344	43	523	448	75
Calhoun	17	9	8	22	8	14
Charleston	1,494	1,184	310	1,829	1,368	461
Cherokee	173	152	21	270	241	29
Chester	135	115	20	113	86	27
Chesterfield	72	57	15	80	57	23
Clarendon	63	40	23	65	38	27
Colleton	106	81	25	203	180	23
Darlington	155	120	35	231	192	39
Dillon	60	48	12	65	52	13
Dorchester	190	171	19	191	161	30
Edgefield	35	21	14	138	121	17
Fairfield	66	32	34	95	25	70
Florence	475	383	92	585	476	109
Georgetown	139	109	30	150	90	60
Greenville	1,628	1,418	210	1,761	1,544	217
Greenwood	248	205	43	209	164	45
Hampton	50	29	21	60	32	28
Horry	441	400	41	407	344	63
Jasper	24	16	8	23	16	7
Kershaw	182	150	32	173	141	32
Lancaster	250	216	34	835	781	54
Laurens	266	216	50	244	184	60
Lee	42	23	19	42	27	15
Lexington	749	718	31	692	644	48
McCormick	23	11	12	19	7	12
Marion	117	84	33	98	67	31
Marlboro	67	54	13	66	48	18
Newberry	120	91	29	212	166	46
Oconee	216	201	15	202	179	23
Orangeburg	275	178	97	298	176	122
Pickens	288	274	14	394	370	24
Richland	1,359	957	402	1,412	949	463
Saluda	33	26	7	32	22	10
Spartanburg	1,190	1,042	148	1,123	940	183
Sumter	425	308	117	412	270	142
Union	127	102	25	207	87	120
Williamsburg	36	19	17	44	20	24
York	301	239	62	474	302	172

by race of husband

Table 68.

Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1980

County of Decree	Plaintiff		Legal Grounds for Divorce*							Annulment	Unknown
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds		
SOUTH CAROLINA	4,569	9,022	152	1,665	787	10	1,613	8,879	240	247	2
Abbeville	24	32	2	5	5	-	9	34	1	-	-
Aiken	168	282	8	37	33	-	43	321	3	5	-
Allendale	9	11	-	2	3	-	1	14	-	-	-
Anderson	177	493	4	167	63	1	90	301	17	27	-
Bamberg	15	32	-	3	3	-	9	31	1	-	-
Barnwell	27	39	2	5	2	-	5	52	-	-	-
Beaufort	119	143	3	17	11	-	32	190	6	3	-
Berkeley	152	235	3	45	17	-	59	250	10	3	-
Calhoun	4	13	-	4	-	-	2	11	-	-	-
Charleston	564	930	14	128	42	-	148	1,125	19	18	-
Cherokee	62	111	1	26	14	1	23	105	2	1	-
Chester	42	93	2	27	5	-	21	79	-	1	-
Chesterfield	26	46	1	6	4	-	10	45	3	3	-
Clarendon	23	40	-	3	4	-	6	47	1	2	-
Colleton	28	78	-	17	4	-	8	68	2	7	-
Darlington	43	112	2	23	7	-	17	99	4	3	-
Dillon	28	32	-	7	2	-	8	42	1	-	-
Dorchester	65	125	3	10	8	-	20	146	2	1	-
Edgefield	17	18	-	2	-	-	6	25	2	-	-
Fairfield	25	41	1	10	3	-	4	47	-	1	-
Florence	165	310	7	41	22	1	63	329	7	5	-
Georgetown	42	97	1	14	11	-	13	96	3	1	-
Greenville	498	1,129	16	251	107	4	193	981	33	43	-
Greenwood	81	167	2	33	14	-	28	161	5	5	-
Hampton	24	26	3	9	1	-	2	34	1	-	-
Horry	159	282	2	42	24	1	65	292	4	11	-
Jasper	10	14	-	7	-	-	-	17	-	-	-
Kershaw	68	114	1	17	4	-	36	115	6	3	-
Lancaster	76	174	5	33	13	-	24	172	1	2	-
Laurens	80	186	4	41	31	-	32	152	2	4	-
Lee	16	26	-	4	1	-	4	31	1	1	-
Lexington	236	513	4	82	46	-	118	482	9	8	-
McCormick	12	11	-	3	3	-	-	16	-	1	-
Marion	42	75	1	14	4	-	8	86	2	2	-
Marlboro	27	40	2	6	5	-	4	45	2	3	-
Newberry	37	83	1	21	1	-	17	76	3	1	-
Oconee	68	148	1	29	10	-	+0	131	2	3	-
Orangeburg	92	183	4	27	7	-	26	196	9	5	1
Pickens	87	201	-	42	32	-	52	149	9	4	-
Richland	477	880	26	142	41	1	116	982	20	30	1
Saluda	18	15	-	2	1	-	4	26	-	-	-
Spartanburg	367	822	17	158	125	1	125	724	23	17	-
Sumter	142	283	2	40	24	-	69	264	16	10	-
Union	33	94	2	28	8	-	12	67	6	4	-
Williamsburg	15	21	1	1	-	-	4	30	-	-	-
York	79	222	4	34	22	-	37	193	2	9	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

Table 69.
Divorces by Age Groups, by Race*: South Carolina, 1980

YEARS OF AGE	TOTAL	WHITE	NONWHITE
*by age and race of husband			
All Ages	13,595	11,155	2,440
Under 15	7	5	2
15-19	119	114	5
20-24	1,930	1,729	201
25-29	3,351	2,678	673
30-34	2,847	2,243	604
35-39	1,939	1,575	364
40-44	1,194	1,012	182
45-49	822	703	119
50-54	475	385	90
55-59	360	303	57
60-64	168	126	42
65-69	83	58	25
70-74	41	32	9
75+	37	29	8
Not Stated	222	163	59
*by age and race of wife			
All Ages	13,595	11,136	2,459
Under 15	9	8	1
15-19	492	454	38
20-24	2,988	2,616	372
25-29	3,351	2,597	754
30-34	2,486	1,956	530
35-39	1,641	1,342	299
40-44	924	792	132
45-49	614	507	107
50-54	396	335	61
55-59	227	183	44
60-64	110	91	19
65-69	40	29	11
70-74	17	14	3
75+	23	19	4
Not Stated	277	193	84

Table 70.
Divorces by Duration of Marriage, by Plaintiff by Legal Grounds for Decree South Carolina, 1980

Duration of Marriage	Plaintiff		Legal Grounds for Decree*							Annulment	Unknown
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds		
Total	4,569	9,022	152	1,665	787	10	1,613	8,879	240	247	2
Under 1 Year	37	107	-	35	13	-	19	9	6	62	-
1 - 4 Years	1,281	2,820	40	712	293	4	471	2,343	95	143	1
1 Year	179	505	2	183	106	3	102	174	26	88	-
2 Years	344	760	12	212	72	-	115	640	32	21	-
3 Years	374	786	11	174	63	-	123	756	18	16	-
4 Years	384	769	15	143	52	1	131	773	19	18	1
5 - 9 Years	1,416	2,859	57	487	184	5	509	2,944	62	28	-
5 Years	339	706	16	136	47	1	139	674	19	13	-
6 Years	317	633	11	93	45	-	108	675	12	6	-
7 Years	311	563	11	87	37	2	89	629	14	5	-
8 Years	260	520	10	88	28	2	96	551	6	-	-
9 Years	189	437	9	83	27	-	77	415	11	4	-
10 - 14 Years	715	1,496	19	214	108	1	284	1,539	43	5	-
15 - 19 Years	403	818	13	117	80	-	157	836	14	5	-
20 - 24 Years	291	422	8	57	45	-	84	508	11	-	-
25 - 29 Years	162	265	4	27	31	-	56	303	3	2	1
30 & Over	257	230	12	14	29	-	31	384	6	1	-
Unknown	7	15	-	2	4	-	2	13	-	-	-

*Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 71.
Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence	Infectious Hepatitis	Serum Hepatitis	Unspecified Hepatitis	Measles (Rubeola)	German Measles (Rubella)	Mumps	Aseptic Meningitis	Meningococcal Infections	Pertussis	Primary Encephalitis	Post-Infectious Encephalitis	Brucellosis	Typhoid	Salmonellosis Except Typhoid	Shigellosis
1979	205	173	78	183	77	5	32	69	13	7	-	1	5	359	128
1980	147	492	80	159	58	211	60	68	18	10	-	1	3	477	87
Abbeville						3								3	
Aiken	8	22		1	16	4		5	1					10	4
Allendale	1	3				1									
Anderson	4	17			8	8	2	6		1				20	5
Bamberg		1				174				1					
Barnwell	2	2					1	1						1	
Beaufort	1	1					1	1		1				4	7
Berkeley		16	2		2									5	
Calhoun		1		3			1	1						1	1
Charleston	23	105	13	1	1	7	10	7	2	3				107	16
Cherokee	1	3												2	
Chester	4	1	2		1									3	5
Chesterfield	1	1	3		1			1						9	1
Clarendon		2						1	1						
Colleton	2	4	1						1					5	1
Darlington		1		15	1									23	10
Dillon	1	1						1						11	2
Dorchester		5	1			1	1							1	
Edgefield															
Fairfield															
Florence	4	8	1		1		3	1						27	
Georgetown		2	1				1							3	
Greenville	26	35	2			2	11	17	2	1				22	6
Greenwood		3				2	1	1	1					9	
Hampton		1							2					1	
Horry	14	23	15			2	3	3		1				29	2
Jasper		1					1	1	1	1					
Kershaw	8	5	1	114				3					1	14	
Lancaster	2	3	1											2	1
Laurens		35	2			1	2							3	1
Lee		2	1											2	
Lexington	2	25	5	6		1	1							24	
McCormick								1						1	
Marion		2				1	1	1						8	
Marlboro		1	1											5	
Newberry		1			1		2	1							
Oconee		6	1					1	5					3	
Orangeburg	3	6	6	2		2	3		2					5	7
Pickens		5			16			2						1	
Richland	10	98	10	17	4	1	4	10				1		60	12
Saluda		1												1	
Spartanburg	17	26	3		3	1	3	1		1				28	2
Sumter	1	3	1				2						1	7	2
Union	2	2	1											1	
Williamsburg	1	5					3							6	
York	9	3	4		3		1	1					1	4	2
Unknown		4	2				2							6	

Table 71.- Continued

County of Occurrence	Strep Throat and Scarlet Fever	Rocky Mt. Spotted Fever	Tetanus	Tularemia	Chickenpox	Amebiasis	Active Tuberculosis	Rheumatic Fever	Rabies	Influenza	Giardiasis	Helminths	Malaria
1979	2299	84	1	1	220	1	485	-	173	622	-	-	-
1980	3775	141	3	-	577	89	520	-	62	2336	406	550	12
Abbeville													
Aiken	43	1			10		14		3	201			1
Allendale	1								2				
Anderson	168	10			16		11		1	42			
Bamberg	19	1							1	16			
Barnwell							2						
Beaufort	4	1	1				7		3				
Berkeley	4	1			4		17		1		3		
Calhoun	32				1		7		5	99			
Charleston	787	2			180	2	47		1	39	50	29	3
Cherokee	2	3					6			2			
Chester	1	10					3		1	1			
Chesterfield	1	2			12		11			6		1	
Clarendon							8						
Colleton	1				9		6		1	3			
Darlington	321		1		70		17			1	2	2	
Dillon		1					8			2			1
Dorchester	6						10				6	1	
Edgefield		1					4		3				
Fairfield		1			2		4			1			
Florence	2	2			1	1	38		1	1		1	
Georgetown	67				9		10			1		2	
Greenville	37	21			7		27			19	3		
Greenwood	35	1			69		3			9	1		
Hampton	5	1					1			4			
Horry	279	3			31		27			19	6		1
Jasper	24						3		1	125			
Kershaw	2	3			2		11		3		2	1	
Lancaster		1					3						
Laurens	61	3			1		4			1			
Lee					4		5				1		
Lexington	223				14		14		5	2	5		
McComick	2								1				
Marion	52		1		35		27			30			
Marlboro	23						2						
Newberry	2	1			3		2						
Oconee	184	2			3		6			164			
Orangeburg	15				6		14		9	2	1		
Pickens	1	5				1	5		2				
Richland	166				26	9	54		2	9	5		1
Saluda	1						3						
Spartanburg	906	54			46	1	29		3	1367		1	3
Sumter	2						12				1	1	1
Union	18				12		9			85			
Williamsburg	63	1					16					4	1
York	161	9			4		13		3	85	1		
Unknown	54					75					319	507	

Table
Reported Cases of Venereal Disease
South Carolina and Each County, 1980
(Occurrence Data)

County of Occurrence		Gonorrhea1/	Syphilis1/		Other V. D.	Total V. D.
			Infectious	Other2/		
SOUTH CAROLINA	1979	22,238	321	372	6	22,937
	1980	23,525	406	549	4	24,484
Abbeville		45	1	1	-	47
Aiken		227	8	6	-	241
Allendale		98	-	-	-	98
Anderson		938	5	8	-	951
Bamberg		204	19	29	-	252
Barnwell		172	2	3	-	177
Beaufort		233	3	17	1	254
Berkeley		227	1	1	-	229
Calhoun		54	-	-	-	54
Charleston		3,350	125	58	3	3,536
Cherokee		11	-	1	-	12
Chester		46	1	1	-	48
Chesterfield		179	3	6	-	188
Clarendon		241	1	5	-	247
Colleton		166	5	9	-	180
Darlington		345	6	14	-	365
Dillon		227	6	9	-	242
Dorchester		349	13	3	-	365
Edgefield		136	-	2	-	138
Fairfield		46	-	3	-	49
Florence		717	45	62	-	824
Georgetown		141	2	9	-	152
Greenville		3,272	49	57	-	3,378
Greenwood		346	11	7	-	364
Hampton		108	1	6	-	115
Horry		643	6	13	-	662
Jasper		45	-	9	-	54
Kershaw		287	1	-	-	288
Lancaster		158	1	8	-	167
Laurens		287	1	2	-	290
Lee		137	-	-	-	137
Lexington		303	-	8	-	311
McCormick		93	-	-	-	93
Marion		92	1	11	-	104
Marlboro		316	1	5	-	322
Newberry		218	-	2	-	220
Oconee		28	3	11	-	42
Orangeburg		990	18	27	-	1,035
Pickens		174	-	3	-	177
Richland		5,074	31	70	-	5,175
Saluda		68	-	1	-	69
Spartanburg		477	7	21	-	505
Sumter		1,246	13	12	-	1,271
Union		55	-	4	-	59
Williamsburg		206	3	7	-	216
York		504	4	13	-	521
Not Stated & Institutions		246	3	11	-	260

1/ Excluding Military: Gonorrhea, Military 1,668 Syphilis 45

2/ Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX



TYPE
OR PRINT
IN
PERMANENT
INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH

139-

BIRTH NUMBER

CHILD

1. CHILD—NAME FIRST MIDDLE LAST
2. SEX
3a. DATE OF BIRTH (Mo., Day, Yr.)
3b. HOUR M
4a. HOSPITAL—NAME *(If not in hospital, give street and number)*
4b. CITY, TOWN OR LOCATION OF BIRTH
4c. COUNTY OF BIRTH

CERTIFIER

I certify that the stated information concerning this child is true to the best of my knowledge and belief.
5a. (Signature) ▶
5b. DATE SIGNED (Mo., Day, Yr.)
5c. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER *(Type or print)*
5d. CERTIFIER—NAME AND TITLE *(Type or print)*
5e. MAILING ADDRESS *(Street or R.F.D. No., City or Town, State, Zip)*

REGISTRAR
6a. (Signature) ▶
6b. DATE RECEIVED BY REGISTRAR (Month, Day, Year)

MOTHER

7a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST
7b. AGE (At time of this birth)
7c. STATE OF BIRTH (If not in U.S.A., name country)
8a. RESIDENCE—STATE
8b. COUNTY
8c. CITY, TOWN OR LOCATION
8d. STREET AND NUMBER OF RESIDENCE
8e. INSIDE CITY LIMITS (Specify yes or no)
9. MOTHER'S MAILING ADDRESS—*If same as above, enter Zip Code only*

FATHER

10a. FATHER—NAME FIRST MIDDLE LAST
10b. AGE (At time of this birth)
10c. STATE OF BIRTH (If not in U.S.A., name country)
I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief.
11a. (Signature of Parent or other Informant) ▶
11b. RELATION TO CHILD

INFORMATION FOR MEDICAL AND HEALTH USE ONLY

12. RACE—MOTHER (e.g., White, Black, American Indian, etc.) (Specify)
13. RACE—FATHER (e.g., White, Black, American Indian, etc.) (Specify)
14. BIRTH WEIGHT
15a. THIS BIRTH—Single, twin, triplet, etc. (Specify)
15b. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)
16. IS MOTHER MARRIED? (Specify yes or no)

PREGNANCY HISTORY
(Complete each section)

LIVE BIRTHS (Do not include this child)
17a. Now living Number___ None ☐
17b. Now dead Number___ None ☐
17c. DATE OF LAST LIVE BIRTH (Month, Year)

OTHER TERMINATIONS (Spontaneous and induced)
17d. Before 20 wks. Number___ None ☐
17e. After 20 wks. Number___ None ☐
17f. DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year)

EDUCATION—MOTHER (Specify only highest grade completed)
18a. Elementary or Secondary (0-12) College (1-4 or 5+)
18b. Usual Occupation
18c. Business or Industry

EDUCATION—FATHER (Specify only highest grade completed)
19a. Elementary or Secondary (0-12) College (1-4 or 5+)
19b. Usual Occupation
19c. Business or Industry

20. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
21a. MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. *(Specify)*
21b. PRENATAL VISITS Total number (If none, so state)
APGAR SCORE
22a. 1 min.
22b. 5 min.
23. COMPLICATIONS OF PREGNANCY *(Describe or write "none")*
24. CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")*
25. COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")*
26. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD *(Describe or write "none")*
27a. MOTHER'S BLOOD TESTED FOR SYPHILIS? (SPECIFY YES OR NO) DATE MONTH DAY YEAR
27b. LABORATORY
28. WHAT PROPHYLACTIC USED IN EYES? *(Specify)* TIME USED M.

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

DHEC-689 Rev. 1978

SAMPLE



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER
STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT

IF DEATH OCCURRED IN INSTITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS.

1. DECEDENT—NAME FIRST MIDDLE LAST
2. SEX
3. DATE OF DEATH (Mo., Day, Yr.)
4. RACE—(e.g., White, Black, American Indian, etc.) (Specify)
5a. AGE—Last Birthday (Yrs.)
5b. UNDER 1 YEAR MOS. DAYS
5c. UNDER 1 DAY HOURS MINS.
6. DATE OF BIRTH (Mo., Day, Yr.)
7a. COUNTY OF DEATH
7b. CITY, TOWN OR LOCATION OF DEATH
7c. HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number)
7d. IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)
8. STATE OF BIRTH (If not in U.S.A., name country)
9. CITIZEN OF WHAT COUNTRY
10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)
11. SURVIVING SPOUSE (If wife, give maiden name)
12. WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No)
13. SOCIAL SECURITY NUMBER
14a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)
14b. KIND OF BUSINESS OR INDUSTRY
15a. RESIDENCE—STATE
15b. COUNTY
15c. CITY, TOWN OR LOCATION
15d. STREET AND NUMBER
15e. INSIDE CITY LIMITS (Specify Yes or No)

PARENTS

16. FATHER—NAME FIRST MIDDLE LAST
17. [illegible]—MAIDEN NAME FIRST MIDDLE LAST
18a. INFORMANT—NAME (Type or Print)
18b. MAILING AD[illegible] STREET OR [illegible] NO. CITY OR TOWN STATE Zip

DISPOSITION

19a. BURIAL, CREMATION, REMOVAL, Other (Specify)
19b. CEMETERY OR CREMATORY—NAME
19c. LOCATION CITY OR TOWN STATE
20a. FUNERAL DIRECTOR OR PERSON ACTING AS SUCH (Signature) ▶
20b. LIC. N[illegible]
20c. EMBALMER'S SIGNATURE
20d. LIC. NO.
20e. NAME OF FACILITY
20f. [illegible]
20g. ADDRESS OF FACILITY

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my knowledge, death occ[illegible] date and place and due to the cause(s) stated.
(Signature and Title) ▶
21b. DATE SIGNED (Mo., Day, Yr.)
21c. HOUR OF D[illegible] M
21d. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)

To be Completed by MEDICAL EXAMINER or CORONER Only

22a. On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title) ▶
22b. DATE SIGNED (Mo., Day, Yr.)
22c. HOUR OF DEATH M
22d. PRONOUNCED DEAD (Mo., Day, Yr.) ON
22e. PRONOUNCED DEAD (Hour) AT M
23a. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)
23b. LIC. NO.
24a. REGISTRAR (Signature) ▶
24b. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

25. PART I IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).)
(a) Interval between onset and death
DUE TO, OR AS A CONSEQUENCE OF:
(b) Interval between onset and death
DUE TO, OR AS A CONSEQUENCE OF:
(c) Interval between onset and death
PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)
26. AUTOPSY (Specify Yes or No)
27. WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No)
28a. ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)
28b. DATE OF INJURY (Mo., Day, Yr.)
28c. HOUR OF INJURY M
28d. DESCRIBE HOW INJURY OCCURRED
28e. INJURY AT WORK (Specify Yes or No)
28f. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)
28g. LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE

DHEC-670
Rev. 1978

SAMPLE



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

1a. HOSPITAL—NAME (If not in hospital, give street and number)
1b. CITY, TOWN OR LOCATION OF DELIVERY
1c. COUNTY OF DELIVERY
2a. DATE OF DELIVERY (Month, Day, Year)
2b. HOUR OF DELIVERY M
3. SEX OF FETUS
4. WEIGHT OF FETUS

MOTHER

5a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST
5b. AGE (at time of this delivery)
6a. RESIDENCE—STATE
6b. COUNTY
6c. CITY, TOWN OR LOCATION
6d. STREET AND NUMBER
6e. INSIDE CITY LIMITS (Specify Yes or No)
7. RACE—(e.g., White, Black, American Indian, etc.) (Specify)
8. EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+)
9. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
10. IS MOTHER MARRIED? (Specify yes or no)

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS
11a. Now living Number___ None ☐
11b. Now dead Number___ None ☐
11c. DATE OF LAST LIVE BIRTH (Month, Year)

OTHER TERMINATIONS (Spontaneous and induced)
11d. Before 20 wks. Number___ None ☐
11e. After 20 wks. Number___ (Do not include this fetus) None ☐
11f. DATE OF LAST OTHER TERMINATION [illegible] (Month, Year)

12a. MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, second, etc. (Specify)
12b. PRENATAL VISITS—Total number (If none, so state)
13a. THIS BIRTH—Single, twin, triplet, etc. (Specify)
13b. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)

FATHER

14a. FATHER—NAME FIRST MIDDLE LAST
14b. AGE (at time of this delivery)
14c. RACE—(e.g., White, Black, American Indian, etc.) (Specify)
14d. EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+)

CAUSE OF FETAL DEATH

15 PART I
Fetal or maternal condition directly causing fetal death
IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE (a), (b), AND (c).)
(a) Specify Fetal or Maternal
DUE TO, OR AS A CONSEQUENCE OF:
Fetal and/or maternal conditions, if any, giving rise to the immediate cause (a), stating the underlying cause last.
(b) Specify Fetal or Maternal
DUE TO, OR AS A CONSEQUENCE OF:
(c) Specify Fetal or Maternal

PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)
16. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify)
17. PHYSICIAN'S ESTIMATE OF GESTATION Weeks
18. AUTOPSY (Specify yes or no)

MULTIPLE BIRTHS Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

19. COMPLICATIONS OF PREGNANCY (Describe or write "none")
20. COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none")
21. CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none")
22. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none")
23. NAME OF PHYSICIAN OR ATTENDANT (Type or print)
24. NAME OF PERSON COMPLETING REPORT (Type or print) TITLE
25. DATE REPORT COMPLETED
26. DATE RECEIVED BY HEALTH DEPARTMENT

SAMPLE

DHEC-665
Rev. 1978



LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

LICENSE NUMBER

COUNTY

SAMPLE

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)

BIRTHDATE (MONTH, DAY, YEAR) (2a)

AGE (2b)

BIRTHPLACE (State or foreign country) (3)

RACE (4)

RESIDENCE (Street and Number) (5a)

CITY, TOWN OR LOCATION (5b)

COUNTY (5c)

STATE

NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)

BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)

BIRTHDATE (MONTH, DAY, YEAR) (8a)

AGE (8b)

BIRTHPLACE (State or foreign country) (9)

RACE (10)

RESIDENCE (Street and Number) (11a)

CITY, TOWN OR LOCATION (11b)

COUNTY (11c)

STATE (11

NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)

MAIDEN NAME OF BRIDE (If Different From Above) (13)

Application for a license was filed with the court at ________ M. on the _____ day of _______________, 19____. These are, therefore, to authorize any person qualified [illegible] perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at __________ M. this the _______ day of _______________, A.D. 19______

Signature of Issuing Officer

Title of Issuing Officer

GROOM—Signature (14)

BRIDE—Signature (15)

I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)

Place of Marriage COUNTY (17) SOUTH CAROLINA

OFFICIANT—Signature (18a)

OFFICIANT—Title (18b)

OFFICIANT—Mailing Address (18c)

DHEC 681 REV. 6-71 50M

SCDHEC-682-Rev. 8-1973 10M

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

DIVISION OF VITAL RECORDS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

ADDRESS

ATTORNEY FOR PLAINTIFF

SAMPLE

HUSBAND–NAME (first) (middle) (last) 1		DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4		NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE–MAIDEN NAME (first) (middle) (last) 7		DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (county) (city) 10		NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE (state) (county) 13		DATE OF MARRIAGE (month) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16	DECREE GRANTED TO (specify) 17	WAS DIVORCE CONTESTED (specify yes or no) 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20		TYPE OF DECREE absolute divorce or annulment (specify) 21	
MAIDEN NAME RESUMED BY DECREE 22 a Yes ☐ No ☐		SUPPLEMENTAL ORDER (if any) (month-day-year) 22 b	
COUNTY 23		DOCKET NUMBER 24	
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court 25		month day year	

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-122, CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decree is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Division of Vital Records, Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce or Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED, RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated compara-bility ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0250	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2596	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0096	0.7600	0.7218

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	3...	3...	3...	3...
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8206	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0226	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0236	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of The Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICD-8 Revision (2)			Upper (5)	Lower (6)
All causes	...	...	1.0000	...	...	...
Certain gastrointestinal diseases	008-009,535,555-558	004,006-009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pheumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5336

[1] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.